


New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

All Invasive Malignant Tumors




- △ △ △ Incidence among Males and Females
- ○ ○ Incidence among Males
- □ □ Incidence among Females
- B B B Mortality among Males and Females
- ● ● Mortality among Males
- ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

All Invasive Malignant Tumors




△ △ △ Incidence among Males and Females
 ○ ○ ○ Incidence among Males
 □ □ □ Incidence among Females
● ● ● Mortality among Males and Females
 ● ● ● Mortality among Males
 ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Oral cavity and pharynx




△ △ △ Incidence among Males and Females
 ○ ○ ○ Incidence among Males
 □ □ □ Incidence among Females
B B B Mortality among Males and Females
 ● ● ● Mortality among Males
 ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Oral cavity and pharynx




- △ △ △ Incidence among Males and Females
- ○ ○ Incidence among Males
- □ □ Incidence among Females
- B B B Mortality among Males and Females
- ● ● Mortality among Males
- ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Esophagus




- △ △ △ Incidence among Males and Females
- ○ ○ Incidence among Males
- □ □ Incidence among Females
- B B B Mortality among Males and Females
- ● ● Mortality among Males
- ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Esophagus




△ △ △ Incidence among Males and Females
 ○ ○ ○ Incidence among Males
 □ □ □ Incidence among Females
B B B Mortality among Males and Females
 ● ● ● Mortality among Males
 ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Stomach




- △ △ △ Incidence among Males and Females
- ○ ○ Incidence among Males
- □ □ Incidence among Females
- ● ● Mortality among Males
- ■ ■ Mortality among Females
- ■ ■ Mortality among Males and Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Stomach




- △ △ △ Incidence among Males and Females
- ○ ○ Incidence among Males
- □ □ Incidence among Females
- B B B Mortality among Males and Females
- ● ● Mortality among Males
- ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Colorectal




△ △ △ Incidence among Males and Females
 ○ ○ ○ Incidence among Males
 □ □ □ Incidence among Females
B B B Mortality among Males and Females
 ● ● ● Mortality among Males
 ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Colorectal




- △ △ △ Incidence among Males and Females
- ○ ○ Incidence among Males
- □ □ Incidence among Females
- ■ ■ Mortality among Males and Females
- ● ● Mortality among Males
- ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Liver / intrahepatic bile duct




△ △ △ Incidence among Males and Females ○ ○ ○ Incidence among Males □ □ □ Incidence among Females
 B B B Mortality among Males and Females ● ● ● Mortality among Males ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Liver / intrahepatic bile duct




△ △ △ Incidence among Males and Females	○ ○ ○ Incidence among Males	□ □ □ Incidence among Females
B B B Mortality among Males and Females	● ● ● Mortality among Males	■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Pancreas




- △ △ △ Incidence among Males and Females
- ○ ○ Incidence among Males
- □ □ Incidence among Females
- ■ ■ Mortality among Males and Females
- ● ● Mortality among Males
- ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Pancreas




- △ △ △ Incidence among Males and Females
- ○ ○ Incidence among Males
- □ □ Incidence among Females
- ■ ■ Mortality among Males and Females
- ● ● Mortality among Males
- ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Larynx




△ △ △ Incidence among Males and Females ○ ○ ○ Incidence among Males □ □ □ Incidence among Females
 B B B Mortality among Males and Females ● ● ● Mortality among Males ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Larynx




△ △ △ Incidence among Males and Females ○ ○ ○ Incidence among Males □ □ □ Incidence among Females
 B B B Mortality among Males and Females ● ● ● Mortality among Males ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Lung and bronchus





△ △ △ Incidence among Males and Females	○ ○ ○ Incidence among Males	□ □ □ Incidence among Females
B B B Mortality among Males and Females	● ● ● Mortality among Males	■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020


Lung and bronchus



Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Melanoma of the skin




- △ △ △ Incidence among Males and Females
- ○ ○ Incidence among Males
- □ □ Incidence among Females
- ● ● Mortality among Males and Females
- ● ● Mortality among Males
- ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Melanoma of the skin




△ △ △ Incidence among Males and Females	○ ○ ○ Incidence among Males	□ □ □ Incidence among Females
B B B Mortality among Males and Females	● ● ● Mortality among Males	■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
Age-Adjusted Cancer Incidence and Mortality Rates
New York State, White Individuals, 1976-2020


Female breast



Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
Age-Adjusted Cancer Incidence and Mortality Rates
New York State, Black Individuals, 1976-2020


Female breast



Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
Age-Adjusted Cancer Incidence and Mortality Rates
New York State, White Individuals, 1976-2020


Cervix uteri



Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
Age-Adjusted Cancer Incidence and Mortality Rates
New York State, Black Individuals, 1976-2020


Cervix uteri



Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
Age-Adjusted Cancer Incidence and Mortality Rates
New York State, White Individuals, 1976-2020


Corpus uteris and NOS



Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
Age-Adjusted Cancer Incidence and Mortality Rates
New York State, Black Individuals, 1976-2020


Corpus uteris and NOS



Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
Age-Adjusted Cancer Incidence and Mortality Rates
New York State, White Individuals, 1976-2020


Ovary



Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
Age-Adjusted Cancer Incidence and Mortality Rates
New York State, Black Individuals, 1976-2020


Ovary



Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
Age-Adjusted Cancer Incidence and Mortality Rates
New York State, White Individuals, 1976-2020


Prostate



Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
Age-Adjusted Cancer Incidence and Mortality Rates
New York State, Black Individuals, 1976-2020


Prostate



Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Urinary bladder (incl. in situ)




△ △ △ Incidence among Males and Females ○ ○ ○ Incidence among Males □ □ □ Incidence among Females
 B B B Mortality among Males and Females ● ● ● Mortality among Males ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Urinary bladder (incl. in situ)




△ △ △ Incidence among Males and Females	○ ○ ○ Incidence among Males	□ □ □ Incidence among Females
B B B Mortality among Males and Females	● ● ● Mortality among Males	■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Kidney and renal pelvis




- △ △ △ Incidence among Males and Females
- ○ ○ Incidence among Males
- □ □ Incidence among Females
- ■ ■ Mortality among Males and Females
- ● ● Mortality among Males
- ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Kidney and renal pelvis




△ △ △ Incidence among Males and Females ○ ○ ○ Incidence among Males □ □ □ Incidence among Females
 B B B Mortality among Males and Females ● ● ● Mortality among Males ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Brain and other central nervous system




- △ △ △ Incidence among Males and Females
- ○ ○ Incidence among Males
- □ □ Incidence among Females
- B B B Mortality among Males and Females
- ● ● Mortality among Males
- ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Brain and other central nervous system

Rate per 100,000



△ △ △ Incidence among Males and Females
 B B B Mortality among Males and Females


○ ○ ○ Incidence among Males
 ● ● ● Mortality among Males

□ □ □ Incidence among Females
 ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Thyroid




△ △ △ Incidence among Males and Females ○ ○ ○ Incidence among Males □ □ □ Incidence among Females
 B B B Mortality among Males and Females ● ● ● Mortality among Males ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Thyroid




△ △ △ Incidence among Males and Females	○ ○ ○ Incidence among Males	□ □ □ Incidence among Females
● ● ● Mortality among Males and Females	● ● ● Mortality among Males	■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Non-Hodgkin lymphomas




△ △ △ Incidence among Males and Females ○ ○ ○ Incidence among Males □ □ □ Incidence among Females
 B B B Mortality among Males and Females ● ● ● Mortality among Males ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Non-Hodgkin lymphomas




△ △ △ Incidence among Males and Females ○ ○ ○ Incidence among Males □ □ □ Incidence among Females
 B B B Mortality among Males and Females ● ● ● Mortality among Males ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Myeloma




△ △ △ Incidence among Males and Females
 ○ ○ ○ Incidence among Males
 □ □ □ Incidence among Females
B B B Mortality among Males and Females
 ● ● ● Mortality among Males
 ■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Myeloma




△ △ △ Incidence among Males and Females	○ ○ ○ Incidence among Males	□ □ □ Incidence among Females
■ ■ ■ Mortality among Males and Females	● ● ● Mortality among Males	■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, White Individuals, 1976-2020

Leukemias




- △ △ △ Incidence among Males and Females
- ○ ○ Incidence among Males
- □ □ Incidence among Females
- B B B Mortality among Males and Females
- ● ● Mortality among Males
- ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'

New York State Cancer Registry, NYSDOH
 Age-Adjusted Cancer Incidence and Mortality Rates
 New York State, Black Individuals, 1976-2020

Leukemias



△ △ △ Incidence among Males and Females	○ ○ ○ Incidence among Males	□ □ □ Incidence among Females
■ ■ ■ Mortality among Males and Females	● ● ● Mortality among Males	■ ■ ■ Mortality among Females

Rates are age-adjusted to the 2000 US population standard. Cancer diagnoses trends in 2020 may have been affected by the coronavirus disease 19 (COVID-19) pandemic. Regression lines are calculated using the Joinpoint Regression Program Version 4.6.0.0, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/joinpoint>). The data shown here are not identical to the data in the corresponding 2016-2020 incidence table. See the rationale in 'Considerations When Comparing Cancer Statistics Over Time.'