

Run Date: August 26, 2016

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Albany	4,682	27.8	37.8	16.8	0.3	8.0	9.3	0.0
Allegany	942	93.1	1.0	2.2	0.2	0.3	3.2	0.0
Bronx	59,600	1.9	28.8	63.2	1.6	3.2	1.2	0.1
Broome	4,319	70.5	13.0	8.2	0.1	1.5	6.6	0.0
Cattaraugus	1,802	90.1	1.4	2.8	0.8	0.1	4.8	0.0
Cayuga	1,441	88.0	4.2	3.1	0.0	0.5	4.3	0.0
Chautauqua	3,265	74.9	2.6	20.2	0.2	0.5	1.1	0.5
Chemung	2,237	66.8	8.4	8.6	0.0	0.4	15.8	0.0
Chenango	1,325	94.9	0.9	2.0	0.0	0.0	2.3	0.0
Clinton	1,602	93.9	2.1	2.2	0.1	0.3	1.3	0.0
Columbia	1,107	60.2	10.6	17.3	0.7	1.5	9.6	0.1
Cortland	1,142	87.0	1.8	4.7	0.0	0.2	6.2	0.0
Delaware	845	91.0	0.6	6.3	0.0	0.4	1.8	0.0
Dutchess	3,469	30.0	24.7	35.3	3.3	2.1	4.6	0.1
Erie	15,677	42.0	32.7	15.8	0.4	5.9	3.2	0.0
Essex	740	97.4	0.7	1.1	0.1	0.4	0.3	0.0
Franklin	1,190	79.2	0.7	2.5	14.7	1.5	1.3	0.0
Fulton	896	89.1	2.3	5.6	0.0	0.7	2.3	0.0
Genesee	1,724	83.9	3.8	8.5	0.8	0.2	2.8	0.0
Greene	854	77.6	7.4	9.4	0.0	0.6	5.0	0.0
Hamilton	60
Herkimer	1,399	87.1	0.8	5.9	0.1	0.0	6.0	0.0
Jefferson	4,570	69.6	8.9	14.7	0.2	1.8	4.8	0.0
Kings	103,083	27.4	31.7	26.3	0.6	13.3	0.7	0.0
Lewis	916	89.2	2.2	4.6	0.2	0.3	3.5	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 26, 2016

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Livingston	907	85.6	1.8	9.6	0.2	0.2	2.5	0.1
Madison	1,449	88.2	0.8	3.9	1.6	0.3	5.2	0.0
Monroe	12,710	28.7	41.0	24.0	0.2	3.3	2.7	0.1
Montgomery	1,178	65.6	2.1	29.9	0.1	0.3	2.0	0.0
Nassau	12,285	6.5	22.6	64.6	2.5	3.1	0.6	0.1
New York	36,423	2.8	21.1	59.9	0.9	14.8	0.6	0.0
Niagara	3,937	69.2	18.0	6.4	1.1	0.7	4.6	0.0
Oneida	5,395	60.1	15.0	13.9	0.0	8.8	2.2	0.0
Onondaga	8,779	37.2	28.2	14.3	0.6	6.2	13.4	0.2
Ontario	1,481	66.6	4.9	20.3	0.1	1.3	6.8	0.1
Orange	9,189	49.7	10.7	35.7	0.3	0.8	2.7	0.0
Orleans	753	76.8	5.2	13.9	0.0	0.0	4.1	0.0
Oswego	3,030	89.3	0.9	5.7	0.2	0.2	3.8	0.0
Otsego	904	92.6	2.9	3.0	0.0	0.3	1.1	0.1
Putnam	1,029	34.3	2.1	60.9	0.4	1.2	1.1	0.0
Queens	59,418	7.7	19.3	45.1	2.2	24.9	0.8	0.0
Rensselaer	3,042	58.3	17.9	14.6	0.4	1.4	7.3	0.0
Richmond	6,700	23.9	24.8	44.1	1.3	5.0	0.9	0.0
Rockland	10,541	63.7	7.0	28.0	0.5	0.5	0.3	0.0
Saratoga	1,842	88.1	2.4	5.1	0.1	1.5	2.9	0.0
Schenectady	3,167	42.0	24.3	18.0	0.9	6.2	8.6	0.1
Schoharie	587	94.2	1.0	3.4	0.2	0.3	0.5	0.3
Schuyler	359	91.1	0.3	3.6	0.0	0.0	5.0	0.0
Seneca	522	81.0	1.5	9.4	0.6	1.0	6.5	0.0
St. Lawrence	2,360	93.2	1.1	2.2	0.3	0.6	2.5	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 26, 2016

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Steuben	1,960	88.7	1.6	4.1	0.1	0.5	5.0	0.0
Suffolk	18,715	15.8	14.0	63.8	2.2	2.6	1.4	0.0
Sullivan	1,918	55.0	10.7	29.0	1.1	0.4	3.5	0.3
Tioga	1,090	96.9	0.6	1.4	0.0	0.1	1.0	0.1
Tompkins	1,331	62.9	9.4	7.8	0.1	6.9	12.9	0.0
Ulster	1,989	66.2	12.4	18.6	0.1	1.2	1.5	0.2
Warren	1,171	86.5	0.9	5.9	0.1	0.3	6.3	0.0
Washington	1,512	92.9	0.8	1.8	0.0	0.1	4.5	0.0
Wayne	1,581	70.0	6.1	15.3	0.1	0.5	7.9	0.1
Westchester	17,732	5.1	23.9	66.1	1.3	2.7	0.8	0.0
Wyoming	475	89.7	0.2	7.2	0.8	0.2	1.9	0.0
Yates	336	90.8	0.3	5.1	0.3	0.0	3.6	0.0
Total	456,684	27.8	22.6	37.5	1.1	9.0	2.0	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 26, 2016

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Albany	4,682	30.5	26.1	16.9	14.2	12.2
Allegany	942	28.5	26.9	15.6	15.4	13.7
Bronx	59,600	28.7	25.0	17.7	15.7	13.0
Broome	4,319	30.4	25.7	17.5	14.7	11.7
Cattaraugus	1,802	31.6	26.8	15.6	14.7	11.3
Cayuga	1,441	31.1	27.4	16.9	14.6	10.0
Chautauqua	3,265	30.9	25.9	17.5	14.9	10.7
Chemung	2,237	30.4	26.6	16.4	14.8	11.9
Chenango	1,325	32.8	25.7	14.1	15.0	12.4
Clinton	1,602	28.0	27.4	17.3	15.0	12.2
Columbia	1,107	27.4	26.5	16.7	14.6	14.8
Cortland	1,142	28.9	25.1	16.4	15.0	14.6
Delaware	845	29.5	25.0	16.9	15.6	13.0
Dutchess	3,469	31.6	25.1	17.2	15.7	10.4
Erie	15,677	32.8	26.0	16.2	14.0	11.0
Essex	740	29.6	22.7	18.5	15.7	13.5
Franklin	1,190	33.0	25.7	15.9	14.5	10.8
Fulton	896	31.4	29.7	13.7	15.0	10.3
Genesee	1,724	31.5	26.1	16.0	15.3	11.1
Greene	854	32.1	26.1	18.4	11.6	11.8
Hamilton	60
Herkimer	1,399	31.7	26.7	17.2	14.7	9.7
Jefferson	4,570	35.1	24.4	15.7	13.5	11.3
Kings	103,083	29.5	24.0	17.6	15.9	13.0
Lewis	916	32.4	24.5	18.0	13.5	11.6

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 26, 2016

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Livingston	907	35.0	25.1	13.9	15.4	10.6
Madison	1,449	32.1	24.1	16.1	15.8	11.9
Monroe	12,710	31.3	27.0	15.6	14.4	11.7
Montgomery	1,178	27.9	25.4	18.2	14.7	13.8
Nassau	12,285	32.8	26.0	16.0	14.3	11.0
New York	36,423	28.9	24.8	17.5	15.5	13.2
Niagara	3,937	30.8	25.1	16.8	15.4	11.9
Oneida	5,395	30.5	28.5	15.5	13.9	11.6
Onondaga	8,779	32.2	26.2	15.9	14.6	11.1
Ontario	1,481	31.9	25.5	17.4	15.2	10.0
Orange	9,189	30.7	23.3	17.3	15.9	12.8
Orleans	753	32.9	22.4	16.5	15.4	12.7
Oswego	3,030	34.7	23.9	14.4	14.4	12.6
Otsego	904	29.4	25.6	18.5	14.6	11.9
Putnam	1,029	27.2	24.4	19.0	14.8	14.6
Queens	59,418	30.0	24.9	17.5	15.1	12.5
Rensselaer	3,042	31.4	26.6	16.1	14.1	11.7
Richmond	6,700	31.4	25.7	16.8	14.4	11.7
Rockland	10,541	27.7	23.9	18.8	16.3	13.4
Saratoga	1,842	32.3	25.5	15.8	14.1	12.4
Schenectady	3,167	33.1	25.2	17.2	13.1	11.3
Schoharie	587	30.8	23.2	17.4	18.1	10.6
Schuyler	359	27.6	26.5	17.5	16.2	12.3
Seneca	522	32.6	28.2	16.3	12.6	10.3
St. Lawrence	2,360	37.1	21.0	16.3	13.9	11.7

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 26, 2016

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Steuben	1,960	32.8	26.1	17.0	12.7	11.5
Suffolk	18,715	35.6	26.7	15.4	13.1	9.2
Sullivan	1,918	33.2	23.4	16.6	14.8	12.0
Tioga	1,090	29.2	27.4	15.0	15.4	13.0
Tompkins	1,331	36.2	23.9	15.3	13.8	10.8
Ulster	1,989	35.2	27.7	15.7	11.8	9.6
Warren	1,171	30.1	26.5	15.5	15.4	12.6
Washington	1,512	31.3	22.4	18.0	16.5	11.8
Wayne	1,581	28.4	27.5	16.9	14.9	12.3
Westchester	17,732	26.3	24.7	18.5	16.2	14.4
Wyoming	475	28.8	30.7	15.2	14.7	10.5
Yates	336	29.8	28.6	18.5	14.0	9.2
Total	456,684	30.3	25.0	17.2	15.2	12.4

(1) Records are rejected if date of birth and/or date of visit unknown.
 (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
 (3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 26, 2016

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Albany	1,312	10.4	52	6.6	12	4,656	4.2	14	4,631	2.6	48	13.6	48	2,150	14.8	6	15.3	44	3,296	23.8	61
Allegany	233	10.3	51	6.0	8	941	6.3	51	936	1.4	18	13.0	41	449	19.6	55	15.1	40	694	8.2	14
Bronx	15,666	10.2	50	5.3	3	58,979	3.5	3	58,516	3.0	58	12.9	37	28,696	16.1	16	14.2	24	42,589	15.7	50
Broome	1,200	8.2	31	9.1	42	4,297	5.1	30	4,276	1.6	24	11.6	20	2,025	18.5	48	12.4	12	3,042	19.0	55
Cattaraugus	510	7.8	26	8.0	26	1,791	7.6	59	1,781	1.3	16	12.9	39	812	14.8	5	14.5	28	1,259	6.5	6
Cayuga	413	5.6	4	9.7	48	1,438	5.4	36	1,430	1.3	15	13.3	44	648	16.7	23	14.7	29	939	13.3	38
Chautauqua	905	9.1	43	6.0	7	3,231	5.9	43	3,205	1.4	20	12.4	33	1,487	18.4	45	13.6	19	2,297	11.7	24
Chemung	621	7.1	17	8.2	29	2,230	7.0	57	2,213	1.4	21	13.6	51	1,035	16.0	15	14.7	30	1,606	6.6	7
Chenango	360	6.7	9	8.9	41	1,310	4.4	17	1,305	2.7	51	10.7	8	603	13.1	1	11.4	1	952	12.8	34
Clinton	416	7.7	23	8.4	32	1,599	6.1	50	1,590	1.2	11	11.9	26	778	17.7	37	11.6	4	1,166	8.9	16
Columbia	270	8.9	40	10.7	57	1,103	4.6	20	1,097	1.8	36	12.9	38	546	18.7	49	16.1	50	820	18.0	54
Cortland	302	7.9	27	8.3	31	1,138	3.6	6	1,134	0.8	3	10.8	11	550	19.5	54	14.4	26	820	6.8	8
Delaware	204	10.8	54	8.8	40	844	6.4	53	841	1.7	26	15.8	56	423	16.5	22	18.2	56	628	14.6	46
Dutchess	997	7.4	19	8.0	25	3,457	4.3	15	3,438	1.6	23	11.0	13	1,587	17.2	30	11.8	8	2,414	15.7	49
Erie	4,734	9.7	48	6.3	9	15,564	4.9	26	15,485	2.9	56	11.1	14	6,897	15.5	10	12.0	10	10,670	13.9	42
Essex	189	9.0	42	8.5	34	737	8.7	61	729	2.7	53	15.6	55	371	19.1	50	16.2	51	533	8.3	15
Franklin	340	8.5	34	7.9	23	1,185	7.2	58	1,174	1.3	14	12.3	30	530	15.5	9	18.5	57	801	11.7	25
Fulton	244	7.0	13	8.6	39	891	5.9	46	882	2.9	57	11.8	23	392	17.1	29	14.8	32	631	4.1	2
Genesee	486	6.8	11	7.4	22	1,715	5.2	33	1,705	1.5	22	13.3	43	783	18.3	43	13.8	21	1,190	14.9	48
Greene	243	9.5	45	9.9	49	851	3.4	2	844	2.8	55	12.0	27	393	17.0	27	15.3	42	608	17.1	53

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)				Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)					
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Hamilton	16	58	.	.	58	24	40	.	.
Herkimer	402	8.7	38	10.4	54	1,397	5.3	34	1,390	2.0	40	11.5	17	635	14.2	3	14.8	33	990	11.3	21
Jefferson	1,275	6.4	7	9.2	43	4,535	4.6	19	4,517	1.7	31	8.8	1	1,978	16.5	21	11.5	2	3,182	12.1	27
Kings	27,444	8.6	36	5.8	5	102,340	4.6	21	101,733	3.4	60	10.7	7	50,613	15.3	8	12.2	11	73,837	14.3	43
Lewis	252	9.9	49	7.1	19	912	5.9	44	908	2.0	38	10.8	10	420	17.6	36	14.0	22	659	10.6	20
Livingston	237	11.4	57	10.1	51	903	5.1	29	900	1.0	8	13.6	47	386	18.4	44	15.5	47	643	10.3	18
Madison	398	7.0	15	10.6	56	1,442	6.7	56	1,428	1.4	19	11.7	21	668	18.0	40	15.0	38	1,033	14.5	45
Monroe	3,541	10.9	55	7.0	17	12,622	4.6	22	12,544	2.5	46	11.7	22	5,802	15.2	7	12.7	13	8,897	13.4	39
Montgomery	291	7.6	21	9.3	44	1,176	5.8	41	1,163	2.1	42	16.1	57	596	15.9	13	18.6	58	862	5.2	3
Nassau	3,688	8.2	32	6.8	15	12,126	5.3	35	12,000	3.1	59	17.2	60	5,215	16.3	18	22.4	61	8,243	16.3	52
New York	9,675	8.6	35	5.7	4	36,175	3.1	1	35,938	2.6	47	11.0	12	17,592	16.2	17	13.2	15	26,002	12.4	33
Niagara	1,117	11.0	56	6.4	10	3,921	5.4	38	3,895	2.7	52	13.0	40	1,840	17.4	33	15.2	41	2,760	9.8	17
Oneida	1,431	9.2	44	8.2	28	5,376	5.5	39	5,347	2.0	39	11.5	16	2,449	17.2	31	14.2	23	3,858	13.5	40
Onondaga	2,528	8.0	29	8.5	35	8,712	4.7	23	8,670	1.8	34	11.9	25	3,910	16.4	20	13.5	17	6,001	11.5	22
Ontario	420	6.9	12	9.5	46	1,470	3.5	4	1,464	1.0	5	13.4	45	671	20.9	59	15.9	49	1,034	19.1	56
Orange	2,276	8.0	28	7.1	18	9,146	6.6	55	9,099	2.2	45	9.7	3	4,618	16.8	25	11.5	3	6,728	20.1	57
Orleans	206	6.3	6	5.3	2	750	5.2	31	744	1.7	33	12.1	28	365	16.7	24	14.8	31	528	11.6	23
Oswego	830	6.7	10	9.5	45	3,020	5.7	40	2,997	0.8	4	11.9	24	1,360	18.2	42	14.9	37	2,180	12.2	28
Otsego	240	6.3	5	10.4	53	898	6.1	49	889	1.7	29	13.5	46	426	21.1	60	16.7	54	649	6.9	9
Putnam	256	13.3	59	4.7	1	1,024	3.8	10	1,016	1.0	7	16.9	59	541	17.6	34	20.7	59	761	7.0	10

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
(6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
(7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
(8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 26, 2016

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)					BMI (2-4 Years) (7)				Hb/Hct (8)			
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Queens	16,314	8.1	30	5.8	6	58,974	3.6	7	58,577	3.8	61	12.4	32	27,868	15.8	12	15.4	45	41,678	12.4	32
Rensselaer	853	7.0	14	8.0	24	3,017	6.5	54	3,003	2.1	43	16.1	58	1,369	16.0	14	16.5	53	2,139	23.6	60
Richmond	1,905	7.7	24	6.9	16	6,657	4.0	12	6,607	2.7	50	12.5	36	2,991	17.8	38	15.4	46	4,549	13.3	37
Rockland	2,457	3.9	1	8.4	33	10,497	6.3	52	10,467	2.6	49	9.5	2	5,488	16.3	19	11.7	6	7,792	13.1	36
Saratoga	523	7.1	16	9.9	50	1,838	5.1	28	1,832	1.6	25	10.4	6	834	17.9	39	12.7	14	1,296	13.6	41
Schenectady	968	9.7	47	6.7	14	3,153	5.9	45	3,126	2.0	41	13.9	52	1,415	18.4	47	15.1	39	2,172	20.8	58
Schoharie	149	11.4	58	7.4	21	583	4.3	16	581	1.9	37	11.5	19	295	16.9	26	14.9	36	425	8.0	12
Schuyler	89	358	4.7	25	358	1.7	28	11.2	15	172	17.4	32	11.6	5	265	5.7	4
Seneca	154	10.4	53	10.4	52	519	7.7	60	515	0.4	2	13.2	42	222	17.6	35	13.5	16	357	14.8	47
St. Lawrence	641	7.8	25	8.6	38	2,350	5.4	37	2,335	1.7	30	10.1	4	1,054	19.9	56	13.6	18	1,683	6.4	5
Steuben	597	7.4	18	8.5	36	1,953	5.2	32	1,946	1.2	12	12.4	34	881	20.1	58	13.7	20	1,325	10.4	19
Suffolk	5,948	8.7	37	7.2	20	18,605	5.0	27	18,457	2.1	44	17.7	61	7,486	18.0	41	21.6	60	12,062	14.3	44
Sullivan	552	8.9	39	6.7	13	1,887	6.1	48	1,874	1.1	10	14.9	54	880	19.3	52	15.6	48	1,323	12.9	35
Tioga	279	4.3	2	14.3	59	1,087	3.9	11	1,082	1.8	35	13.6	49	527	14.4	4	17.8	55	778	12.3	30
Tompkins	412	8.5	33	8.3	30	1,329	3.8	9	1,327	1.0	6	10.3	5	579	15.7	11	14.9	34	898	8.1	13
Ulster	626	6.5	8	11.3	58	1,977	4.0	13	1,968	1.7	32	10.8	9	792	19.3	53	15.3	43	1,333	11.9	26
Warren	316	4.7	3	8.5	37	1,170	4.5	18	1,165	2.7	54	12.2	29	551	17.1	28	14.5	27	841	3.7	1
Washington	380	8.9	41	8.2	27	1,502	6.1	47	1,491	1.1	9	13.6	50	732	18.4	46	14.9	35	1,085	7.6	11
Wayne	400	7.5	20	10.5	55	1,572	4.7	24	1,556	1.3	17	12.3	31	778	21.3	61	14.3	25	1,156	22.6	59
Westchester	4,314	7.6	22	6.5	11	17,614	3.6	8	17,463	1.7	27	14.0	53	9,158	19.3	51	16.5	52	13,139	12.3	29

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 26, 2016

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Wyoming	115	9.6	46	9.6	47	474	5.9	42	472	1.3	13	12.5	35	213	13.1	2	11.7	7	355	12.4	31
Yates	92	334	3.6	5	330	0.3	1	11.5	18	150	20.0	57	12.0	9	239	16.3	51
Total	124,252	8.6	.	6.5	.	453,410	4.4	.	450,444	2.8	.	12.2	.	215,699	16.3	.	14.2	.	322,732	13.8	.

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Albany	1,314	73.7	19	486	21.6	20	1,003	13.9	18	260	13.5	19	442	5.7	31	1,927	73.3	54	4,642	4.2	40
Allegany	232	69.8	35	90	.	.	190	7.9	51	49	.	.	89	.	.	420	83.3	31	934	10.2	61
Bronx	15,704	86.4	3	6,086	43.4	7	12,087	18.2	11	3,084	3.8	31	5,952	1.9	48	27,558	70.5	58	59,382	3.0	20
Broome	1,204	70.0	30	465	20.6	24	899	11.5	27	256	18.0	10	456	5.0	35	1,886	84.9	25	4,286	4.7	42
Cattaraugus	512	68.0	39	189	15.3	45	373	7.8	53	112	16.1	16	188	7.4	22	747	71.8	57	1,786	5.3	48
Cayuga	413	64.6	52	164	16.5	38	317	8.2	48	84	.	.	161	11.2	6	597	92.0	10	1,440	7.2	54
Chautauqua	910	65.7	48	384	15.4	44	696	8.9	42	174	16.1	15	346	8.4	15	1,386	77.8	46	3,212	9.0	59
Chemung	623	63.4	54	259	15.8	41	467	6.2	56	132	18.2	9	257	6.6	26	954	74.9	51	2,217	4.8	43
Chenango	359	75.8	13	145	21.4	21	271	8.1	49	69	.	.	144	13.9	3	545	96.9	1	1,314	9.1	60
Clinton	416	69.5	37	172	16.9	37	345	8.7	43	83	.	.	163	9.8	11	712	83.8	29	1,593	2.3	15
Columbia	271	69.0	38	111	19.8	28	221	11.3	28	57	.	.	110	8.2	17	513	81.7	36	1,103	3.6	30
Cortland	306	69.9	31	124	12.1	49	241	9.5	37	68	.	.	124	3.2	43	523	92.2	9	1,132	4.9	45
Delaware	204	70.1	29	71	.	.	149	14.1	17	34	.	.	64	.	.	385	89.6	15	845	3.9	32
Dutchess	998	74.3	15	373	31.4	13	728	20.5	9	214	20.6	5	359	10.9	8	1,496	72.4	56	3,454	6.2	52
Erie	4,743	62.4	56	1,616	17.6	36	3,309	9.1	41	824	14.7	18	1,518	8.0	20	6,397	83.2	33	15,562	3.4	27
Essex	189	70.4	28	68	.	.	124	10.5	30	29	.	.	66	.	.	352	95.5	4	740	2.3	14
Franklin	341	64.2	53	117	18.8	32	243	8.6	45	78	.	.	115	12.2	5	490	74.5	52	1,188	3.1	25
Fulton	245	55.1	59	96	.	.	202	5.9	57	53	.	.	96	.	.	351	78.3	43	894	5.8	50
Genesee	488	65.8	46	188	21.3	22	344	12.8	20	100	23.0	3	185	8.1	19	731	95.5	3	1,711	2.7	17
Greene	244	62.3	57	96	.	.	185	11.9	23	53	.	.	95	.	.	357	82.4	34	853	5.0	46

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Hamilton	16	.	.	7	.	.	11	.	.	4	.	.	7	.	.	25	.	.	60	.	.
Herkimer	402	69.9	32	142	15.5	42	305	9.5	38	62	.	.	140	6.4	29	580	77.8	47	1,396	4.2	39
Jefferson	1,285	74.9	14	530	20.8	23	882	12.4	21	358	22.9	4	524	7.3	23	1,840	70.4	59	4,521	2.5	16
Kings	27,523	84.6	7	10,183	50.9	2	20,176	30.5	2	5,288	11.3	23	9,847	8.0	21	47,836	85.7	24	102,509	1.6	6
Lewis	252	70.6	27	100	24.0	18	168	11.3	29	56	.	.	98	.	.	396	84.1	28	911	5.7	49
Livingston	237	73.4	20	106	26.4	15	162	16.7	13	68	.	.	106	6.6	27	361	87.5	18	901	3.1	24
Madison	398	66.3	43	158	20.3	27	277	10.1	34	81	.	.	158	6.3	30	636	74.1	53	1,439	4.5	41
Monroe	3,555	71.2	26	1,308	19.8	29	2,566	10.3	31	680	16.9	14	1,238	6.8	25	5,265	83.4	30	12,644	2.8	19
Montgomery	291	63.2	55	107	13.1	47	230	3.5	59	44	.	.	106	2.8	46	548	69.3	60	1,171	3.9	33
Nassau	3,705	81.5	10	1,276	35.1	11	2,644	13.1	19	666	5.9	30	1,249	2.2	47	5,047	78.6	41	12,219	0.9	3
New York	9,691	82.3	8	3,711	38.4	9	7,454	21.3	8	1,855	6.8	27	3,617	3.6	41	16,786	76.0	48	36,302	1.8	9
Niagara	1,118	61.6	58	403	12.7	48	788	6.2	55	195	20.0	7	373	4.8	37	1,727	86.2	22	3,909	7.6	58
Oneida	1,432	64.9	51	565	18.8	33	1,127	9.8	35	316	7.9	26	542	3.1	45	2,211	86.7	21	5,382	3.0	23
Onondaga	2,545	65.0	50	910	19.1	30	1,805	11.7	24	457	16.0	17	850	8.1	18	3,562	86.0	23	8,623	3.6	29
Ontario	421	73.9	18	184	19.0	31	313	8.3	46	90	.	.	183	8.2	16	625	81.0	39	1,468	4.0	34
Orange	2,279	79.8	11	996	44.4	4	1,672	27.9	3	516	12.4	21	967	9.6	12	4,206	81.6	37	9,131	1.8	8
Orleans	206	67.5	41	59	.	.	121	5.8	58	32	.	.	57	.	.	335	90.7	12	750	7.5	57
Oswego	833	66.9	42	335	16.1	40	553	7.8	52	187	17.6	11	331	4.8	36	1,252	77.8	45	3,022	5.3	47
Otsego	241	73.0	22	97	.	.	188	11.7	25	52	.	.	94	.	.	404	80.0	40	898	3.2	26
Putnam	255	85.1	6	112	44.6	3	195	27.2	4	50	.	.	107	10.3	10	499	92.2	8	1,029	3.7	31

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Queens	16,364	86.0	5	6,030	44.0	6	12,211	22.6	6	2,974	6.0	29	5,831	3.2	44	26,652	87.1	19	59,219	0.9	2
Rensselaer	855	66.0	45	370	15.4	43	644	7.6	54	188	12.2	22	356	6.5	28	1,273	73.1	55	3,031	4.0	35
Richmond	1,904	74.2	17	713	37.7	10	1,387	18.7	10	366	9.3	25	702	3.8	39	2,867	65.6	61	6,680	1.0	4
Rockland	2,468	94.4	1	1,056	71.8	1	2,086	49.7	1	596	39.4	1	1,047	31.9	1	5,084	96.3	2	10,503	0.2	1
Saratoga	527	72.5	24	210	20.5	26	373	10.2	32	116	25.0	2	201	10.4	9	775	92.8	6	1,831	1.9	12
Schenectady	964	66.1	44	336	17.9	35	640	8.3	47	171	17.5	13	322	5.6	32	1,314	81.1	38	3,149	3.5	28
Schoharie	149	65.8	47	57	.	.	104	8.7	44	29	.	.	53	.	.	269	90.0	14	584	6.3	53
Schuyler	89	.	.	44	.	.	77	.	.	22	.	.	42	.	.	164	84.8	26	359	2.8	18
Seneca	156	69.9	34	54	.	.	117	9.4	39	34	.	.	53	.	.	205	88.3	17	516	4.8	44
St. Lawrence	642	65.6	49	266	16.2	39	385	10.1	33	159	17.6	12	265	9.1	13	985	75.2	50	2,347	4.0	36
Steuben	597	69.5	36	192	14.1	46	386	8.0	50	86	.	.	187	4.8	38	803	91.8	11	1,944	4.1	38
Suffolk	5,972	81.7	9	2,064	33.8	12	4,067	15.1	16	1,077	6.7	28	1,947	3.5	42	6,990	78.4	42	18,543	1.4	5
Sullivan	559	78.9	12	159	30.2	14	338	16.6	14	100	20.0	8	154	13.6	4	811	83.2	32	1,873	2.0	13
Tioga	285	73.3	21	118	25.4	17	227	12.3	22	69	.	.	117	11.1	7	473	86.7	20	1,084	7.3	55
Tompkins	415	86.3	4	142	38.7	8	254	23.2	5	90	.	.	138	16.7	2	525	88.4	16	1,323	1.8	10
Ulster	626	74.3	16	229	26.2	16	435	15.2	15	158	20.3	6	228	7.0	24	732	82.0	35	1,972	1.7	7
Warren	318	73.0	23	133	21.8	19	246	9.3	40	68	.	.	131	5.3	33	509	92.3	7	1,170	3.0	22
Washington	385	67.5	40	160	20.6	25	258	9.7	36	84	.	.	156	9.0	14	698	94.7	5	1,505	3.0	21
Wayne	402	69.9	33	184	18.5	34	335	11.6	26	101	12.9	20	182	3.8	40	690	84.5	27	1,558	6.2	51
Westchester	4,337	88.2	2	1,770	44.2	5	3,580	21.5	7	868	11.2	24	1,702	5.3	34	8,611	78.2	44	17,613	1.8	11

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: August 26, 2016

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Wyoming	115	72.2	25	52	.	.	106	17.0	12	28	.	.	51	.	.	192	90.1	13	474	4.0	37
Yates	92	.	.	38	.	.	69	.	.	23	.	.	38	.	.	140	75.7	49	336	7.4	56
Total	124,622	80.1	.	46,966	38.0	.	92,356	20.4	.	24,277	11.6	.	45,427	6.1	.	203,230	81.4	.	454,187	2.3	.

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.

Run Date: August 26, 2016

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Albany	3,932	10.4	61	7.6	20	15,160	5.0	17	14,993	3.5	49	13.3	43	6,917	16.0	8	15.1	35	11,061	26.1	62
Allegany	750	9.2	51	5.6	3	3,279	6.3	47	3,267	1.1	8	13.2	42	1,600	18.5	43	14.5	25	2,450	8.0	12
Bronx	47,998	10.1	57	5.4	2	190,486	3.9	3	188,479	3.5	51	12.6	34	89,443	16.3	10	14.6	28	140,583	14.3	45
Broome	3,564	8.7	44	8.4	30	13,640	5.4	32	13,558	1.7	22	12.3	30	6,267	18.8	47	13.7	18	9,922	14.7	46
Cattaraugus	1,489	7.5	15	7.9	22	5,871	7.2	56	5,831	1.2	9	14.2	53	2,727	18.3	41	15.5	39	4,316	6.6	7
Cayuga	1,281	6.9	8	10.1	55	4,854	5.6	34	4,824	1.9	28	12.6	33	2,119	17.6	30	14.6	27	3,255	11.0	24
Chautauqua	2,648	8.9	48	6.1	8	10,356	5.9	41	10,266	1.5	16	11.5	20	4,668	17.1	22	12.8	10	7,592	13.0	37
Chemung	1,887	8.4	35	7.9	23	7,486	7.5	60	7,434	1.2	10	12.8	36	3,527	17.0	18	15.7	41	5,580	6.1	5
Chenango	1,040	7.8	23	9.5	50	4,177	4.6	12	4,155	2.6	37	11.8	25	1,990	14.2	1	12.5	5	3,125	12.1	34
Clinton	1,325	8.2	30	8.2	26	5,225	6.0	45	5,183	2.3	31	11.7	21	2,477	19.1	52	13.7	16	3,870	8.9	16
Columbia	873	8.8	47	8.5	32	3,477	5.8	38	3,419	1.9	27	14.0	51	1,608	19.8	57	16.3	50	2,572	15.8	50
Cortland	899	7.8	22	8.7	36	3,714	4.8	14	3,699	0.9	2	12.0	26	1,793	18.6	44	15.3	37	2,769	7.6	10
Delaware	681	8.1	29	10.0	54	3,161	5.0	18	3,141	2.8	39	13.9	49	1,599	17.8	34	16.2	47	2,433	13.9	42
Dutchess	2,950	8.5	40	7.5	18	11,073	4.3	8	11,001	2.9	42	11.4	19	4,928	18.2	39	12.9	12	7,971	16.6	53
Erie	14,041	9.8	54	6.0	7	48,999	5.3	28	48,581	4.3	59	10.8	10	21,177	15.6	3	12.6	6	34,363	13.9	41
Essex	568	7.6	17	9.5	49	2,388	8.2	61	2,371	2.9	40	14.8	57	1,144	17.6	28	16.6	55	1,754	7.6	11
Franklin	955	9.8	55	9.0	39	3,729	7.4	59	3,700	1.3	12	11.1	13	1,685	19.2	53	15.0	32	2,729	10.6	23
Fulton	806	7.8	25	8.3	29	2,984	6.4	52	2,945	3.5	50	13.1	39	1,316	18.6	45	15.7	42	2,127	6.2	6
Genesee	1,529	6.5	5	8.3	28	5,860	5.6	33	5,825	3.1	46	12.4	32	2,677	18.0	37	13.4	13	4,223	17.7	56
Greene	697	10.3	60	9.3	46	2,505	5.3	27	2,471	2.6	36	11.1	12	1,117	18.9	48	13.6	14	1,791	16.7	54

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 26, 2016

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Hamilton	54	204	6.4	49	202	6.4	62	9.4	3	84	144	13.9	40
Herkimer	1,171	8.3	32	10.9	58	4,372	5.7	37	4,351	2.0	29	10.8	9	1,952	16.6	14	14.1	22	3,228	14.3	44
Jefferson	3,851	6.6	6	9.4	47	14,463	4.9	15	14,397	2.5	34	9.1	2	6,269	16.9	17	11.6	3	10,558	10.4	22
Kings	81,343	8.8	45	5.8	5	323,084	5.0	21	320,329	4.0	56	10.7	7	152,982	15.7	5	12.4	4	238,798	13.5	39
Lewis	696	8.3	33	8.2	27	2,731	5.4	31	2,719	1.6	21	9.8	5	1,252	18.9	49	12.8	9	2,056	8.7	14
Livingston	738	7.7	21	9.2	44	2,899	5.3	30	2,886	1.3	13	13.4	47	1,267	17.1	21	15.2	36	2,085	11.7	27
Madison	1,205	7.6	16	11.3	59	4,730	7.2	57	4,691	1.0	5	13.2	40	2,194	18.4	42	16.0	44	3,524	12.1	33
Monroe	10,804	10.3	59	7.1	16	40,994	5.0	20	40,644	4.2	58	11.8	23	18,380	16.1	9	13.7	15	29,467	14.0	43
Montgomery	986	8.7	43	8.6	35	4,001	6.5	53	3,961	3.1	47	16.5	62	1,875	16.0	6	16.5	53	2,928	6.0	4
Nassau	11,050	8.4	34	6.4	10	39,190	5.2	25	38,668	4.0	57	16.4	60	16,284	17.1	20	21.6	61	27,450	14.8	47
New York	32,740	8.7	42	5.8	6	126,058	3.4	1	125,072	2.9	41	10.9	11	58,588	17.3	27	12.8	8	91,916	11.8	29
Niagara	3,388	9.8	53	6.8	11	12,471	5.2	24	12,346	3.6	52	11.8	22	5,640	17.8	33	15.1	34	8,936	9.7	18
Oneida	4,301	8.5	41	8.0	24	16,499	5.9	40	16,397	2.4	32	11.4	16	7,215	17.3	26	16.0	43	12,014	16.6	52
Onondaga	7,842	8.8	46	8.5	33	29,240	5.8	39	29,063	2.2	30	12.0	27	12,978	16.6	15	13.7	17	21,164	11.3	26
Ontario	1,284	6.9	7	9.5	48	5,025	5.1	22	4,996	1.1	7	14.5	55	2,339	20.0	58	16.1	46	3,615	18.7	58
Orange	6,698	7.3	12	7.5	19	28,284	6.5	54	28,107	2.6	38	9.5	4	13,668	17.1	23	11.3	2	21,210	18.7	57
Orleans	589	7.8	24	6.8	12	2,535	5.3	29	2,514	3.0	43	11.4	18	1,245	17.3	25	14.3	24	1,895	15.4	49
Oswego	2,427	8.0	26	9.1	41	9,752	5.9	42	9,686	1.0	4	13.3	45	4,402	19.0	50	16.4	51	7,357	9.4	17
Otsego	776	6.1	4	9.7	52	3,057	6.2	46	3,033	2.5	35	13.0	38	1,440	19.3	54	16.3	48	2,245	6.0	3
Putnam	735	9.3	52	5.0	1	3,241	3.6	2	3,208	1.7	25	16.0	59	1,638	19.5	55	19.9	59	2,484	7.2	9

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
(6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
(7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
(8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 26, 2016

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Queens	48,142	8.5	39	5.7	4	182,760	4.1	4	181,137	4.4	60	12.1	28	82,978	16.0	7	15.6	40	131,917	11.2	25
Rensselaer	2,504	8.4	36	8.6	34	9,701	5.9	44	9,569	4.5	61	13.3	44	4,370	15.6	4	14.7	29	7,152	18.9	60
Richmond	6,008	8.5	38	7.0	13	21,980	4.2	6	21,764	3.9	55	12.3	31	9,628	18.1	38	16.3	49	15,293	12.8	36
Rockland	7,200	5.2	1	8.0	25	32,844	6.4	51	32,715	3.1	45	9.0	1	16,344	16.3	11	11.2	1	25,034	12.0	32
Saratoga	1,621	7.3	13	9.2	43	6,056	5.3	26	6,030	3.0	44	10.7	8	2,693	17.6	29	14.0	21	4,327	13.1	38
Schenectady	2,741	9.9	56	7.7	21	9,901	7.4	58	9,728	2.4	33	14.4	54	4,388	17.7	31	14.7	30	7,029	18.9	59
Schoharie	476	8.2	31	7.1	17	1,955	4.8	13	1,945	1.7	23	12.8	35	934	16.5	13	15.0	33	1,464	8.9	15
Schuyler	272	7.0	11	13.2	60	1,172	4.2	5	1,168	1.7	24	11.8	24	569	21.3	61	12.8	11	894	4.7	2
Seneca	454	7.7	20	9.7	53	1,573	8.5	62	1,567	1.0	3	13.7	48	684	20.6	60	14.8	31	1,095	17.2	55
St. Lawrence	1,989	8.4	37	9.3	45	7,828	5.9	43	7,783	1.5	18	11.3	15	3,545	17.7	32	14.2	23	5,813	7.0	8
Steuben	1,696	7.7	19	8.7	37	6,201	5.7	36	6,171	1.2	11	12.2	29	2,772	18.0	35	14.5	26	4,378	10.1	20
Suffolk	17,567	8.0	27	7.1	14	58,309	4.9	16	57,726	3.3	48	16.4	61	22,928	18.0	36	21.3	60	39,011	11.8	30
Sullivan	1,519	8.9	49	7.1	15	6,007	6.7	55	5,964	1.5	17	14.2	52	2,796	19.8	56	16.0	45	4,486	12.1	35
Tioga	848	5.7	2	13.9	61	3,607	4.6	11	3,591	1.6	20	13.4	46	1,769	17.0	19	16.9	57	2,681	15.0	48
Tompkins	1,097	7.5	14	9.0	40	4,016	4.2	7	4,007	1.4	14	10.5	6	1,750	16.9	16	13.8	19	2,848	10.4	21
Ulster	1,818	6.9	9	8.9	38	5,950	4.4	9	5,902	3.7	53	11.2	14	2,374	17.2	24	17.0	58	4,029	10.1	19
Warren	915	5.9	3	10.3	56	3,912	5.0	19	3,893	3.8	54	11.4	17	1,851	16.5	12	13.8	20	2,997	4.5	1
Washington	1,160	9.1	50	8.4	31	4,964	6.3	48	4,922	1.1	6	13.9	50	2,381	18.3	40	16.5	52	3,734	8.0	13
Wayne	1,255	6.9	10	10.4	57	5,162	5.7	35	5,121	1.4	15	12.8	37	2,520	20.4	59	15.3	38	3,782	22.3	61
Westchester	13,355	8.0	28	6.2	9	57,821	4.5	10	57,248	1.8	26	14.7	56	28,903	19.0	51	16.7	56	43,968	11.7	28

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 26, 2016

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Wyoming	394	7.6	18	9.6	51	1,619	6.4	50	1,609	1.6	19	13.2	41	717	15.3	2	12.7	7	1,206	11.9	31
Yates	284	10.2	58	9.2	42	1,115	5.1	23	1,099	0.5	1	15.5	58	477	18.7	46	16.6	54	802	16.2	51
Total	375,906	8.7	.	6.5	.	1,455,707	4.8	.	1,443,072	3.4	.	12.0	.	669,842	16.7	.	14.3	.	1,061,500	13.0	.

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Albany	3,943	69.7	32	1,480	22.6	20	2,927	12.1	19	811	12.6	46	1,395	5.9	39	7,040	72.2	51	15,167	5.0	34
Allegany	750	69.9	30	288	17.4	39	578	8.0	52	172	26.7	4	285	12.3	4	1,632	81.9	30	3,257	11.5	61
Bronx	48,131	85.8	4	17,877	42.4	7	36,239	17.9	11	8,882	3.4	57	17,282	1.6	61	95,133	67.8	59	191,915	3.4	18
Broome	3,581	70.5	28	1,341	21.2	23	2,633	11.1	25	745	18.5	18	1,315	5.6	41	6,426	82.6	28	13,629	5.6	42
Cattaraugus	1,491	69.7	33	564	16.0	49	1,051	9.0	40	319	17.9	22	555	7.0	28	2,800	70.5	57	5,852	7.1	53
Cayuga	1,282	63.2	54	542	13.1	59	980	8.4	50	286	12.9	44	538	8.2	20	2,201	91.4	8	4,871	7.0	52
Chautauqua	2,660	62.4	55	1,135	14.3	55	2,080	8.3	51	556	14.0	40	1,030	7.6	24	4,811	77.9	41	10,315	9.1	58
Chemung	1,888	64.2	51	805	14.4	54	1,415	7.3	56	422	14.0	41	799	4.9	45	3,625	78.5	40	7,466	5.2	36
Chenango	1,040	73.9	15	418	18.9	31	723	9.7	35	209	21.5	10	412	12.4	3	2,040	97.9	1	4,188	13.3	62
Clinton	1,324	69.9	31	511	18.4	35	1,040	9.9	33	267	15.4	33	497	9.1	13	2,530	83.2	24	5,218	3.4	19
Columbia	875	66.3	44	365	22.5	21	646	10.8	27	206	19.9	15	360	7.2	27	1,656	81.8	31	3,477	4.4	29
Cortland	903	69.4	35	381	17.6	38	728	10.6	28	201	13.9	42	374	4.8	48	1,845	92.3	6	3,707	6.4	48
Delaware	682	70.8	24	275	17.1	41	520	11.7	20	130	18.5	19	255	8.2	18	1,642	90.4	11	3,163	3.8	24
Dutchess	2,953	75.3	13	1,113	31.4	13	2,219	19.9	9	647	17.3	24	1,077	8.8	16	5,117	72.1	52	11,066	6.7	50
Erie	14,088	60.1	59	4,761	15.8	50	9,555	7.8	55	2,489	14.6	36	4,520	6.8	32	21,948	83.1	25	49,121	4.3	28
Essex	569	69.6	34	221	19.9	26	434	10.4	30	102	24.5	6	210	10.5	8	1,180	95.2	3	2,393	2.8	14
Franklin	956	64.4	49	366	17.8	37	706	8.9	42	230	20.4	12	359	8.9	14	1,747	68.5	58	3,737	3.6	22
Fulton	809	53.6	61	303	10.9	61	596	4.5	60	173	11.0	48	300	3.0	59	1,330	72.0	53	2,987	10.3	60
Genesee	1,532	65.5	46	585	20.3	25	1,109	10.0	32	321	23.1	8	578	6.6	33	2,771	93.9	4	5,847	3.7	23
Greene	700	61.0	57	255	18.0	36	488	10.9	26	148	16.9	27	248	6.9	31	1,128	79.3	38	2,510	5.0	33

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Hamilton	54	.	.	20	.	.	33	.	.	12	.	.	20	.	.	91	.	.	207	9.2	59
Herkimer	1,174	64.7	48	427	13.3	58	831	8.8	43	223	16.6	28	420	3.6	53	1,987	76.9	44	4,364	6.3	47
Jefferson	3,879	70.6	26	1,544	21.5	22	2,453	10.4	31	1,121	22.3	9	1,526	7.9	21	6,426	71.8	54	14,372	3.1	15
Kings	81,563	82.8	7	30,317	52.1	2	59,029	30.1	2	15,954	11.5	47	29,598	8.2	19	161,229	84.4	20	323,893	1.7	6
Lewis	696	67.8	37	275	22.9	18	469	11.7	21	167	19.2	16	271	7.0	30	1,276	80.9	33	2,724	5.5	40
Livingston	741	73.1	16	315	28.9	14	445	16.4	12	179	20.1	14	312	9.3	10	1,307	87.5	15	2,888	4.2	26
Madison	1,209	66.6	42	461	18.9	32	862	9.0	39	246	18.3	20	459	7.4	26	2,263	72.3	50	4,715	5.5	41
Monroe	10,838	69.9	29	3,959	19.9	27	7,546	9.7	34	1,985	17.0	26	3,702	7.0	29	18,810	82.8	27	41,101	3.5	20
Montgomery	987	66.7	41	353	14.7	53	710	3.9	61	199	16.1	30	348	5.7	40	1,908	67.7	60	3,985	5.0	32
Nassau	11,090	81.5	8	3,975	36.1	11	8,050	13.1	18	2,168	4.9	56	3,898	2.2	60	17,580	75.5	48	39,444	1.2	4
New York	32,806	79.8	10	11,907	39.4	8	23,896	21.1	7	5,942	5.9	54	11,615	3.5	54	62,142	74.3	49	126,646	1.9	8
Niagara	3,390	57.0	60	1,181	11.4	60	2,394	5.9	59	595	14.5	38	1,118	4.8	47	5,853	86.4	18	12,469	7.9	55
Oneida	4,306	63.4	53	1,741	16.7	44	2,386	9.6	36	1,003	9.0	51	1,656	3.1	57	7,322	85.4	19	16,476	3.9	25
Onondaga	7,895	62.3	56	2,913	19.2	28	5,398	10.4	29	1,505	15.3	35	2,702	8.5	17	13,254	86.7	17	29,072	4.2	27
Ontario	1,292	70.8	25	515	18.6	33	951	9.4	37	271	20.7	11	511	7.4	25	2,279	77.8	43	5,011	6.2	46
Orange	6,721	77.6	11	2,809	46.4	3	4,918	26.4	3	1,578	15.9	32	2,720	10.7	7	14,027	80.2	35	28,279	2.1	11
Orleans	589	66.6	43	218	15.6	52	386	9.3	38	128	14.1	39	216	3.2	56	1,257	82.5	29	2,509	8.8	56
Oswego	2,439	64.3	50	997	16.2	45	1,605	9.0	41	530	15.3	34	987	4.9	46	4,546	79.7	37	9,750	6.6	49
Otsego	779	74.6	14	300	19.0	29	584	11.3	23	165	26.7	5	297	9.1	11	1,492	77.8	42	3,055	4.6	31
Putnam	735	87.3	2	312	44.2	6	601	22.6	5	164	18.3	21	297	9.1	12	1,681	90.3	12	3,255	3.1	16

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Queens	48,308	84.9	6	17,705	45.2	5	35,483	23.6	4	8,736	5.7	55	17,129	3.7	52	88,035	86.8	16	183,471	1.0	3
Rensselaer	2,525	60.6	58	1,073	13.6	57	1,847	6.0	58	531	10.9	49	1,022	5.3	43	4,522	76.0	46	9,754	5.4	38
Richmond	6,021	72.5	19	2,115	36.6	9	4,166	18.8	10	1,112	7.6	52	2,092	3.3	55	10,266	62.1	61	22,079	0.9	2
Rockland	7,217	92.4	1	3,171	70.9	1	6,109	49.4	1	1,837	41.5	1	3,133	35.2	1	17,027	96.1	2	32,905	0.2	1
Saratoga	1,629	70.6	27	624	21.2	24	1,104	11.1	24	376	20.2	13	605	7.8	22	2,755	91.3	9	6,034	2.3	13
Schenectady	2,751	63.6	52	993	17.2	40	1,862	7.9	53	514	13.8	43	942	5.0	44	4,499	79.2	39	9,839	4.4	30
Schoharie	475	68.4	36	194	18.6	34	357	8.4	48	102	28.4	3	188	11.7	6	965	82.9	26	1,959	5.8	43
Schuyler	272	71.7	21	131	16.8	42	221	6.8	57	64	.	.	126	5.6	42	592	81.3	32	1,177	6.0	45
Seneca	456	66.0	45	150	14.0	56	300	8.7	44	94	.	.	148	4.7	49	682	83.6	22	1,566	5.9	44
St. Lawrence	1,996	65.4	47	795	16.1	47	1,214	8.6	45	429	17.0	25	789	8.9	15	3,690	71.1	56	7,826	5.1	35
Steuben	1,700	66.9	39	600	16.0	48	1,146	8.6	46	317	14.5	37	578	6.1	38	2,707	88.8	13	6,153	5.4	39
Suffolk	17,631	79.9	9	5,826	32.3	12	11,802	15.2	15	2,923	6.1	53	5,398	3.0	58	23,951	76.2	45	58,255	1.8	7
Sullivan	1,535	72.6	18	538	27.0	15	1,077	16.2	13	310	17.4	23	508	12.2	5	2,854	84.1	21	5,983	1.4	5
Tioga	858	72.1	20	340	24.1	17	631	15.1	16	195	23.6	7	336	9.5	9	1,782	83.6	23	3,599	7.7	54
Tompkins	1,105	85.5	5	377	36.6	10	695	20.4	8	209	30.6	2	363	15.2	2	1,760	88.4	14	3,992	2.1	12
Ulster	1,824	71.2	23	569	25.8	16	1,129	14.6	17	361	18.6	17	563	6.2	36	2,448	79.7	36	5,938	2.1	10
Warren	922	71.3	22	417	18.9	30	735	7.9	54	206	12.6	45	398	6.5	35	1,709	91.5	7	3,906	3.6	21
Washington	1,168	66.7	40	501	16.2	46	836	8.4	49	262	16.0	31	487	6.6	34	2,482	93.1	5	4,968	3.3	17
Wayne	1,258	67.1	38	480	15.6	51	927	8.5	47	253	16.2	29	471	4.7	50	2,353	80.4	34	5,135	6.7	51
Westchester	13,415	87.3	3	5,555	46.0	4	10,953	22.6	6	2,773	9.6	50	5,356	4.6	51	30,025	75.5	47	57,895	2.0	9

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: August 26, 2016

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Wyoming	395	72.9	17	180	22.8	19	266	16.2	14	94	.	.	177	6.2	37	733	91.1	10	1,622	5.3	37
Yates	286	75.5	12	132	16.7	43	231	11.7	22	75	.	.	132	7.6	23	484	71.7	55	1,116	9.0	57
Total	377,087	78.6	.	140,591	38.2	.	273,305	20.2	.	73,224	11.1	.	136,003	6.1	.	701,653	79.9	.	1,459,273	2.7	.

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.