

Run Date: August 26, 2016

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacific Islander	Multiple Races	Others/Unknown
Albany	4,423	26.8	37.5	16.8	0.3	8.6	10.0	0.0
Allegany	982	93.6	1.0	2.0	0.2	0.2	3.0	0.0
Bronx	59,829	2.2	28.7	62.8	1.6	3.4	1.2	0.0
Broome	4,358	68.5	14.4	8.9	0.1	1.6	6.4	0.0
Cattaraugus	1,672	89.9	1.4	2.6	0.6	0.1	5.3	0.1
Cayuga	1,354	87.1	4.9	3.4	0.0	0.4	4.1	0.0
Chautauqua	3,315	71.8	3.7	21.8	0.3	0.6	1.4	0.3
Chemung	2,109	66.1	9.3	8.6	0.0	0.6	15.3	0.1
Chenango	1,254	95.0	1.1	1.8	0.0	0.1	2.1	0.0
Clinton	1,559	92.7	2.7	2.1	0.2	0.5	1.8	0.0
Columbia	1,057	60.9	11.2	17.4	0.7	1.3	8.5	0.0
Cortland	1,100	88.5	1.6	4.4	0.0	0.2	5.2	0.1
Delaware	863	90.7	1.3	6.7	0.0	0.2	1.0	0.0
Dutchess	3,390	29.2	24.8	36.2	3.0	2.1	4.5	0.1
Erie	16,344	40.6	33.5	15.9	0.4	6.4	3.2	0.0
Essex	642	98.0	0.5	0.9	0.0	0.2	0.5	0.0
Franklin	1,221	77.8	0.7	3.5	14.7	1.7	1.5	0.0
Fulton	872	88.9	2.5	6.1	0.0	0.3	2.2	0.0
Genesee	1,805	86.1	2.9	7.8	0.7	0.3	2.2	0.0
Greene	799	73.8	8.5	9.4	0.0	0.5	7.8	0.0
Hamilton	58
Herkimer	1,412	87.9	1.0	5.2	0.1	0.1	5.6	0.0
Jefferson	4,460	67.5	8.7	15.9	0.1	1.8	6.0	0.0
Kings	102,561	28.4	30.8	25.7	0.7	13.8	0.6	0.0
Lewis	880	89.2	1.6	5.8	0.0	0.3	3.1	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 26, 2016

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Livingston	859	85.1	1.5	10.6	0.0	0.1	2.3	0.3
Madison	1,415	86.9	1.1	4.7	0.9	0.4	6.0	0.0
Monroe	12,669	28.8	40.8	24.2	0.1	3.4	2.6	0.1
Montgomery	1,091	63.1	3.1	31.1	0.0	0.5	2.3	0.0
Nassau	12,573	6.8	22.3	64.6	2.2	3.5	0.6	0.1
New York	35,458	2.9	21.8	59.4	0.9	14.3	0.5	0.1
Niagara	3,918	70.3	17.6	6.1	0.9	0.6	4.6	0.1
Oneida	5,459	58.0	15.0	13.8	0.0	9.6	3.6	0.1
Onondaga	8,815	36.9	28.5	14.1	0.5	7.4	12.5	0.0
Ontario	1,570	67.3	5.0	19.9	0.1	1.0	6.7	0.0
Orange	9,149	50.7	10.5	34.7	0.4	0.8	2.8	0.0
Orleans	717	77.1	4.6	13.2	0.0	0.0	5.0	0.0
Oswego	2,994	89.8	0.8	5.4	0.1	0.4	3.5	0.0
Otsego	833	92.6	3.4	3.0	0.0	0.4	0.6	0.1
Putnam	992	34.0	1.5	62.9	0.4	0.7	0.5	0.0
Queens	60,129	7.5	19.3	44.8	2.1	25.5	0.7	0.1
Rensselaer	3,069	57.9	18.1	14.4	0.4	1.6	7.6	0.0
Richmond	6,776	24.6	26.1	42.2	1.1	4.9	1.0	0.0
Rockland	11,021	63.9	7.0	27.8	0.4	0.6	0.3	0.0
Saratoga	1,728	88.3	2.4	5.3	0.0	1.3	2.8	0.0
Schenectady	2,921	39.6	23.6	20.2	0.9	6.4	9.4	0.0
Schoharie	575	94.1	1.2	3.5	0.2	0.3	0.5	0.2
Schuyler	328	93.6	0.3	1.5	0.0	0.0	4.6	0.0
Seneca	600	79.5	1.3	10.2	1.2	0.5	7.3	0.0
St. Lawrence	2,260	92.3	1.1	2.5	0.3	0.6	3.1	0.1

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 26, 2016

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Steuben	1,894	89.3	1.2	4.3	0.1	0.3	4.8	0.0
Suffolk	18,751	16.8	14.1	63.2	1.8	2.7	1.3	0.1
Sullivan	1,796	53.4	8.2	32.4	1.2	0.7	4.1	0.0
Tioga	1,051	97.1	0.6	1.1	0.0	0.0	1.2	0.0
Tompkins	1,342	63.9	8.6	9.3	0.0	7.9	10.3	0.1
Ulster	1,797	64.7	13.1	19.4	0.2	1.2	1.4	0.1
Warren	1,106	85.3	1.1	7.1	0.0	0.5	6.1	0.0
Washington	1,426	92.6	0.8	2.2	0.1	0.1	4.3	0.0
Wayne	1,629	68.1	6.1	16.1	0.4	0.4	8.7	0.1
Westchester	17,093	5.0	23.7	66.6	1.2	2.7	0.8	0.0
Wyoming	449	90.0	0.2	7.3	0.7	0.2	1.3	0.2
Yates	347	89.6	0.3	6.1	0.3	0.3	3.5	0.0
Total	454,919	27.8	22.5	37.3	1.1	9.3	2.0	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Albany	4,423	30.6	24.3	18.9	14.9	11.3
Allegany	982	29.4	21.7	20.0	14.9	14.1
Bronx	59,829	28.1	22.6	20.0	16.0	13.2
Broome	4,358	30.2	24.6	18.5	15.1	11.6
Cattaraugus	1,672	28.6	25.6	19.4	14.1	12.2
Cayuga	1,354	28.5	25.3	19.9	15.8	10.5
Chautauqua	3,315	29.6	24.6	19.4	15.3	11.1
Chemung	2,109	30.9	24.8	19.2	14.4	10.8
Chenango	1,254	29.7	25.7	20.1	12.5	12.0
Clinton	1,559	27.5	24.2	20.3	15.1	12.8
Columbia	1,057	31.4	22.1	17.6	15.5	13.3
Cortland	1,100	29.7	23.5	17.9	14.9	14.0
Delaware	863	30.0	21.3	20.2	15.9	12.6
Dutchess	3,390	29.7	24.5	18.3	15.2	12.3
Erie	16,344	32.8	23.8	18.6	14.1	10.7
Essex	642	28.0	24.9	17.9	15.7	13.4
Franklin	1,221	29.4	25.4	19.9	13.8	11.5
Fulton	872	31.1	23.3	21.3	13.9	10.4
Genesee	1,805	31.0	23.2	19.0	13.9	12.9
Greene	799	30.9	24.9	18.8	15.8	9.6
Hamilton	58
Herkimer	1,412	30.1	25.6	18.8	13.7	11.8
Jefferson	4,460	34.9	23.2	17.4	13.3	11.2
Kings	102,561	28.4	22.3	19.7	16.1	13.5
Lewis	880	33.3	22.8	18.6	15.3	9.9

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Livingston	859	31.5	23.6	17.7	14.0	13.2
Madison	1,415	31.2	25.2	17.7	13.5	12.4
Monroe	12,669	31.0	24.1	19.6	14.1	11.2
Montgomery	1,091	33.7	19.5	19.5	15.5	11.7
Nassau	12,573	32.6	23.3	19.0	14.0	11.0
New York	35,458	28.1	22.7	19.9	16.0	13.2
Niagara	3,918	32.0	24.1	17.8	14.7	11.4
Oneida	5,459	29.4	23.7	21.7	14.0	11.2
Onondaga	8,815	31.4	24.0	18.8	14.1	11.6
Ontario	1,570	30.1	25.4	18.9	14.4	11.2
Orange	9,149	30.7	21.0	19.9	15.5	12.9
Orleans	717	31.9	22.6	17.2	16.3	12.0
Oswego	2,994	33.5	22.5	19.5	12.7	11.7
Otsego	833	30.6	24.0	19.2	15.2	10.9
Putnam	992	24.6	24.4	20.3	17.4	13.3
Queens	60,129	29.1	22.8	19.8	15.4	12.9
Rensselaer	3,069	32.4	22.9	19.3	14.1	11.3
Richmond	6,776	30.9	22.3	19.7	15.2	11.9
Rockland	11,021	26.5	22.8	20.3	17.1	13.2
Saratoga	1,728	34.4	23.3	16.7	13.8	11.9
Schenectady	2,921	30.6	25.3	18.1	14.7	11.2
Schoharie	575	27.5	20.3	20.7	17.0	14.4
Schuyler	328	28.7	24.7	18.6	13.4	14.6
Seneca	600	34.0	24.0	19.0	13.3	9.7
St. Lawrence	2,260	37.6	20.0	17.6	13.9	10.9

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 26, 2016

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Steuben	1,894	30.8	25.9	18.5	14.1	10.8
Suffolk	18,751	34.1	24.3	18.5	13.0	10.0
Sullivan	1,796	31.7	25.4	17.3	14.5	11.1
Tioga	1,051	30.8	22.7	20.5	13.7	12.3
Tompkins	1,342	32.5	25.9	17.4	14.0	10.1
Ulster	1,797	35.4	23.8	19.4	12.9	8.6
Warren	1,106	28.8	22.2	19.7	14.1	15.2
Washington	1,426	31.6	23.6	18.9	14.0	12.0
Wayne	1,629	29.8	23.4	19.4	14.9	12.4
Westchester	17,093	26.9	22.1	20.5	16.9	13.6
Wyoming	449	31.8	24.3	20.5	13.6	9.8
Yates	347	27.7	24.2	19.0	16.1	13.0
Total	454,919	29.5	23.0	19.6	15.4	12.6

(1) Records are rejected if date of birth and/or date of visit unknown.
 (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
 (3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 26, 2016

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Albany	1,220	9.9	51	7.5	18	4,393	4.7	18	4,367	2.4	52	12.9	36	2,072	15.4	4	14.9	37	3,117	30.8	61
Allegany	252	6.3	8	7.9	25	980	5.3	32	973	0.9	7	11.3	14	502	17.1	25	11.8	4	719	10.8	23
Bronx	15,327	10.3	53	5.5	3	59,224	3.5	3	58,771	3.0	55	12.3	29	29,697	15.5	6	14.2	28	43,094	16.7	46
Broome	1,172	8.4	33	8.8	30	4,330	5.8	42	4,307	1.6	24	12.3	28	2,069	17.7	40	12.9	11	3,094	15.8	44
Cattaraugus	424	7.3	18	6.8	13	1,649	7.3	59	1,642	1.5	22	13.4	44	788	17.4	34	12.8	10	1,221	6.6	3
Cayuga	343	9.0	45	9.3	36	1,351	5.3	34	1,337	0.8	5	13.8	48	645	18.9	50	14.3	31	927	9.9	14
Chautauqua	820	8.9	39	7.1	16	3,267	7.0	55	3,237	1.9	37	13.1	39	1,568	18.6	47	14.0	25	2,387	14.6	38
Chemung	564	9.8	48	7.8	24	2,101	7.1	57	2,085	1.1	9	12.1	26	988	18.9	51	12.2	6	1,526	7.5	5
Chenango	303	5.9	6	11.9	55	1,250	5.2	28	1,241	2.5	53	11.5	19	600	15.8	10	13.2	14	931	11.6	25
Clinton	385	10.4	55	10.6	47	1,554	6.0	45	1,542	1.3	15	12.4	30	781	16.6	15	13.6	20	1,152	9.8	13
Columbia	281	7.8	26	10.3	43	1,052	4.5	11	1,043	1.2	14	14.3	55	515	20.2	59	17.7	55	763	20.1	55
Cortland	293	7.5	21	5.8	6	1,090	4.1	9	1,085	0.6	2	10.8	7	545	17.1	23	15.2	42	775	9.8	12
Delaware	210	7.1	15	11.9	56	860	6.0	44	859	1.5	21	16.3	59	432	17.1	24	19.2	59	643	21.5	58
Dutchess	890	8.1	29	8.3	27	3,369	4.4	10	3,352	2.1	46	11.4	16	1,604	16.0	12	12.3	7	2,441	17.9	49
Erie	4,877	9.5	47	6.9	15	16,222	4.7	17	16,138	3.1	56	11.3	13	7,311	15.1	2	12.4	8	11,165	17.8	48
Essex	146	14.4	59	11.6	54	641	8.4	61	635	1.9	39	13.9	49	318	18.9	49	15.7	49	484	11.4	24
Franklin	303	10.2	52	9.9	41	1,217	6.7	51	1,206	1.6	26	10.9	8	584	19.0	54	15.2	43	882	12.4	30
Fulton	241	12.4	58	8.3	26	871	6.1	46	865	3.8	61	11.3	15	423	17.0	20	13.2	16	614	7.5	6
Genesee	497	6.2	7	9.9	40	1,795	5.3	35	1,781	1.9	36	13.9	53	855	15.9	11	15.2	41	1,232	12.7	32
Greene	217	8.3	32	11.5	53	799	4.5	13	792	2.0	45	13.9	52	375	17.3	32	15.5	46	580	18.6	50

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 26, 2016

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)				Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)					
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Hamilton	17	58	.	.	57	24	40	.	.
Herkimer	368	7.1	13	10.9	49	1,410	5.9	43	1,401	1.8	32	11.8	21	664	17.6	38	14.0	26	1,020	10.7	20
Jefferson	1,236	5.3	3	9.4	37	4,427	5.3	33	4,410	1.6	28	10.2	3	1,997	17.8	42	13.0	12	3,122	10.2	17
Kings	25,678	8.5	36	6.2	9	101,874	4.6	15	101,304	3.5	59	10.4	4	52,041	15.0	1	12.0	5	74,949	13.8	36
Lewis	230	5.2	2	10.0	42	877	5.4	36	874	1.8	35	11.0	9	408	17.2	26	13.7	21	627	12.0	28
Livingston	221	5.9	5	10.9	48	852	5.0	23	849	1.4	19	14.5	56	406	17.5	36	13.8	22	616	11.7	26
Madison	351	7.4	19	8.8	31	1,411	7.1	56	1,403	1.1	12	11.5	18	657	20.5	60	13.5	18	1,033	19.0	52
Monroe	3,486	10.6	57	7.6	20	12,577	4.6	14	12,516	2.4	50	12.5	31	5,984	15.3	3	13.5	17	8,871	13.2	34
Montgomery	312	9.0	42	7.7	21	1,090	5.5	39	1,080	2.3	49	15.6	58	550	15.5	5	18.7	58	749	7.1	4
Nassau	3,704	9.0	44	5.9	8	12,438	5.2	29	12,301	3.1	57	16.7	60	5,543	17.7	39	21.0	60	8,530	18.7	51
New York	9,123	8.9	40	5.7	5	35,236	3.0	2	35,021	2.7	54	10.6	5	17,776	15.6	7	12.6	9	25,550	13.2	35
Niagara	1,143	8.2	31	5.0	2	3,900	4.9	21	3,873	2.2	48	13.9	51	1,802	17.3	30	18.3	57	2,713	8.9	10
Oneida	1,435	9.8	49	9.4	38	5,436	5.5	38	5,406	2.0	43	11.0	10	2,650	17.3	31	14.0	27	3,893	15.2	43
Onondaga	2,456	9.0	41	9.2	34	8,762	4.7	16	8,724	1.9	41	12.9	35	4,073	16.8	17	14.2	30	6,138	12.0	29
Ontario	412	7.5	22	7.8	22	1,553	4.1	8	1,548	0.7	4	14.0	54	742	19.7	56	17.0	54	1,122	21.4	57
Orange	2,169	6.9	12	6.9	14	9,091	6.7	50	9,043	2.0	42	9.6	2	4,642	17.3	29	11.5	3	6,796	17.7	47
Orleans	195	8.7	38	5.6	4	713	5.6	41	707	1.6	25	11.9	22	345	19.7	57	13.0	13	504	14.3	37
Oswego	790	7.1	14	8.7	29	2,982	6.3	47	2,973	1.0	8	12.6	32	1,399	18.4	46	16.1	50	2,177	14.9	42
Otsego	233	7.7	25	11.2	51	827	6.8	52	824	1.3	17	13.3	43	391	19.4	55	16.1	51	573	4.4	2
Putnam	208	5.8	4	4.8	1	989	2.6	1	981	1.5	23	12.6	33	531	19.8	58	17.7	56	775	7.7	7

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 26, 2016

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)					BMI (2-4 Years) (7)				Hb/Hct (8)			
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Queens	15,743	8.4	34	5.8	7	59,697	3.6	4	59,277	3.8	60	12.0	23	29,274	15.8	9	15.0	39	42,725	11.8	27
Rensselaer	870	7.7	24	9.8	39	3,052	6.4	49	3,030	1.9	40	13.9	50	1,421	17.2	27	14.9	38	2,150	22.2	59
Richmond	1,869	10.5	56	6.3	11	6,707	4.0	7	6,663	3.2	58	12.1	25	3,184	17.1	22	14.4	34	4,688	12.9	33
Rockland	2,508	6.5	9	7.8	23	10,981	7.0	54	10,933	2.4	51	9.2	1	5,783	16.9	19	11.0	2	8,158	14.8	41
Saratoga	508	8.5	35	11.4	52	1,720	5.1	25	1,715	1.4	18	11.2	12	767	17.3	33	13.6	19	1,190	12.4	31
Schenectady	781	7.2	17	7.6	19	2,911	5.4	37	2,882	1.7	29	14.7	57	1,327	17.0	21	16.3	52	2,065	20.8	56
Schoharie	132	7.6	23	10.6	46	573	3.8	6	571	1.6	27	13.0	37	310	16.5	14	15.5	47	432	10.6	19
Schuyler	78	328	5.2	27	327	0.6	1	13.1	40	167	25.7	61	13.2	15	249	8.0	8
Seneca	183	9.8	50	12.6	57	600	8.3	60	596	0.8	6	13.6	45	268	18.3	43	15.7	48	407	19.9	54
St. Lawrence	586	9.0	46	8.9	32	2,253	5.1	26	2,240	1.7	31	11.8	20	1,024	17.8	41	15.4	45	1,629	10.6	18
Steuben	501	6.8	11	10.6	44	1,880	6.3	48	1,867	1.1	11	12.1	24	906	16.7	16	14.2	29	1,342	10.2	16
Suffolk	5,669	7.9	27	7.1	17	18,629	5.3	31	18,461	1.9	38	17.5	61	7,906	18.7	48	22.1	61	12,380	14.7	40
Sullivan	488	9.0	43	9.2	35	1,787	6.8	53	1,770	1.3	16	13.3	42	829	18.9	53	14.4	33	1,290	10.1	15
Tioga	284	6.7	10	9.2	33	1,047	5.3	30	1,041	2.1	47	12.3	27	510	16.9	18	14.5	35	745	27.5	60
Tompkins	372	8.6	37	6.2	10	1,339	4.5	12	1,337	1.7	30	10.6	6	602	15.8	8	14.8	36	950	8.5	9
Ulster	551	8.0	28	8.5	28	1,791	5.0	22	1,781	1.8	33	11.1	11	747	17.4	35	15.1	40	1,205	10.8	22
Warren	284	8.1	30	13.7	59	1,102	7.2	58	1,095	2.0	44	13.6	46	560	18.9	52	15.4	44	805	3.0	1
Washington	364	7.4	20	11.0	50	1,414	5.5	40	1,407	1.2	13	12.7	34	684	17.5	37	13.9	24	1,024	9.7	11
Wayne	415	10.4	54	10.6	45	1,619	5.1	24	1,610	1.1	10	13.2	41	798	18.3	44	14.3	32	1,170	19.1	53
Westchester	4,210	7.1	16	6.7	12	17,003	3.6	5	16,866	1.8	34	13.6	47	8,939	18.4	45	16.7	53	12,634	14.7	39

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 26, 2016

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Wyoming	119	5.0	1	12.6	58	449	4.9	19	446	0.7	3	11.4	17	211	16.1	13	10.4	1	316	10.8	21
Yates	83	346	4.9	20	344	1.5	20	13.1	38	174	17.2	28	13.8	23	254	16.1	45
Total	119,130	8.7	.	6.7	.	451,746	4.5	.	448,812	2.8	.	12.0	.	221,688	16.2	.	14.1	.	325,353	14.4	.

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Albany	1,229	75.7	18	491	23.4	23	903	12.8	28	244	11.9	20	442	6.3	33	1,885	72.0	60	4,394	3.7	31
Allegany	252	75.8	17	98	.	.	175	12.6	29	58	.	.	93	.	.	477	81.6	38	973	8.9	60
Bronx	15,357	88.2	2	5,888	42.2	6	11,708	19.5	10	3,046	5.1	31	5,758	3.3	43	29,399	74.7	53	59,642	2.4	17
Broome	1,174	71.7	32	474	20.5	33	890	12.9	26	251	18.3	9	468	6.6	30	1,958	85.0	24	4,316	3.9	38
Cattaraugus	428	69.6	40	193	20.2	35	362	11.3	32	105	15.2	15	189	7.4	26	760	74.3	55	1,649	4.6	45
Cayuga	342	71.3	34	141	20.6	31	298	10.7	37	76	.	.	138	10.1	9	627	94.3	5	1,354	4.3	40
Chautauqua	824	64.6	56	384	15.1	43	665	8.3	52	200	11.5	21	355	8.2	19	1,482	81.8	35	3,252	8.9	59
Chemung	562	68.1	46	252	15.1	44	425	9.4	45	129	10.9	24	248	5.6	35	930	74.6	54	2,093	5.1	50
Chenango	305	75.1	21	157	11.5	46	244	5.3	57	78	.	.	154	8.4	18	562	97.5	1	1,251	10.2	61
Clinton	385	68.3	45	171	25.7	18	329	16.4	15	81	.	.	164	11.6	4	747	84.3	28	1,544	2.4	16
Columbia	285	69.1	43	107	26.2	17	183	19.1	12	52	.	.	106	7.5	24	490	77.6	49	1,053	3.6	30
Cortland	294	70.7	35	123	24.4	22	216	15.7	16	56	.	.	123	1.6	46	512	92.4	8	1,087	5.4	53
Delaware	209	72.2	30	86	.	.	151	11.3	33	50	.	.	79	.	.	418	87.6	15	861	3.3	28
Dutchess	892	77.7	14	400	32.3	13	726	19.1	11	225	20.4	7	381	10.2	8	1,545	75.2	51	3,373	4.4	42
Erie	4,883	64.7	55	1,733	18.6	37	3,316	10.1	40	909	14.7	16	1,630	7.8	23	7,018	83.9	30	16,217	2.7	19
Essex	146	78.8	12	72	.	.	128	14.8	19	37	.	.	72	.	.	301	89.4	12	642	3.1	26
Franklin	303	69.0	44	136	16.9	41	255	7.1	56	75	.	.	132	9.1	14	552	74.3	57	1,218	4.6	44
Fulton	241	67.6	51	86	.	.	158	7.6	53	49	.	.	86	.	.	398	78.9	46	871	5.1	49
Genesee	499	70.3	37	201	22.9	25	368	11.1	34	111	26.1	2	199	11.6	5	816	95.7	3	1,787	2.0	13
Greene	218	67.9	49	84	.	.	167	10.2	39	51	.	.	83	.	.	352	81.8	36	798	5.1	51

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Hamilton	17	.	.	2	.	.	9	.	.	1	.	.	2	.	.	23	.	.	58	.	.
Herkimer	371	72.0	31	165	17.0	40	287	8.7	50	65	.	.	164	8.5	17	629	81.7	37	1,410	3.3	29
Jefferson	1,241	74.4	23	496	26.4	16	777	13.4	24	352	25.6	3	493	10.3	7	1,865	74.3	56	4,417	2.1	14
Kings	25,731	85.3	7	10,533	52.3	2	19,809	31.0	2	5,474	10.9	23	10,050	7.8	22	50,488	86.8	17	102,066	1.2	7
Lewis	232	70.3	38	99	.	.	174	13.2	25	39	.	.	96	.	.	386	83.2	32	878	6.0	56
Livingston	220	75.5	19	77	.	.	150	9.3	46	47	.	.	74	.	.	383	87.2	16	849	2.6	18
Madison	354	69.2	41	149	20.8	30	274	14.6	21	92	.	.	147	4.1	39	614	80.5	40	1,397	5.0	47
Monroe	3,486	71.4	33	1,295	20.2	34	2,524	11.4	31	656	15.7	13	1,211	7.4	25	5,649	84.7	27	12,557	2.7	21
Montgomery	313	68.1	47	97	.	.	164	7.3	54	52	.	.	96	.	.	509	73.3	58	1,085	2.8	22
Nassau	3,716	81.2	11	1,259	35.1	11	2,550	12.9	27	724	5.9	30	1,229	2.8	45	5,504	79.5	44	12,514	0.6	2
New York	9,137	84.5	8	3,581	38.2	9	6,923	19.6	9	1,812	6.6	28	3,472	4.6	38	17,367	78.4	47	35,369	1.7	10
Niagara	1,140	57.5	59	409	14.2	45	804	7.2	55	234	12.8	19	386	5.2	36	1,710	86.1	21	3,896	5.9	55
Oneida	1,436	68.0	48	576	16.0	42	1,119	9.2	47	297	10.1	25	547	3.7	42	2,539	89.1	13	5,440	2.7	20
Onondaga	2,466	65.7	54	904	22.5	27	1,759	10.2	38	460	17.6	11	885	7.2	28	3,846	83.5	31	8,685	3.0	24
Ontario	418	74.2	25	192	19.8	36	328	13.7	22	126	16.7	12	191	7.9	20	693	80.4	41	1,544	4.1	39
Orange	2,176	82.9	9	925	43.9	5	1,569	26.2	5	550	14.2	17	877	6.7	29	4,396	82.9	33	9,073	1.9	11
Orleans	195	61.0	58	78	.	.	134	9.7	43	41	.	.	76	.	.	320	85.9	22	709	8.5	58
Oswego	791	66.9	52	356	20.5	32	544	9.2	48	186	19.4	8	352	6.3	34	1,316	77.9	48	2,974	5.0	48
Otsego	232	72.8	28	102	24.5	21	174	9.8	41	52	.	.	100	12.0	3	375	84.8	26	830	2.8	23
Putnam	208	85.6	6	121	40.5	8	209	26.8	4	50	.	.	109	7.3	27	507	92.7	7	992	3.8	35

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Queens	15,796	87.3	3	6,191	47.1	3	12,092	24.8	6	3,214	5.9	29	6,023	3.9	41	28,805	86.2	20	59,904	1.1	5
Rensselaer	872	63.4	57	324	18.2	38	581	9.0	49	166	13.9	18	309	4.9	37	1,363	73.0	59	3,056	4.5	43
Richmond	1,869	75.3	20	659	35.8	10	1,346	20.0	8	349	8.9	26	640	3.9	40	3,164	70.0	61	6,752	1.1	4
Rockland	2,512	93.2	1	1,047	72.7	1	2,146	54.5	1	604	47.7	1	1,030	40.3	1	5,565	96.9	2	10,990	0.2	1
Saratoga	512	74.2	24	177	24.9	20	318	13.5	23	117	21.4	6	174	9.2	12	729	95.1	4	1,723	1.5	9
Schenectady	783	67.8	50	325	21.2	29	654	11.0	35	172	15.7	14	319	7.8	21	1,279	80.8	39	2,905	3.8	34
Schoharie	133	69.2	42	62	.	.	98	.	.	28	.	.	59	.	.	301	90.4	10	574	3.8	36
Schuyler	78	.	.	35	.	.	62	.	.	26	.	.	35	.	.	153	75.8	50	325	3.7	32
Seneca	183	73.2	26	57	.	.	113	15.0	18	34	.	.	56	.	.	254	86.2	18	599	5.3	52
St. Lawrenc	587	66.8	53	266	17.3	39	324	8.3	51	153	18.3	10	263	8.7	15	959	75.1	52	2,249	3.9	37
Steuben	503	70.2	39	246	25.2	19	411	14.8	20	130	23.1	5	240	9.2	13	817	86.2	19	1,873	3.0	25
Suffolk	5,678	82.1	10	1,953	34.2	12	3,967	15.5	17	1,064	7.5	27	1,809	3.2	44	7,696	79.2	45	18,594	1.2	6
Sullivan	488	76.2	16	174	29.3	15	366	16.7	14	99	.	.	170	14.7	2	759	79.8	43	1,777	3.2	27
Tioga	282	78.4	13	106	22.6	26	208	12.0	30	67	.	.	104	8.7	16	489	84.9	25	1,046	6.4	57
Tompkins	371	87.1	5	152	40.8	7	277	27.8	3	75	.	.	144	10.4	6	554	89.5	11	1,337	1.4	8
Ulster	551	72.6	29	204	30.4	14	380	17.9	13	135	25.2	4	203	9.9	10	733	85.1	23	1,792	1.9	12
Warren	287	74.6	22	93	.	.	201	10.9	36	48	.	.	91	.	.	542	90.6	9	1,100	3.7	33
Washington	366	73.0	27	154	23.4	24	278	9.7	42	78	.	.	152	6.6	31	636	93.9	6	1,411	2.2	15
Wayne	421	70.5	36	141	22.0	28	302	9.6	44	94	.	.	138	9.4	11	755	84.2	29	1,608	5.5	54
Westchester	4,221	87.3	4	1,643	46.7	4	3,290	24.8	7	806	11.0	22	1,572	6.4	32	8,604	82.6	34	17,008	1.1	3

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: August 26, 2016

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Wyoming	118	77.1	15	54	.	.	85	.	.	23	.	.	53	.	.	198	87.9	14	447	4.9	46
Yates	84	.	.	43	.	.	67	.	.	19	.	.	43	.	.	167	80.2	42	347	4.3	41
Total	119,403	81.2	.	46,799	39.2	.	89,514	21.4	.	24,694	11.7	.	45,084	6.7	.	214,870	82.7	.	452,535	2.1	.

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.

Run Date: August 26, 2016

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Albany	3,864	10.2	58	7.0	14	14,261	4.6	13	14,144	3.3	52	12.9	39	6,579	15.7	5	14.8	35	10,243	27.1	62
Allegany	744	8.1	28	6.5	10	3,035	5.8	44	3,021	1.3	11	12.1	30	1,507	18.4	47	13.4	15	2,241	8.1	12
Bronx	46,940	10.2	59	5.4	2	183,933	3.7	3	182,228	3.3	51	12.6	37	89,115	16.0	10	14.4	27	134,953	15.3	47
Broome	3,540	8.4	35	8.6	32	13,248	5.5	36	13,166	1.6	23	12.1	29	6,182	18.6	49	13.0	11	9,551	15.7	49
Cattaraugus	1,433	7.4	17	7.7	21	5,480	7.2	57	5,446	1.3	12	13.6	50	2,567	17.4	28	14.4	26	3,997	6.2	4
Cayuga	1,183	6.8	6	9.8	50	4,486	5.4	31	4,454	1.5	19	13.1	44	2,031	17.7	34	14.9	36	3,039	10.9	24
Chautauqua	2,594	8.6	40	6.2	8	10,094	6.2	47	10,010	1.6	21	12.1	28	4,676	18.0	39	13.1	12	7,360	12.7	34
Chemung	1,806	8.4	36	7.7	23	6,924	7.3	59	6,877	1.2	8	12.9	41	3,252	17.4	29	14.6	33	5,095	6.8	7
Chenango	1,027	7.0	8	10.0	51	3,948	4.7	17	3,931	2.6	45	11.7	19	1,862	14.0	1	12.6	8	2,907	11.8	30
Clinton	1,229	9.1	48	9.0	37	4,947	6.0	46	4,912	1.8	25	11.9	23	2,404	18.2	42	13.6	16	3,679	9.5	17
Columbia	831	9.0	47	9.7	48	3,357	5.2	24	3,317	1.7	24	13.5	48	1,599	19.4	57	16.3	50	2,497	18.0	56
Cortland	892	7.5	19	7.1	15	3,481	4.3	9	3,467	0.8	2	11.3	15	1,707	18.3	46	14.8	34	2,544	7.3	9
Delaware	642	8.3	32	10.3	52	2,828	5.6	37	2,815	2.2	35	14.8	57	1,424	17.8	37	17.4	58	2,153	16.2	51
Dutchess	2,851	8.3	34	7.5	19	10,614	4.3	10	10,549	2.4	43	11.5	18	4,869	17.1	22	12.7	9	7,639	16.9	53
Erie	14,286	9.9	57	6.1	6	48,775	4.9	21	48,441	3.7	59	10.9	9	21,533	15.3	2	12.3	7	33,982	15.2	45
Essex	506	9.7	56	8.7	35	2,193	8.4	61	2,175	2.8	46	15.0	58	1,073	18.0	40	16.9	56	1,635	8.7	13
Franklin	962	9.7	55	9.4	42	3,689	7.2	58	3,658	1.5	20	11.2	14	1,694	18.2	43	15.8	46	2,647	10.9	25
Fulton	756	9.4	52	8.3	28	2,784	6.4	50	2,752	3.6	57	12.2	33	1,264	17.3	24	14.6	31	1,987	6.2	5
Genesee	1,462	6.2	4	9.5	46	5,545	5.4	32	5,510	2.3	40	13.2	45	2,583	17.3	25	14.4	28	3,944	15.6	48
Greene	680	9.3	50	10.6	54	2,490	4.6	12	2,467	2.4	41	11.8	21	1,140	18.7	50	14.2	20	1,798	18.0	55

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 26, 2016

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk		%	Rk
Hamilton	54	191	7.3	60	189	6.9	62	11.1	12	81	134	13.4	39
Herkimer	1,160	8.1	29	11.1	57	4,289	5.8	42	4,268	2.0	31	11.1	11	1,938	16.1	11	14.4	25	3,110	11.1	26
Jefferson	3,840	6.1	3	9.2	40	14,063	4.9	20	13,997	2.1	33	9.4	2	6,159	17.3	23	11.9	5	10,055	10.4	21
Kings	80,606	8.6	39	5.9	5	317,368	4.8	18	315,090	3.7	60	10.5	6	155,461	15.4	3	12.1	6	233,594	13.8	41
Lewis	690	7.4	16	7.7	22	2,674	5.5	35	2,663	1.8	29	10.3	4	1,233	18.3	45	13.6	17	1,968	9.4	16
Livingston	711	7.6	21	9.7	47	2,756	5.3	30	2,746	1.3	13	14.1	52	1,243	16.7	18	15.3	41	1,977	10.3	20
Madison	1,160	7.3	13	10.9	55	4,495	7.1	56	4,462	1.3	10	12.4	36	2,088	18.9	53	15.3	42	3,286	13.8	42
Monroe	10,627	10.4	61	7.1	16	39,336	4.9	19	39,060	3.4	54	11.9	22	18,024	15.7	6	13.4	13	28,039	13.6	40
Montgomery	952	8.0	24	8.4	29	3,641	5.8	43	3,608	2.4	42	15.6	60	1,778	15.9	8	17.3	57	2,618	6.6	6
Nassau	11,225	8.5	37	6.3	9	38,517	5.2	25	38,065	3.7	58	16.6	61	16,597	17.0	19	21.4	60	26,701	16.1	50
New York	29,830	8.9	44	5.9	4	114,544	3.3	2	113,708	2.8	47	10.8	8	55,085	16.6	17	12.8	10	83,301	12.3	32
Niagara	3,382	9.3	51	6.2	7	12,053	5.1	22	11,955	3.2	50	12.6	38	5,539	17.5	31	16.0	47	8,531	9.6	18
Oneida	4,331	9.0	46	8.7	34	16,417	5.7	39	16,325	2.3	38	11.3	16	7,522	17.1	20	15.2	38	11,885	15.2	46
Onondaga	7,664	8.5	38	9.0	38	27,682	5.2	26	27,538	2.1	32	12.2	31	12,488	16.5	16	13.9	19	19,629	12.0	31
Ontario	1,265	7.4	14	8.9	36	4,762	4.6	14	4,742	0.9	3	14.0	51	2,218	20.2	59	16.6	55	3,417	18.9	58
Orange	6,728	7.4	15	7.3	18	28,099	6.7	55	27,934	2.3	39	9.5	3	13,952	17.1	21	11.4	4	21,023	18.8	57
Orleans	601	8.2	31	6.8	13	2,363	5.5	33	2,345	2.2	37	11.7	20	1,152	17.4	27	14.3	24	1,712	14.5	43
Oswego	2,416	7.4	18	9.1	39	9,346	5.9	45	9,294	0.9	4	12.9	40	4,287	18.7	51	16.3	51	6,910	11.2	27
Otsego	735	6.7	5	9.8	49	2,789	6.5	52	2,767	1.8	26	13.0	43	1,317	19.4	56	16.1	49	2,014	5.5	2
Putnam	691	10.3	60	5.1	1	3,114	3.1	1	3,089	1.4	16	15.1	59	1,633	19.1	55	19.3	59	2,405	7.0	8

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 26, 2016

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Queens	48,373	8.3	33	5.8	3	182,215	3.9	4	180,755	4.1	61	12.1	26	85,614	15.8	7	15.4	43	130,845	11.7	29
Rensselaer	2,551	8.0	27	8.7	33	9,413	6.3	49	9,316	3.3	53	14.1	53	4,315	16.4	14	15.2	39	6,789	21.5	61
Richmond	5,812	8.9	45	6.7	12	21,021	4.1	7	20,844	3.5	55	12.1	27	9,484	17.6	32	15.2	40	14,606	13.0	35
Rockland	7,381	5.4	1	8.0	26	32,940	6.6	54	32,810	2.8	48	9.1	1	16,914	16.5	15	11.1	2	24,857	13.3	37
Saratoga	1,553	7.3	11	9.5	43	5,632	5.3	28	5,611	2.2	36	10.7	7	2,520	17.6	33	13.4	14	3,995	13.1	36
Schenectady	2,627	9.1	49	7.5	20	9,450	6.5	51	9,329	2.1	34	14.3	56	4,221	17.8	36	15.1	37	6,705	19.9	59
Schoharie	430	8.1	30	7.9	25	1,824	4.0	5	1,816	1.9	30	12.2	32	930	15.5	4	15.4	44	1,377	9.4	15
Schuyler	253	8.7	42	13.0	61	1,097	4.6	15	1,095	1.4	15	11.4	17	547	22.3	61	11.3	3	839	6.2	3
Seneca	503	9.5	54	11.1	58	1,686	8.5	62	1,677	1.0	5	13.3	47	728	20.2	60	13.7	18	1,163	16.8	52
St. Lawrence	1,897	8.7	43	8.5	31	7,294	5.5	34	7,252	1.6	22	11.2	13	3,303	18.6	48	14.5	30	5,340	7.9	11
Steuben	1,644	7.3	12	9.2	41	5,917	5.7	41	5,884	1.2	9	12.0	24	2,674	17.8	38	14.2	21	4,162	10.3	19
Suffolk	17,537	8.0	26	7.1	17	57,381	5.1	23	56,853	2.6	44	17.1	62	23,313	18.1	41	21.9	61	38,174	13.4	38
Sullivan	1,515	8.6	41	7.7	24	5,709	6.6	53	5,663	1.4	17	14.3	55	2,672	18.9	54	16.1	48	4,187	11.5	28
Tioga	848	5.5	2	11.9	60	3,368	4.7	16	3,352	1.8	27	13.3	46	1,654	16.0	9	16.4	53	2,450	17.7	54
Tompkins	1,150	7.6	20	8.2	27	4,038	4.2	8	4,031	1.5	18	10.3	5	1,777	16.2	12	14.6	32	2,819	9.1	14
Ulster	1,789	7.0	7	9.5	45	5,696	4.4	11	5,660	2.8	49	11.1	10	2,299	17.4	26	16.3	52	3,821	10.6	23
Warren	899	7.1	9	10.3	53	3,614	5.7	40	3,595	3.5	56	12.2	34	1,758	17.5	30	14.3	22	2,681	4.0	1
Washington	1,127	8.0	25	9.5	44	4,642	6.2	48	4,611	1.1	6	13.6	49	2,254	18.3	44	15.5	45	3,426	7.6	10
Wayne	1,261	7.8	23	11.0	56	4,949	5.3	27	4,909	1.4	14	12.3	35	2,418	20.0	58	14.3	23	3,604	21.4	60
Westchester	12,939	7.7	22	6.5	11	54,704	4.1	6	54,202	1.8	28	14.1	54	28,007	18.9	52	16.5	54	41,307	12.6	33

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 26, 2016

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Wyoming	387	7.2	10	11.6	59	1,498	5.6	38	1,487	1.1	7	12.0	25	665	16.2	13	11.0	1	1,085	10.5	22
Yates	273	9.5	53	8.4	30	1,094	5.3	29	1,081	0.7	1	13.0	42	496	17.7	35	14.5	29	791	15.2	44
Total	369,645	8.7	.	6.6	.	1,409,793	4.6	.	1,399,018	3.1	.	12.0	.	667,419	16.4	.	14.2	.	1,021,223	13.6	.

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Albany	3,877	72.4	27	1,455	23.2	18	2,836	13.0	18	781	12.3	45	1,341	6.2	38	6,334	72.7	56	14,263	4.5	35
Allegany	744	73.1	21	284	20.1	32	538	9.5	42	170	27.1	5	278	14.0	4	1,472	81.6	32	3,013	10.7	61
Bronx	47,048	87.0	3	17,951	42.3	7	35,771	18.6	11	9,099	4.2	57	17,532	2.3	61	91,074	70.6	58	185,287	3.0	20
Broome	3,557	70.6	32	1,376	21.7	22	2,648	12.2	24	757	19.0	18	1,350	6.4	36	6,072	83.6	27	13,221	4.9	41
Cattaraugus	1,438	70.5	33	549	16.4	49	1,082	9.6	41	311	17.0	24	542	6.6	34	2,535	73.0	55	5,468	6.0	50
Cayuga	1,182	66.6	48	492	16.3	51	936	9.3	44	256	16.4	28	485	9.5	15	2,029	92.7	7	4,498	6.4	53
Chautauqua	2,606	64.5	56	1,129	15.1	56	2,050	8.6	53	568	12.7	44	1,028	8.1	24	4,624	78.6	41	10,046	9.1	60
Chemung	1,809	65.0	54	785	15.2	55	1,345	7.4	57	395	14.9	37	778	5.5	44	3,202	75.2	50	6,905	4.8	39
Chenango	1,028	76.7	12	435	15.9	52	711	7.6	56	216	18.5	22	429	11.7	6	1,812	97.8	1	3,961	10.8	62
Clinton	1,229	69.7	36	531	20.2	31	1,030	11.4	27	270	17.0	25	512	9.8	13	2,362	84.3	25	4,928	2.8	16
Columbia	836	68.3	42	361	23.3	17	624	13.3	17	194	21.1	12	357	7.3	32	1,583	81.2	34	3,356	3.8	30
Cortland	898	70.7	31	366	17.5	45	686	12.4	22	188	13.3	41	361	3.0	58	1,684	92.3	8	3,470	5.9	49
Delaware	640	72.0	28	259	18.5	38	471	12.3	23	132	14.4	40	238	7.6	27	1,412	89.5	11	2,831	3.3	22
Dutchess	2,856	76.2	14	1,145	31.8	13	2,188	20.2	9	653	18.5	21	1,097	10.3	8	4,846	73.6	54	10,612	6.3	52
Erie	14,326	62.6	58	4,986	17.2	46	9,824	9.0	50	2,610	14.4	39	4,716	7.5	28	21,390	83.4	28	48,834	3.6	26
Essex	507	72.0	29	212	19.8	33	417	12.5	21	99	.	.	206	9.2	16	1,066	94.2	4	2,199	2.7	15
Franklin	963	67.7	46	393	18.1	41	737	8.1	55	241	21.2	11	387	10.1	9	1,677	70.3	59	3,699	3.6	27
Fulton	757	58.4	61	293	10.6	61	572	5.8	60	164	11.6	48	292	2.4	59	1,221	76.1	47	2,788	6.8	55
Genesee	1,466	67.7	45	586	20.5	27	1,096	10.6	37	323	22.9	9	580	7.8	25	2,573	95.7	3	5,532	2.9	17
Greene	683	64.6	55	266	18.4	39	523	10.7	32	156	12.8	42	260	6.5	35	1,095	80.8	36	2,493	5.1	45

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Hamilton	54	.	.	14	.	.	31	.	.	8	.	.	14	.	.	85	.	.	194	7.2	58
Herkimer	1,164	69.8	35	470	13.8	57	861	8.6	52	217	20.7	14	464	6.0	39	1,891	78.8	40	4,279	4.6	37
Jefferson	3,868	73.1	22	1,566	22.5	20	2,497	11.7	25	1,131	24.3	7	1,549	8.6	19	6,048	71.9	57	14,028	2.6	14
Kings	80,813	84.2	7	31,284	52.0	2	59,928	30.7	2	16,472	11.6	49	30,255	8.2	22	156,831	85.5	21	318,084	1.5	6
Lewis	692	69.4	39	285	19.3	36	500	11.6	26	152	15.8	32	279	5.7	42	1,206	82.7	30	2,669	5.6	47
Livingston	710	74.2	17	277	26.0	16	430	12.6	20	170	22.9	8	273	9.9	11	1,226	87.8	15	2,744	2.9	18
Madison	1,167	67.7	47	461	19.5	34	831	10.6	36	267	18.7	20	457	5.9	40	2,065	75.0	51	4,474	4.9	40
Monroe	10,651	71.3	30	4,015	20.3	30	7,457	10.8	31	2,080	16.6	27	3,778	7.4	29	17,653	83.7	26	39,366	3.1	21
Montgomery	954	68.0	43	322	15.8	53	628	5.1	61	172	12.8	43	319	5.3	47	1,721	69.9	60	3,628	3.8	29
Nassau	11,263	81.4	9	3,924	35.7	11	7,900	13.0	19	2,154	5.4	56	3,834	2.3	60	17,100	77.6	46	38,784	0.9	2
New York	29,886	82.1	8	11,318	39.1	9	22,273	20.7	8	5,710	6.4	54	11,043	3.9	52	55,938	75.7	48	115,063	1.8	8
Niagara	3,380	58.7	60	1,199	12.4	60	2,382	6.5	59	619	15.5	33	1,131	5.1	48	5,479	86.1	20	12,038	7.0	56
Oneida	4,337	65.6	52	1,757	16.6	47	2,891	9.4	43	972	8.6	51	1,679	3.1	57	7,339	86.7	19	16,433	3.5	25
Onondaga	7,709	64.5	57	2,799	20.5	26	5,330	10.8	30	1,467	16.1	29	2,637	8.1	23	12,236	85.3	22	27,452	3.7	28
Ontario	1,278	72.8	26	558	20.4	29	965	11.2	29	309	19.1	17	553	8.7	18	2,129	79.5	39	4,748	5.2	46
Orange	6,750	80.3	11	2,884	45.4	5	4,916	26.6	3	1,654	15.1	35	2,778	9.6	14	13,687	81.1	35	28,067	2.0	12
Orleans	601	65.1	53	217	13.4	58	385	9.1	49	120	15.0	36	213	3.8	53	1,116	84.7	24	2,345	8.4	59
Oswego	2,423	66.2	50	1,032	17.5	43	1,611	9.2	45	549	15.5	34	1,020	5.4	46	4,225	78.0	43	9,342	5.7	48
Otsego	735	73.2	20	313	20.4	28	575	10.6	34	165	28.5	4	308	10.4	7	1,313	79.7	38	2,791	3.5	23
Putnam	691	85.8	4	341	44.0	6	611	25.9	4	162	19.1	16	317	9.8	12	1,606	91.7	9	3,124	4.0	31

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Queens	48,540	85.8	5	18,306	45.6	3	36,185	23.8	5	9,303	6.0	55	17,755	3.6	54	87,147	87.0	17	182,949	1.0	3
Rensselaer	2,563	62.3	59	1,029	15.3	54	1,831	7.3	58	521	12.1	46	978	5.7	43	4,291	73.9	53	9,457	4.6	38
Richmond	5,816	73.8	18	2,081	35.7	10	4,136	19.1	10	1,098	8.2	52	2,042	3.6	55	9,710	65.3	61	21,119	1.0	4
Rockland	7,398	93.2	1	3,215	71.9	1	6,243	51.3	1	1,862	42.4	1	3,175	36.1	1	16,848	96.4	2	32,977	0.1	1
Saratoga	1,564	73.1	23	609	21.8	21	1,062	11.2	28	363	21.8	10	595	8.6	20	2,474	93.3	6	5,621	1.9	11
Schenectady	2,633	65.7	51	1,011	18.1	40	1,941	8.8	51	520	16.0	31	969	6.4	37	4,177	80.0	37	9,424	4.2	34
Schoharie	431	69.6	37	194	21.6	23	330	10.6	35	100	37.0	2	185	17.3	2	921	87.1	16	1,826	5.0	43
Schuyler	253	70.0	34	127	16.5	48	218	9.2	48	69	.	.	124	4.8	51	537	77.7	45	1,097	4.6	36
Seneca	505	68.3	41	166	13.3	59	334	10.5	38	103	14.6	38	163	4.9	50	712	86.8	18	1,678	4.9	42
St. Lawrence	1,900	66.5	49	824	16.3	50	1,130	8.5	54	479	17.5	23	817	8.4	21	3,261	74.9	52	7,290	4.2	32
Steuben	1,646	67.9	44	660	19.4	35	1,189	10.2	39	348	19.5	15	642	7.3	31	2,535	88.9	14	5,884	4.2	33
Suffolk	17,596	81.3	10	5,983	33.0	12	11,961	15.3	15	3,149	6.5	53	5,578	3.2	56	23,386	77.7	44	57,297	1.5	5
Sullivan	1,524	75.3	15	509	28.7	14	1,064	16.9	12	314	18.8	19	496	13.5	5	2,597	83.1	29	5,683	2.1	13
Tioga	855	73.3	19	323	22.9	19	619	13.4	16	195	25.6	6	319	8.8	17	1,607	85.2	23	3,363	7.0	57
Tompkins	1,154	85.6	6	411	39.4	8	758	23.5	6	231	31.6	3	393	14.5	3	1,721	89.1	13	4,020	1.8	10
Ulster	1,792	72.8	25	611	28.0	15	1,148	16.7	13	409	20.8	13	607	7.7	26	2,288	81.6	31	5,688	1.8	9
Warren	905	72.9	24	345	20.6	25	663	9.2	47	175	12.0	47	338	5.0	49	1,748	90.8	10	3,612	3.5	24
Washington	1,137	69.4	38	495	19.0	37	823	9.2	46	256	16.8	26	484	6.8	33	2,233	94.0	5	4,645	2.9	19
Wayne	1,270	68.7	40	462	17.5	44	925	9.6	40	269	16.0	30	452	5.8	41	2,261	81.4	33	4,917	6.2	51
Westchester	12,990	87.4	2	5,362	45.5	4	10,652	23.3	7	2,696	10.2	50	5,158	5.5	45	27,983	78.0	42	54,745	1.8	7

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: August 26, 2016

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Wyoming	387	74.9	16	163	21.5	24	266	16.5	14	82	.	.	160	10.0	10	652	89.3	12	1,499	5.0	44
Yates	276	76.4	13	122	18.0	42	216	10.6	33	69	.	.	122	7.4	30	492	75.4	49	1,097	6.6	54
Total	370,711	80.0	.	141,898	38.5	.	272,781	20.8	.	74,744	11.5	.	137,222	6.4	.	670,538	81.1	.	1,412,945	2.4	.

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.