

Run Date: August 25, 2016

**Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)**

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Albany	4,369	24.4	36.6	18.8	1.0	10.4	8.7	0.0
Allegany	907	94.5	0.8	2.0	0.3	0.3	2.1	0.0
Bronx	57,733	2.2	28.6	62.9	1.6	3.8	0.8	0.1
Broome	3,922	66.5	14.9	9.3	0.1	1.8	7.2	0.2
Cattaraugus	1,526	89.6	2.0	2.6	0.7	0.2	4.7	0.2
Cayuga	1,233	83.4	5.2	5.4	0.1	0.3	5.7	0.0
Chautauqua	3,251	70.1	3.3	24.7	0.1	0.7	0.9	0.2
Chemung	1,977	65.8	9.8	8.4	0.3	0.6	15.1	0.1
Chenango	1,441	94.8	0.6	1.7	0.0	0.1	2.9	0.0
Clinton	1,457	92.3	2.7	1.8	0.0	1.1	2.1	0.0
Columbia	951	56.9	10.3	18.8	0.6	2.0	11.1	0.2
Cortland	1,026	86.5	1.9	5.9	0.0	0.1	5.6	0.0
Delaware	773	87.1	1.8	9.1	0.0	0.3	1.8	0.0
Dutchess	3,041	30.7	24.2	36.3	2.2	2.6	3.9	0.0
Erie	16,486	37.9	33.6	16.1	0.5	8.1	3.7	0.1
Essex	672	98.2	0.6	0.7	0.0	0.0	0.4	0.0
Franklin	978	76.2	0.7	3.3	17.3	0.8	1.7	0.0
Fulton	1,004	91.1	1.6	4.6	0.0	0.1	2.6	0.0
Genesee	1,762	87.6	2.4	6.7	0.5	0.2	2.4	0.2
Greene	666	71.0	7.7	10.2	0.3	0.6	10.1	0.2
Hamilton	130	88.5	0.0	6.2	0.0	0.8	4.6	0.0
Herkimer	1,377	86.9	1.2	5.5	0.0	0.3	6.0	0.0
Jefferson	3,880	68.2	8.4	15.2	0.2	1.9	6.1	0.0
Kings	94,321	29.8	29.0	23.5	0.7	16.4	0.5	0.0
Lewis	773	92.9	0.4	4.1	0.0	0.5	2.1	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.  
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.  
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 25, 2016

**Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)**

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Livingston	844	82.9	0.9	13.7	0.1	0.7	1.5	0.0
Madison	4,503	59.5	12.1	13.4	0.4	9.1	5.5	0.1
Monroe	11,975	26.7	40.1	25.5	0.3	4.3	3.1	0.1
Montgomery	1,000	59.6	3.5	33.7	0.1	0.5	2.3	0.3
Nassau	11,112	6.8	20.7	67.0	1.7	3.2	0.5	0.1
New York	32,985	2.8	22.6	60.0	0.8	13.2	0.6	0.1
Niagara	3,677	65.8	18.7	7.6	0.9	0.8	6.2	0.0
Oneida	1,411	58.0	15.0	12.9	0.1	9.4	4.5	0.1
Onondaga	8,506	34.9	30.2	14.6	0.7	9.1	10.3	0.1
Ontario	1,428	66.2	5.0	21.8	0.0	1.1	5.9	0.1
Orange	8,570	54.1	9.5	32.6	0.4	0.9	2.5	0.0
Orleans	729	77.5	4.3	12.8	0.0	0.0	5.5	0.0
Oswego	2,414	89.6	0.9	6.2	0.1	0.2	3.0	0.0
Otsego	860	93.4	2.3	3.4	0.0	0.0	0.9	0.0
Putnam	1,083	33.4	1.6	63.5	0.5	0.6	0.5	0.0
Queens	57,839	7.1	18.5	45.1	2.1	26.5	0.7	0.0
Rensselaer	2,710	54.4	19.2	15.3	0.2	1.5	9.3	0.1
Richmond	6,342	25.3	24.8	42.8	1.2	4.6	1.1	0.1
Rockland	11,000	64.6	6.7	27.1	0.4	0.8	0.3	0.0
Saratoga	1,675	88.5	2.6	5.4	0.1	1.8	1.7	0.0
Schenectady	2,845	40.4	21.9	19.5	0.7	7.3	9.9	0.2
Schoharie	479	94.2	0.8	3.5	0.2	0.0	1.3	0.0
Schuyler	320	91.3	0.3	3.8	0.0	0.3	4.4	0.0
Seneca	538	80.5	1.7	10.2	0.6	0.9	6.1	0.0
St. Lawrence	1,451	93.8	0.8	1.9	0.1	0.2	3.2	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if &lt; 100 records are available for analysis.

Run Date: August 25, 2016

**Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)**

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Steuben	1,755	89.5	1.8	4.0	0.0	0.3	4.4	0.0
Suffolk	17,282	16.0	13.7	65.2	1.4	2.5	1.1	0.0
Sullivan	1,756	57.2	6.8	31.7	0.2	0.5	3.6	0.1
Tioga	1,061	97.4	0.3	1.4	0.0	0.1	0.8	0.0
Tompkins	1,251	61.8	8.4	10.2	0.1	9.9	9.6	0.0
Ulster	1,612	62.4	14.6	21.0	0.2	0.7	1.1	0.0
Warren	971	85.3	1.2	6.2	0.2	0.2	6.8	0.1
Washington	1,360	93.8	0.8	2.2	0.1	0.1	2.9	0.1
Wayne	1,431	69.4	6.4	15.4	0.2	0.3	8.1	0.1
Westchester	16,449	5.1	24.2	66.1	1.2	2.7	0.7	0.0
Wyoming	451	91.1	0.0	7.1	0.0	0.4	1.3	0.0
Yates	233	85.8	0.0	10.7	0.0	0.0	3.4	0.0
<b>Total</b>	<b>427,564</b>	<b>27.5</b>	<b>22.0</b>	<b>37.3</b>	<b>1.1</b>	<b>10.2</b>	<b>1.9</b>	<b>0.1</b>

(1) Records are rejected if date of birth and/or date of visit unknown.  
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.  
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 25, 2016

**Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)**

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Albany	4,369	31.0	24.0	17.5	15.6	12.0
Allegany	907	30.1	22.9	17.9	16.2	12.9
Bronx	57,733	28.5	22.9	18.1	16.1	14.4
Broome	3,922	31.6	25.5	17.6	14.2	11.1
Cattaraugus	1,526	30.2	23.5	17.2	15.3	13.9
Cayuga	1,233	30.6	24.3	16.6	15.0	13.5
Chautauqua	3,251	31.1	24.1	16.0	15.9	12.9
Chemung	1,977	30.1	24.5	18.8	15.4	11.2
Chenango	1,441	31.3	24.3	17.4	14.6	12.4
Clinton	1,457	27.9	24.0	18.2	16.3	13.6
Columbia	951	32.2	22.8	18.0	14.5	12.5
Cortland	1,026	29.6	26.7	17.3	14.6	11.8
Delaware	773	29.4	22.1	18.5	15.5	14.5
Dutchess	3,041	31.6	24.5	17.1	13.8	13.0
Erie	16,486	32.0	24.5	17.7	14.4	11.4
Essex	672	28.6	23.5	17.6	17.1	13.2
Franklin	978	29.9	20.0	21.3	16.5	12.4
Fulton	1,004	36.2	26.2	13.5	12.9	11.2
Genesee	1,762	31.7	23.7	17.3	15.4	11.9
Greene	666	29.6	24.8	17.9	13.5	14.3
Hamilton	130	34.6	20.8	21.5	13.1	10.0
Herkimer	1,377	29.2	24.5	19.6	15.0	11.8
Jefferson	3,880	37.3	22.9	16.2	13.3	10.4
Kings	94,321	29.2	22.3	18.2	16.1	14.3
Lewis	773	31.6	23.2	17.9	15.3	12.2

(1) Records are rejected if date of birth and/or date of visit unknown.  
 (2) Analyses are done based on one record per child, excluding records with unknown data or errors.  
 (3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 25, 2016

**Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)**

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Livingston	844	30.9	25.4	16.8	14.2	12.7
Madison	4,503	28.1	23.2	18.4	16.5	13.7
Monroe	11,975	32.0	23.9	17.1	14.4	12.5
Montgomery	1,000	34.0	24.9	16.2	13.3	11.6
Nassau	11,112	33.9	24.1	16.8	14.2	11.0
New York	32,985	27.6	23.2	18.4	16.3	14.4
Niagara	3,677	32.6	23.3	18.8	13.5	11.7
Oneida	1,411	30.5	23.8	18.9	12.7	14.1
Onondaga	8,506	31.7	24.1	17.7	14.3	12.2
Ontario	1,428	29.9	29.3	15.5	13.1	12.3
Orange	8,570	29.2	21.6	18.7	16.2	14.4
Orleans	729	31.6	25.4	17.0	14.5	11.5
Oswego	2,414	31.9	24.2	17.2	15.5	11.2
Otsego	860	31.2	24.3	17.1	14.1	13.4
Putnam	1,083	28.8	22.7	16.6	14.5	17.4
Queens	57,839	29.8	22.9	18.2	15.3	13.9
Rensselaer	2,710	30.4	24.1	19.2	15.1	11.3
Richmond	6,342	32.7	21.9	16.0	15.2	14.1
Rockland	11,000	26.5	23.0	19.4	16.6	14.5
Saratoga	1,675	33.2	25.0	17.8	13.3	10.7
Schenectady	2,845	30.4	25.5	17.5	15.4	11.2
Schoharie	479	27.1	23.6	20.0	14.4	14.8
Schuyler	320	30.6	26.3	16.3	14.1	12.8
Seneca	538	31.8	25.1	15.6	14.7	12.8
St. Lawrence	1,451	33.2	22.9	17.8	13.9	12.2

(1) Records are rejected if date of birth and/or date of visit unknown.  
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.  
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 25, 2016

**Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)**

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Steuben	1,755	32.1	24.8	16.9	13.5	12.7
Suffolk	17,282	35.1	24.1	16.1	13.7	11.0
Sullivan	1,756	29.7	24.7	18.8	15.9	10.8
Tioga	1,061	29.5	23.6	17.4	15.6	13.9
Tompkins	1,251	33.0	24.7	17.9	13.9	10.5
Ulster	1,612	36.7	23.3	17.0	13.2	9.9
Warren	971	30.6	24.7	17.0	15.3	12.4
Washington	1,360	30.8	21.3	17.8	16.9	13.2
Wayne	1,431	29.9	25.6	18.3	14.6	11.5
Westchester	16,449	27.8	22.5	18.5	16.3	14.9
Wyoming	451	27.9	26.4	15.7	15.5	14.4
Yates	233	29.6	21.9	18.0	18.9	11.6
<b>Total</b>	<b>427,564</b>	<b>30.0</b>	<b>23.2</b>	<b>17.9</b>	<b>15.5</b>	<b>13.5</b>

(1) Records are rejected if date of birth and/or date of visit unknown.  
 (2) Analyses are done based on one record per child, excluding records with unknown data or errors.  
 (3) Percentages are not calculated if < 100 records are available for analysis.

**Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)**

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)					BMI (2-4 Years) (7)				Hb/Hct (8)			
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Albany	1,216	10.6	55	7.5	22	4,352	6.0	22	4,286	4.8	53	11.2	29	1,965	15.5	12	12.8	13	3,093	26.0	60
Allegany	233	10.7	56	4.3	1	905	7.1	41	899	1.4	11	9.8	12	432	20.4	59	10.9	3	665	11.9	19
Bronx	15,024	10.1	52	5.8	8	57,085	4.6	8	56,412	4.8	52	10.6	22	27,057	15.4	11	13.4	21	41,288	16.7	44
Broome	1,051	7.7	20	6.7	13	3,882	7.7	47	3,867	1.4	10	10.8	24	1,680	18.7	53	13.3	20	2,757	13.1	27
Cattaraugus	406	8.6	34	5.7	6	1,510	7.7	48	1,504	2.7	35	11.6	35	706	17.4	33	12.3	9	1,074	8.6	7
Cayuga	320	7.2	15	10.3	48	1,229	6.6	33	1,221	2.2	26	11.5	33	556	18.3	49	15.5	43	860	12.1	22
Chautauqua	860	8.1	27	7.3	20	3,233	8.5	56	3,208	1.9	21	11.4	32	1,459	17.3	31	14.1	30	2,309	14.9	40
Chemung	516	7.8	21	9.1	39	1,970	8.3	55	1,955	1.2	6	11.3	30	901	17.9	45	13.5	24	1,444	14.3	35
Chenango	347	7.8	22	8.1	29	1,437	5.6	17	1,428	2.3	27	12.7	45	636	14.5	3	16.7	53	1,069	8.2	5
Clinton	372	10.5	53	10.8	51	1,453	7.8	49	1,440	4.2	48	11.7	37	704	16.1	16	16.5	51	1,069	9.6	8
Columbia	252	6.3	7	10.3	49	946	6.2	28	934	2.5	31	14.0	58	423	17.0	26	18.2	57	687	17.5	46
Cortland	266	9.4	44	7.1	19	1,022	6.2	27	1,016	1.4	9	8.7	5	446	17.7	40	13.7	27	729	13.2	28
Delaware	182	8.8	38	7.7	24	769	5.7	20	763	3.7	44	16.1	62	372	17.7	42	19.9	61	573	17.8	50
Dutchess	826	9.0	39	6.4	11	3,038	4.2	3	3,015	1.5	12	8.2	2	1,328	17.2	28	10.7	2	2,142	14.4	37
Erie	4,747	10.1	51	5.7	7	16,374	5.7	19	16,196	5.6	59	10.2	17	7,125	14.8	5	11.9	8	11,355	23.8	58
Essex	159	7.5	18	8.2	32	668	8.7	57	665	1.8	17	13.4	54	320	17.2	29	16.3	50	491	10.2	9
Franklin	255	7.8	23	10.2	47	975	7.6	45	972	2.7	33	8.8	6	486	19.5	55	11.1	5	687	14.6	38
Fulton	327	9.8	47	7.0	17	999	6.6	35	989	3.9	47	10.4	20	373	13.7	2	13.1	19	665	11.4	16
Genesee	470	5.5	2	14.7	59	1,746	5.6	16	1,732	3.6	43	13.6	56	777	17.6	37	16.6	52	1,204	18.3	52
Greene	171	5.3	1	8.8	35	664	5.0	11	655	2.7	36	14.2	59	306	16.3	19	17.3	56	491	14.1	33

(1) Records are rejected if date of birth and/or date of visit unknown.  
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.  
(3) Percentages are not calculated if < 100 records are available for analysis.  
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.  
(5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.  
(6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.  
(7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.  
(8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 25, 2016

**Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)**

County	Birth Weight (5)				Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)					
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Hamilton	33	.	.	.	.	129	7.0	39	129	3.1	39	13.2	50	59	.	.	.	.	95	.	.
Herkimer	340	6.5	9	10.6	50	1,371	9.8	62	1,364	1.5	14	12.6	43	639	15.6	13	14.1	31	1,019	10.4	12
Jefferson	1,115	6.7	12	9.6	43	3,868	6.2	26	3,859	1.5	13	9.7	11	1,565	18.5	51	12.9	15	2,696	12.3	23
Kings	24,176	8.7	36	5.9	9	93,645	5.3	14	92,743	5.3	54	8.9	7	44,362	14.5	4	10.9	4	68,365	13.6	31
Lewis	190	8.4	32	7.9	28	772	6.3	31	768	2.5	32	9.1	8	351	17.7	38	13.1	17	572	19.6	55
Livingston	224	12.9	58	8.9	37	842	8.1	53	837	0.7	2	13.1	49	375	18.7	52	15.5	42	607	11.0	14
Madison	1,164	8.2	28	7.8	27	4,478	6.8	37	4,429	3.5	41	11.0	25	2,170	16.1	17	14.5	35	3,291	14.7	39
Monroe	3,282	10.6	54	7.6	23	11,879	5.8	21	11,779	5.3	56	11.0	26	5,206	15.4	10	13.1	18	8,373	12.7	26
Montgomery	292	9.9	50	8.6	34	998	8.7	58	994	2.7	34	13.4	53	415	17.6	36	15.9	49	688	13.2	30
Nassau	3,412	8.2	30	6.1	10	11,003	4.3	4	10,877	6.7	62	13.0	47	4,446	16.8	23	18.7	58	7,377	16.9	45
New York	8,345	9.6	45	5.5	5	32,774	3.8	1	32,539	4.2	49	8.7	4	15,830	15.3	9	11.2	6	23,722	13.7	32
Niagara	1,094	9.3	43	7.0	18	3,655	4.7	10	3,610	5.4	57	10.2	16	1,589	16.4	21	13.5	22	2,520	10.3	11
Oneida	323	7.4	17	9.0	38	1,406	6.3	30	1,389	3.1	38	10.4	19	639	17.7	39	15.8	47	1,009	14.4	36
Onondaga	2,428	8.1	26	8.1	30	8,451	6.8	36	8,375	3.1	37	10.3	18	3,736	16.0	15	12.9	14	5,874	14.1	34
Ontario	371	6.5	8	9.4	41	1,421	4.4	6	1,416	1.3	7	13.2	51	586	17.6	34	16.7	54	1,022	19.3	54
Orange	1,965	6.6	11	7.8	26	8,527	6.8	38	8,464	3.8	45	8.4	3	4,219	17.1	27	11.2	7	6,366	20.4	56
Orleans	196	6.1	3	9.2	40	724	6.5	32	717	5.3	55	11.9	41	307	17.6	35	15.6	45	500	26.6	61
Oswego	629	7.3	16	10.8	52	2,406	8.2	54	2,392	2.0	24	12.7	44	1,068	21.0	60	15.2	40	1,762	12.5	25
Otsego	242	8.7	35	12.0	58	851	6.1	24	836	6.2	61	9.9	14	378	17.7	41	15.9	48	602	8.5	6
Putnam	270	8.5	33	5.2	2	1,081	4.0	2	1,073	2.3	28	9.9	13	520	16.9	25	15.0	37	795	10.9	13

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.



Run Date: August 25, 2016

**Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)**

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Queens	15,649	9.0	40	5.5	3	57,453	4.4	5	56,826	5.4	58	9.4	9	26,216	15.0	6	12.5	11	40,791	11.9	20
Rensselaer	705	7.9	24	8.8	36	2,691	6.3	29	2,655	4.4	50	11.6	34	1,236	15.0	7	14.2	32	1,943	17.9	51
Richmond	1,888	9.1	42	6.9	16	6,281	4.6	7	6,217	5.8	60	10.5	21	2,748	15.7	14	15.8	46	4,249	12.5	24
Rockland	2,483	7.0	14	8.2	31	10,947	7.1	40	10,910	3.2	40	7.5	1	5,378	16.4	20	10.1	1	8,118	13.2	29
Saratoga	473	8.0	25	11.0	54	1,670	5.4	15	1,654	3.6	42	11.3	31	703	17.8	43	13.8	28	1,164	12.0	21
Schenectady	717	9.8	46	6.7	14	2,820	9.0	59	2,749	2.4	30	14.9	61	1,253	16.8	22	13.9	29	2,046	25.0	59
Schoharie	107	14.0	59	7.5	21	479	7.9	51	472	1.9	23	11.7	36	237	16.9	24	13.5	23	367	17.7	49
Schuyler	83	.	.	.	.	319	9.4	61	317	0.3	1	13.6	55	141	19.9	56	19.1	59	233	8.2	4
Seneca	152	6.6	10	9.9	46	537	7.1	42	535	1.7	15	11.8	38	230	22.2	61	12.6	12	373	11.5	17
St. Lawrence	352	6.3	6	9.7	44	1,450	6.1	23	1,445	1.9	20	10.7	23	641	17.9	47	13.6	25	1,064	7.6	3
Steuben	489	6.1	4	9.8	45	1,751	7.3	44	1,744	1.4	8	12.2	42	765	16.3	18	15.6	44	1,213	10.2	10
Suffolk	5,403	8.3	31	6.5	12	17,186	5.3	13	17,024	4.7	51	13.3	52	6,891	18.0	48	19.4	60	11,254	15.3	41
Sullivan	456	9.9	49	8.6	33	1,733	7.9	50	1,712	2.3	29	11.0	28	790	19.9	57	14.9	36	1,246	11.1	15
Tioga	265	9.8	48	10.9	53	1,054	7.6	46	1,045	1.8	18	11.0	27	493	17.2	30	14.2	33	760	20.9	57
Tompkins	367	8.2	29	9.5	42	1,243	6.1	25	1,235	1.9	19	9.6	10	528	15.2	8	13.1	16	879	15.7	43
Ulster	514	7.6	19	7.8	25	1,607	6.6	34	1,586	3.9	46	10.1	15	637	17.9	46	15.1	39	1,044	17.5	47
Warren	259	6.9	13	11.6	57	966	7.2	43	960	1.9	22	13.8	57	439	18.5	50	15.0	38	701	4.6	1
Washington	324	6.2	5	11.1	56	1,355	8.0	52	1,349	1.0	3	14.2	60	649	17.4	32	16.8	55	979	11.8	18
Wayne	389	9.0	41	11.1	55	1,425	5.6	18	1,415	1.0	4	11.8	39	629	20.0	58	14.5	34	1,019	15.5	42
Westchester	4,134	8.8	37	6.7	15	16,366	4.7	9	16,222	2.1	25	11.8	40	8,074	17.9	44	15.4	41	12,083	18.8	53

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 25, 2016

**Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)**

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Wyoming	109	11.9	57	5.5	4	450	9.3	60	445	1.1	5	12.8	46	210	13.3	1	12.4	10	334	6.6	2
Yates	56	.	.	.	.	231	5.2	12	230	1.7	16	13.0	48	117	18.8	54	13.7	26	171	17.5	48
<b>Total</b>	<b>113,465</b>	<b>8.9</b>	<b>.</b>	<b>6.5</b>	<b>.</b>	<b>424,552</b>	<b>5.3</b>	<b>.</b>	<b>420,494</b>	<b>4.5</b>	<b>.</b>	<b>10.1</b>	<b>.</b>	<b>195,517</b>	<b>15.7</b>	<b>.</b>	<b>12.9</b>	<b>.</b>	<b>303,938</b>	<b>14.8</b>	<b>.</b>

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

**Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)**

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Albany	1,221	78.3	17	442	28.7	14	861	15.0	24	252	19.0	8	417	9.8	13	1,843	76.4	55	4,348	3.1	34
Allegany	232	66.8	55	86	.	.	171	8.2	57	59	.	.	83	.	.	425	87.3	24	906	7.9	61
Bronx	15,089	89.2	4	5,969	40.5	8	11,427	19.4	12	3,060	5.9	27	5,830	3.5	43	27,942	78.7	52	57,538	1.8	18
Broome	1,051	75.3	27	433	20.8	32	781	12.7	39	247	19.0	9	425	5.2	39	1,650	84.5	32	3,882	2.8	33
Cattaraugus	410	68.3	49	159	24.5	25	300	12.3	42	79	.	.	157	12.1	8	701	81.5	45	1,513	6.1	59
Cayuga	321	73.8	32	141	17.0	43	247	12.6	41	72	.	.	138	8.0	24	557	94.1	6	1,231	4.1	48
Chautauqua	872	67.2	52	351	18.5	38	644	11.2	48	201	20.4	7	318	12.9	5	1,432	83.4	37	3,204	8.1	62
Chemung	521	67.0	53	232	20.3	34	388	11.6	44	122	18.0	10	228	9.6	15	894	78.6	53	1,968	5.0	56
Chenango	348	73.9	31	163	19.6	36	268	9.7	55	88	.	.	162	11.7	9	636	96.4	2	1,437	7.8	60
Clinton	370	78.4	16	153	24.8	23	292	13.7	33	84	.	.	149	7.4	25	698	84.7	30	1,442	3.2	36
Columbia	253	73.9	30	89	.	.	168	16.1	17	47	.	.	87	.	.	424	79.2	50	946	2.1	23
Cortland	268	73.5	33	122	20.5	33	216	13.9	31	63	.	.	120	6.7	29	444	93.2	8	1,018	3.6	44
Delaware	179	77.7	20	78	.	.	134	15.7	18	36	.	.	72	.	.	372	83.9	34	771	4.5	51
Dutchess	834	80.9	12	321	31.2	13	641	20.6	11	200	21.0	5	300	13.0	4	1,332	80.2	48	3,032	3.3	37
Erie	4,769	66.9	54	1,745	18.1	39	3,362	11.1	49	896	14.1	19	1,628	6.5	31	7,105	84.3	33	16,340	2.5	27
Essex	160	80.6	14	72	.	.	124	14.5	26	31	.	.	67	.	.	322	87.9	21	671	2.1	22
Franklin	255	66.3	56	88	.	.	156	10.9	50	45	.	.	83	.	.	490	83.3	39	978	4.6	53
Fulton	328	60.7	59	139	13.7	45	207	7.7	58	71	.	.	138	4.3	42	377	77.5	54	1,000	5.0	57
Genesee	472	73.1	37	200	27.5	18	348	12.6	40	116	25.9	4	197	10.7	11	776	93.9	7	1,746	1.8	17
Greene	172	73.3	35	55	.	.	123	13.8	32	32	.	.	53	.	.	304	80.6	46	665	4.4	50

(1) Records are rejected if date of birth and/or date of visit unknown.  
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.  
(3) Percentages are not calculated if < 100 records are available for analysis.  
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.  
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.  
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analysis.

**Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)**

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months								
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Hamilton	33	.	.	17	.	.	16	.	.	9	.	.	16	.	.	58	.	.	130	2.3	25
Herkimer	342	71.9	40	163	17.2	42	269	13.4	36	87	.	.	162	9.3	17	631	89.9	12	1,361	1.2	10
Jefferson	1,119	77.2	21	473	27.5	19	683	18.6	14	300	28.7	2	471	9.8	14	1,539	76.2	56	3,831	1.6	14
Kings	24,244	87.7	6	9,330	55.9	2	17,467	32.9	2	5,055	16.1	17	9,116	10.9	10	45,706	89.2	15	93,799	1.1	9
Lewis	192	73.4	34	81	.	.	131	14.5	27	51	.	.	81	.	.	349	89.4	13	769	4.2	49
Livingston	226	71.7	43	93	.	.	174	20.7	10	55	.	.	92	.	.	368	90.5	10	840	2.6	29
Madison	1,166	69.4	47	507	21.9	30	840	12.0	43	226	14.2	18	487	5.7	34	2,176	87.1	25	4,467	3.6	45
Monroe	3,289	74.5	29	1,264	22.3	28	2,343	11.4	45	756	17.3	13	1,195	9.1	18	5,214	85.6	27	11,841	1.7	16
Montgomery	293	68.9	48	102	22.5	27	197	8.6	56	57	.	.	101	12.9	6	410	68.0	61	997	3.6	42
Nassau	3,407	84.4	9	1,050	34.6	10	2,269	15.0	23	519	7.7	26	1,027	3.1	44	4,650	85.0	29	11,042	0.5	2
New York	8,368	87.2	8	3,330	38.8	9	6,578	23.1	8	1,741	9.8	23	3,230	5.7	35	16,097	83.7	35	32,921	1.6	13
Niagara	1,093	65.1	58	399	17.8	40	744	10.8	51	216	20.8	6	383	7.3	26	1,609	86.8	26	3,660	4.6	54
Oneida	323	70.9	45	33	.	.	237	15.6	19	30	.	.	32	.	.	639	89.0	16	1,404	2.0	21
Onondaga	2,436	67.3	51	896	20.2	35	1,651	13.6	35	462	16.2	16	881	6.6	30	3,689	83.2	40	8,376	2.8	31
Ontario	375	77.9	18	162	22.2	29	345	13.0	38	82	.	.	157	8.9	19	580	82.2	43	1,414	2.8	30
Orange	1,961	82.7	10	853	50.3	4	1,465	32.5	3	493	17.4	12	796	10.2	12	4,200	87.5	23	8,503	1.8	19
Orleans	198	74.7	28	98	.	.	169	13.6	34	51	.	.	98	.	.	311	88.4	18	725	3.9	47
Oswego	631	67.7	50	280	18.6	37	447	11.2	47	167	16.8	15	279	7.2	27	1,057	74.3	60	2,402	5.8	58
Otsego	243	77.0	23	86	.	.	180	14.4	28	48	.	.	84	.	.	381	79.0	51	857	3.2	35
Putnam	273	87.5	7	116	44.0	5	216	28.2	4	67	.	.	114	6.1	33	525	94.9	5	1,082	0.8	3

(1) Records are rejected if date of birth and/or date of visit unknown.  
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.  
(3) Percentages are not calculated if < 100 records are available for analysis.  
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.  
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.  
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analysis.

**Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)**

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Queens	15,689	88.5	5	5,950	43.7	6	11,598	26.1	6	3,021	7.8	25	5,730	4.9	40	27,297	88.2	19	57,695	0.9	4
Rensselaer	712	71.8	41	260	21.2	31	513	10.5	53	137	16.8	14	247	8.5	20	1,227	75.8	57	2,690	3.4	39
Richmond	1,896	80.8	13	588	34.4	11	1,190	19.0	13	307	11.4	22	573	5.6	37	2,866	74.7	59	6,311	1.5	12
Rockland	2,489	94.9	1	1,056	70.1	1	2,072	52.7	1	601	45.1	1	1,018	34.0	1	5,529	97.6	1	10,957	0.1	1
Saratoga	473	75.5	26	201	24.9	22	335	13.1	37	124	17.7	11	195	5.6	36	701	95.6	4	1,668	1.4	11
Schenectady	723	70.4	46	306	17.3	41	586	10.1	54	171	11.7	21	303	4.6	41	1,253	79.5	49	2,836	2.3	26
Schoharie	107	72.0	38	64	.	.	102	14.7	25	32	.	.	58	.	.	234	91.9	9	477	4.8	55
Schuyler	85	.	.	41	.	.	66	.	.	21	.	.	39	.	.	138	85.5	28	319	2.2	24
Seneca	152	71.7	42	60	.	.	112	10.7	52	30	.	.	59	.	.	233	87.6	22	537	3.7	46
St. Lawrence	353	65.4	57	134	25.4	21	244	16.8	15	66	.	.	134	8.2	21	637	83.5	36	1,450	2.6	28
Steuben	489	73.2	36	170	24.1	26	336	15.5	21	97	.	.	166	9.6	16	755	88.6	17	1,739	2.8	32
Suffolk	5,396	82.0	11	1,789	32.6	12	3,575	16.4	16	875	9.3	24	1,688	5.3	38	6,962	83.4	38	17,185	0.9	6
Sullivan	460	77.0	22	176	28.4	15	321	22.1	9	86	.	.	170	13.5	3	786	82.4	42	1,735	1.9	20
Tioga	267	79.0	15	129	27.9	16	200	15.5	20	61	.	.	125	12.8	7	493	80.5	47	1,052	4.6	52
Tompkins	369	90.5	3	127	50.4	3	241	27.0	5	76	.	.	121	21.5	2	521	90.0	11	1,240	1.0	8
Ulster	514	75.9	25	166	24.7	24	311	15.4	22	103	26.2	3	163	8.0	23	646	84.5	31	1,606	0.9	7
Warren	262	77.9	19	101	27.7	17	188	14.4	29	43	.	.	98	.	.	434	82.0	44	968	3.6	43
Washington	328	71.6	44	133	25.6	20	234	14.1	30	66	.	.	130	6.2	32	649	96.3	3	1,351	1.6	15
Wayne	392	71.9	39	159	17.0	44	295	11.2	46	87	.	.	157	7.0	28	633	88.0	20	1,425	3.3	38
Westchester	4,146	91.1	2	1,654	43.3	7	3,141	24.8	7	856	13.7	20	1,564	8.2	22	8,000	82.8	41	16,371	0.9	5

(1) Records are rejected if date of birth and/or date of visit unknown.  
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.  
(3) Percentages are not calculated if < 100 records are available for analysis.  
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.  
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.  
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analysis.

Run Date: August 25, 2016

**Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)**

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Wyoming	110	76.4	24	40	.	.	85	.	.	32	.	.	40	.	.	206	89.3	14	449	3.6	41
Yates	57	.	.	22	.	.	36	.	.	16	.	.	22	.	.	112	75.0	58	231	3.5	40
<b>Total</b>	<b>113,806</b>	<b>83.4</b>	<b>.</b>	<b>43,697</b>	<b>39.5</b>	<b>.</b>	<b>83,060</b>	<b>22.8</b>	<b>.</b>	<b>23,181</b>	<b>14.3</b>	<b>.</b>	<b>42,254</b>	<b>8.0</b>	<b>.</b>	<b>199,225</b>	<b>85.3</b>	<b>.</b>	<b>425,349</b>	<b>1.7</b>	<b>.</b>

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.

Run Date: August 25, 2016

**Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)**

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Albany	3,649	10.1	57	7.4	18	13,226	5.1	17	13,092	3.4	50	12.2	32	6,161	15.3	5	13.7	19	9,436	29.2	62
Allegany	711	7.9	23	6.9	14	2,807	6.2	36	2,789	1.3	11	10.2	11	1,375	18.8	54	10.7	2	2,070	12.4	27
Bronx	45,506	10.0	56	5.7	3	174,122	4.1	4	172,476	3.8	55	11.6	23	85,102	15.5	7	13.9	22	126,358	16.6	49
Broome	3,374	8.1	29	7.9	24	12,378	6.6	42	12,321	1.4	13	11.6	24	5,657	17.9	38	13.2	12	8,812	13.7	34
Cattaraugus	1,251	8.6	38	6.5	8	4,741	7.9	58	4,720	2.2	34	12.3	35	2,261	17.4	29	13.2	13	3,433	7.6	3
Cayuga	1,024	8.0	27	10.3	52	3,836	6.1	34	3,807	1.5	14	13.1	47	1,784	18.2	44	15.0	42	2,614	12.1	25
Chautauqua	2,545	8.7	41	6.7	11	9,712	7.4	55	9,634	1.8	23	12.6	37	4,546	17.3	27	14.4	29	6,996	15.0	42
Chemung	1,604	9.2	49	9.2	38	6,081	7.9	59	6,032	1.3	9	11.9	27	2,843	18.6	51	13.5	16	4,438	11.4	19
Chenango	1,012	7.4	13	11.0	55	3,988	5.6	28	3,959	2.4	36	12.6	38	1,847	15.6	10	15.1	44	2,929	8.3	5
Clinton	1,120	9.7	53	8.9	37	4,514	6.8	46	4,483	2.6	43	12.1	31	2,257	16.2	13	14.5	30	3,364	9.2	11
Columbia	795	7.5	14	10.2	51	3,001	5.1	16	2,969	1.8	22	14.0	56	1,400	18.2	45	17.8	58	2,184	19.3	53
Cortland	849	7.9	25	8.0	26	3,189	5.1	18	3,177	1.0	5	9.4	3	1,506	18.3	46	13.5	17	2,257	11.5	21
Delaware	593	7.9	26	8.1	27	2,455	6.1	35	2,440	2.7	44	16.2	62	1,210	16.9	23	19.3	60	1,834	20.4	58
Dutchess	2,627	9.1	47	7.4	17	9,658	4.5	8	9,598	1.9	26	10.0	8	4,432	17.1	25	11.7	5	6,876	15.0	43
Erie	14,333	9.9	55	6.6	9	48,660	5.2	19	48,285	4.1	57	10.7	13	21,584	14.8	3	12.1	7	33,674	20.6	59
Essex	449	9.6	51	9.4	41	1,914	8.5	62	1,899	1.7	21	13.3	49	937	18.0	40	15.4	47	1,427	11.8	24
Franklin	825	8.5	33	9.6	44	3,315	6.7	44	3,295	2.2	33	10.1	9	1,615	19.3	59	13.4	15	2,395	13.5	32
Fulton	818	11.1	59	7.8	22	2,673	6.2	38	2,647	3.9	56	11.0	16	1,163	16.3	15	14.4	27	1,821	8.8	7
Genesee	1,470	5.7	1	11.8	61	5,328	5.3	20	5,286	2.6	42	13.5	50	2,430	17.2	26	15.2	45	3,655	16.0	46
Greene	582	6.9	6	9.3	39	2,215	4.2	6	2,195	2.0	28	13.7	54	1,040	16.2	12	15.8	50	1,620	14.9	41

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 25, 2016

**Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)**

County	Birth Weight (5)				Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)					
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Hamilton	59	.	.	.	.	236	8.5	61	234	4.7	62	12.8	43	106	12.3	1	12.3	8	174	9.8	13
Herkimer	1,075	8.1	28	9.8	48	4,146	8.1	60	4,123	1.7	17	12.4	36	1,941	17.7	32	14.3	25	3,028	11.0	17
Jefferson	3,492	6.5	5	9.7	47	12,464	5.5	24	12,426	1.5	16	9.9	7	5,387	17.9	36	12.9	11	8,803	11.6	22
Kings	74,778	8.5	34	6.1	5	292,308	4.9	11	290,126	4.3	58	9.7	5	144,158	14.8	4	11.5	4	214,129	13.7	35
Lewis	632	6.3	2	10.4	53	2,467	6.0	33	2,458	2.1	32	9.5	4	1,141	18.1	43	12.5	9	1,793	15.9	45
Livingston	678	8.6	35	8.3	29	2,546	6.2	37	2,537	0.8	2	14.3	57	1,175	18.5	48	14.0	24	1,827	11.0	18
Madison	1,852	7.9	24	8.4	30	7,238	7.0	48	7,173	2.6	41	11.4	19	3,461	18.1	41	14.4	28	5,324	16.5	48
Monroe	10,209	10.6	58	7.4	16	36,901	5.1	15	36,660	3.6	52	11.7	25	16,852	15.6	11	13.3	14	26,060	13.1	28
Montgomery	918	8.9	44	7.7	21	3,176	6.9	47	3,152	2.5	38	14.6	59	1,432	16.4	16	17.9	59	2,186	9.1	9
Nassau	10,771	8.7	40	6.2	7	35,509	4.7	10	35,120	4.7	61	14.7	60	15,166	16.9	24	19.6	61	24,144	17.8	50
New York	26,513	9.1	48	5.6	2	102,227	3.3	2	101,583	3.4	49	9.7	6	50,401	15.5	8	11.9	6	73,903	13.4	31
Niagara	3,314	8.6	37	6.2	6	11,339	4.9	12	11,235	3.6	53	12.2	33	5,072	17.4	30	16.2	55	7,897	9.4	12
Oneida	3,043	9.0	46	8.8	35	11,970	5.6	27	11,897	2.5	40	11.0	17	5,817	16.7	21	14.5	31	8,650	14.0	37
Onondaga	7,308	9.0	45	8.4	31	25,781	5.9	32	25,591	2.5	39	11.6	22	11,718	16.6	19	13.6	18	17,981	13.2	29
Ontario	1,239	7.7	17	8.4	32	4,562	4.6	9	4,542	1.1	6	13.5	51	2,042	19.5	60	16.6	57	3,244	20.2	57
Orange	6,248	6.9	7	7.5	19	26,704	6.7	43	26,539	2.9	45	9.0	2	13,436	17.4	28	11.3	3	19,986	19.4	54
Orleans	600	9.8	54	7.8	23	2,133	5.9	31	2,114	3.5	51	12.8	41	957	17.9	37	15.0	43	1,466	19.0	51
Oswego	2,099	7.0	9	9.5	42	7,967	7.2	51	7,932	1.3	12	12.8	40	3,638	19.2	57	15.7	49	5,807	13.8	36
Otsego	711	7.6	15	11.4	58	2,515	6.6	41	2,489	3.7	54	11.8	26	1,151	18.9	55	15.6	48	1,756	7.0	2
Putnam	740	7.8	22	5.1	1	3,100	3.0	1	3,075	2.0	30	11.0	15	1,586	18.6	52	15.8	51	2,324	8.9	8

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.



Run Date: August 25, 2016

**Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)**

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Queens	47,306	8.6	39	5.8	4	176,390	3.9	3	174,819	4.5	60	10.9	14	83,868	15.4	6	13.9	23	125,814	11.8	23
Rensselaer	2,361	8.6	36	9.3	40	8,727	6.3	39	8,651	3.1	47	12.9	44	4,006	16.3	14	14.8	36	6,251	19.7	56
Richmond	5,612	9.5	50	6.8	13	19,551	4.3	7	19,388	4.4	59	11.4	20	8,990	16.6	17	14.9	40	13,517	13.2	30
Rockland	7,511	6.4	4	8.1	28	33,070	7.1	49	32,952	2.9	46	8.2	1	16,839	16.7	20	10.4	1	24,583	13.6	33
Saratoga	1,479	7.7	19	11.2	57	5,062	5.0	13	5,030	2.3	35	11.2	18	2,191	18.1	42	13.7	20	3,496	12.4	26
Schenectady	2,376	8.8	42	7.7	20	8,717	7.2	53	8,565	2.1	31	14.5	58	3,958	16.8	22	14.7	35	6,183	24.5	61
Schoharie	379	11.3	60	8.4	33	1,578	5.7	29	1,563	1.7	20	12.3	34	798	17.8	35	14.9	39	1,182	14.0	39
Schuyler	244	11.5	61	11.1	56	948	7.3	54	943	0.5	1	13.0	46	443	20.3	62	16.5	56	696	8.5	6
Seneca	511	7.8	21	9.8	49	1,727	7.5	56	1,719	0.9	3	13.7	55	737	19.7	61	16.0	53	1,186	15.8	44
St. Lawrence	1,475	7.1	10	9.7	46	5,808	5.8	30	5,778	1.7	18	11.4	21	2,609	17.8	34	14.8	37	4,237	9.2	10
Steuben	1,504	6.4	3	9.6	45	5,464	6.8	45	5,434	1.3	10	12.0	30	2,497	17.6	31	14.6	33	3,835	10.1	14
Suffolk	16,745	8.2	30	6.8	12	54,035	5.5	25	53,518	3.2	48	15.7	61	22,370	18.5	50	21.1	62	35,602	14.8	40
Sullivan	1,403	9.6	52	8.6	34	5,269	7.6	57	5,211	1.7	19	12.0	29	2,438	19.2	58	14.4	26	3,800	10.6	15
Tioga	831	7.7	18	11.7	59	3,128	5.6	26	3,106	1.9	25	11.9	28	1,477	16.6	18	15.2	46	2,238	24.2	60
Tompkins	1,086	7.6	16	7.9	25	3,845	5.0	14	3,824	1.8	24	10.1	10	1,698	15.5	9	13.8	21	2,725	11.4	20
Ulster	1,593	8.3	31	8.9	36	5,108	5.5	23	5,063	2.5	37	10.4	12	2,080	18.5	47	15.0	41	3,405	14.0	38
Warren	815	7.4	12	11.8	60	3,085	7.2	52	3,066	1.9	27	13.6	52	1,476	18.8	53	14.7	34	2,236	4.5	1
Washington	1,011	7.2	11	10.6	54	4,159	6.6	40	4,142	1.2	8	13.7	53	2,016	17.7	33	15.9	52	3,033	10.8	16
Wayne	1,197	8.9	43	9.9	50	4,532	5.4	21	4,503	1.2	7	12.6	39	2,120	18.5	49	14.5	32	3,271	19.4	55
Westchester	12,505	8.3	32	6.6	10	50,079	4.1	5	49,696	2.0	29	12.9	45	25,499	18.0	39	16.1	54	37,135	16.0	47

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 25, 2016

**Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)**

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Wyoming	346	7.8	20	9.5	43	1,353	7.1	50	1,342	1.0	4	12.8	42	638	14.4	2	12.5	10	978	7.7	4
Yates	201	7.0	8	7.0	15	871	5.4	22	866	1.5	15	13.3	48	437	19.0	56	14.9	38	657	19.2	52
<b>Total</b>	<b>349,907</b>	<b>8.8</b>	<b>.</b>	<b>6.7</b>	<b>.</b>	<b>1,315,608</b>	<b>4.9</b>	<b>.</b>	<b>1,305,289</b>	<b>3.5</b>	<b>.</b>	<b>11.1</b>	<b>.</b>	<b>626,972</b>	<b>16.0</b>	<b>.</b>	<b>13.6</b>	<b>.</b>	<b>944,735</b>	<b>14.5</b>	<b>.</b>

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

**Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)**

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Albany	3,669	76.5	18	1,411	25.3	24	2,623	13.7	25	773	16.8	34	1,299	7.6	34	5,658	74.8	58	13,225	3.6	34
Allegany	710	70.4	43	291	23.4	27	539	11.5	38	184	22.3	12	280	13.6	6	1,336	84.1	34	2,798	8.1	60
Bronx	45,630	88.6	4	17,700	41.8	7	34,558	19.6	11	9,199	5.3	56	17,303	3.2	59	85,801	76.6	55	175,376	2.1	15
Broome	3,380	73.0	31	1,370	20.7	40	2,511	12.1	35	739	19.1	22	1,339	6.0	46	5,438	85.1	27	12,363	3.4	32
Cattaraugus	1,264	69.5	48	514	22.4	31	963	10.7	44	260	21.5	14	506	9.9	16	2,202	76.4	56	4,742	5.2	53
Cayuga	1,025	71.3	40	408	19.4	49	773	11.9	37	222	18.5	29	401	10.7	13	1,754	95.3	5	3,845	4.2	43
Chautauqua	2,575	65.6	58	1,073	17.2	56	1,903	9.7	55	578	16.1	37	987	9.8	17	4,368	82.1	39	9,657	8.2	61
Chemung	1,613	67.3	53	673	17.4	54	1,202	10.1	51	362	14.4	44	659	6.5	40	2,723	75.3	57	6,064	5.3	55
Chenango	1,015	75.2	24	449	16.9	57	708	8.1	60	233	15.0	41	444	11.7	9	1,773	96.8	2	3,993	8.8	62
Clinton	1,116	74.3	28	489	22.5	30	929	13.8	23	246	20.3	19	475	9.3	21	2,198	84.4	32	4,489	2.9	29
Columbia	798	72.8	32	309	29.1	15	540	18.3	13	153	23.5	8	305	9.2	22	1,355	78.2	50	3,004	2.9	28
Cortland	855	73.1	30	364	21.2	37	647	14.1	21	184	17.4	30	360	3.9	58	1,437	92.9	8	3,180	4.1	42
Delaware	589	74.0	29	251	21.5	34	437	12.6	32	129	18.6	28	232	8.2	29	1,169	85.3	26	2,456	3.8	38
Dutchess	2,641	78.1	15	1,037	31.1	13	2,020	20.4	9	615	18.9	25	982	10.4	14	4,336	77.4	53	9,654	4.0	40
Erie	14,369	65.9	56	5,145	18.8	51	10,008	10.7	45	2,648	14.7	42	4,824	7.5	35	21,156	84.4	33	48,627	2.5	22
Essex	450	78.2	13	192	20.8	39	352	13.6	26	97	.	.	184	8.7	25	913	87.7	14	1,919	2.9	27
Franklin	825	67.8	51	348	20.1	41	653	9.3	56	186	17.2	31	328	11.0	12	1,575	78.9	49	3,322	4.5	49
Fulton	820	63.7	60	306	14.1	61	493	7.9	61	170	11.8	50	305	3.9	57	1,138	78.0	51	2,672	5.7	57
Genesee	1,474	72.1	37	603	25.9	22	1,084	12.8	31	343	23.9	7	597	11.1	11	2,379	94.7	6	5,321	2.3	18
Greene	584	71.4	39	225	19.6	45	428	10.5	47	127	18.9	24	219	5.0	49	1,004	81.1	41	2,218	5.2	54

(1) Records are rejected if date of birth and/or date of visit unknown.  
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.  
(3) Percentages are not calculated if < 100 records are available for analysis.  
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.  
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analysis.

**Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)**

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Hamilton	59	.	.	25	.	.	37	.	.	13	.	.	24	.	.	105	86.7	19	237	2.5	23
Herkimer	1,079	70.9	41	467	19.7	43	821	12.1	36	236	20.3	18	465	10.3	15	1,871	85.5	24	4,133	2.2	17
Jefferson	3,506	75.6	23	1,473	27.2	20	2,223	15.7	18	1,007	27.7	4	1,467	9.7	19	5,140	74.7	59	12,358	2.0	14
Kings	74,946	86.5	6	29,442	54.4	2	55,180	31.9	2	15,701	13.3	47	28,405	9.3	20	143,568	87.9	13	292,815	1.2	7
Lewis	635	70.1	45	272	19.1	50	444	13.5	28	144	20.8	17	269	6.3	43	1,102	86.1	21	2,464	4.9	51
Livingston	679	72.6	34	263	27.4	19	472	15.7	17	167	25.1	5	259	12.7	8	1,121	87.7	15	2,534	2.4	20
Madison	1,859	69.9	46	800	21.5	35	1,363	12.2	34	397	14.6	43	776	5.4	47	3,386	84.9	30	7,199	4.3	44
Monroe	10,224	72.4	35	3,862	20.9	38	7,345	11.4	39	2,167	16.7	35	3,633	7.8	33	16,349	84.9	29	36,828	2.3	19
Montgomery	920	69.2	49	305	20.0	42	569	8.3	59	163	17.2	32	302	7.9	31	1,376	71.4	62	3,172	3.7	36
Nassau	10,784	82.8	9	3,632	34.8	11	7,324	13.8	24	1,963	6.2	55	3,548	3.0	60	15,416	82.2	38	35,693	0.5	2
New York	26,565	85.9	8	10,284	39.0	9	20,137	21.5	8	5,362	8.0	53	9,970	5.0	50	50,193	80.5	44	102,661	1.6	11
Niagara	3,309	61.5	61	1,207	15.7	60	2,352	8.4	58	666	16.1	38	1,149	6.4	42	4,976	85.9	22	11,339	5.2	52
Oneida	3,046	69.2	50	1,122	17.6	53	2,377	10.0	54	596	12.8	48	1,057	4.4	56	5,604	89.5	10	11,972	2.5	21
Onondaga	7,335	66.7	54	2,682	22.1	32	5,100	12.5	33	1,450	16.8	33	2,633	7.2	38	11,280	83.4	35	25,569	2.8	25
Ontario	1,254	75.9	21	510	22.5	29	972	13.6	27	300	18.7	27	502	9.8	18	1,950	80.3	45	4,534	3.4	33
Orange	6,252	82.5	10	2,795	47.9	3	4,599	29.4	3	1,615	15.8	40	2,658	8.9	23	12,980	85.4	25	26,660	1.9	12
Orleans	605	65.3	59	248	15.7	59	426	10.6	46	130	23.1	9	241	5.0	51	931	84.6	31	2,133	5.8	59
Oswego	2,105	66.6	55	933	19.4	47	1,448	10.3	49	518	18.7	26	927	6.4	41	3,492	76.7	54	7,950	5.3	56
Otsego	713	75.9	22	281	23.5	26	520	11.0	41	158	31.0	3	275	14.5	5	1,137	79.6	47	2,529	2.8	26
Putnam	742	86.3	7	330	39.4	8	601	25.8	5	169	14.2	45	313	6.1	45	1,558	93.8	7	3,105	2.2	16

(1) Records are rejected if date of birth and/or date of visit unknown.  
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.  
(3) Percentages are not calculated if < 100 records are available for analysis.  
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.  
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analysis.

**Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)**

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Queens	47,436	88.0	5	18,070	45.8	4	35,405	25.5	6	9,244	7.0	54	17,542	4.4	55	84,758	87.1	16	177,078	1.0	3
Rensselaer	2,372	67.6	52	932	17.8	52	1,723	10.0	53	480	14.0	46	890	6.3	44	3,886	73.6	60	8,731	4.4	46
Richmond	5,627	78.2	14	1,873	34.9	10	3,782	19.8	10	1,020	9.6	51	1,826	4.9	52	9,157	72.6	61	19,687	1.3	8
Rockland	7,532	94.4	1	3,187	71.2	1	6,347	52.5	1	1,813	45.6	1	3,105	36.0	1	16,680	97.3	1	33,088	0.1	1
Saratoga	1,484	74.5	26	552	23.2	28	978	12.9	30	345	20.9	16	537	7.4	36	2,120	95.6	4	5,065	1.3	9
Schenectady	2,385	70.9	42	938	19.6	44	1,766	10.2	50	532	16.0	39	926	7.2	37	3,863	79.6	48	8,732	3.1	30
Schoharie	381	69.8	47	188	27.7	17	300	15.0	20	99	.	.	177	23.7	2	782	91.7	9	1,576	4.5	48
Schuyler	246	74.8	25	103	19.4	46	185	10.8	42	61	.	.	99	.	.	424	81.1	40	944	3.6	35
Seneca	511	70.3	44	198	16.7	58	355	10.1	52	110	16.4	36	196	8.7	26	714	87.0	18	1,723	4.4	45
St. Lawrence	1,479	65.7	57	655	19.4	48	911	11.3	40	368	20.9	15	651	8.3	28	2,507	80.1	46	5,806	3.8	39
Steuben	1,509	72.2	36	587	23.5	25	1,097	13.9	22	337	22.8	11	574	8.9	24	2,362	87.1	17	5,435	3.2	31
Suffolk	16,746	82.2	11	5,692	32.9	12	11,291	16.1	16	2,995	8.6	52	5,311	4.5	54	22,159	80.8	43	54,016	1.1	5
Sullivan	1,411	76.8	17	518	30.5	14	1,011	18.9	12	273	21.6	13	500	13.2	7	2,317	80.9	42	5,254	2.7	24
Tioga	834	79.5	12	348	25.9	23	618	15.2	19	199	25.1	6	340	11.5	10	1,438	82.8	36	3,126	5.7	58
Tompkins	1,090	89.4	2	396	42.2	6	766	26.2	4	213	41.8	2	373	16.4	4	1,605	89.1	11	3,837	1.1	6
Ulster	1,595	74.4	27	544	27.4	18	1,063	16.2	15	365	23.0	10	540	8.1	30	2,076	85.0	28	5,112	1.4	10
Warren	823	76.4	19	291	26.1	21	588	12.9	29	153	19.6	21	283	8.5	27	1,448	85.8	23	3,087	3.7	37
Washington	1,019	72.6	33	426	21.6	33	758	10.3	48	226	19.0	23	414	5.3	48	1,934	95.7	3	4,150	2.0	13
Wayne	1,206	72.1	38	453	21.2	36	896	10.7	43	267	20.2	20	447	7.8	32	2,032	86.2	20	4,513	4.5	47
Westchester	12,534	89.1	3	5,008	45.0	5	9,686	25.0	7	2,499	12.0	49	4,773	7.1	39	24,801	82.4	37	50,108	1.0	4

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.

Run Date: August 25, 2016

**Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)**

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Wyoming	346	77.5	16	146	28.8	16	252	18.3	14	91	.	.	145	18.6	3	610	88.5	12	1,351	4.0	41
Yates	202	76.2	20	104	17.3	55	164	9.1	57	57	.	.	102	4.9	53	422	77.5	52	867	4.8	50
<b>Total</b>	<b>350,787</b>	<b>82.3</b>	<b>.</b>	<b>135,300</b>	<b>39.5</b>	<b>.</b>	<b>257,623</b>	<b>22.1</b>	<b>.</b>	<b>72,117</b>	<b>13.0</b>	<b>.</b>	<b>130,653</b>	<b>7.3</b>	<b>.</b>	<b>621,343</b>	<b>83.9</b>	<b>.</b>	<b>1,318,096</b>	<b>1.9</b>	<b>.</b>

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.