

Run Date: August 25, 2016

Table 1C Summary of Demographic Indicators for Children Aged < 5 Years (1,2,3)

Total Records	Number
Individual Children	427,564
Total Records (All Visits)	436,970

Source of Data	Number	Rate (%)
WIC	427,564	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	427,564	100.0
<i>Excluded Unknown: 0 0.0%</i>		

Racial & Ethnic Distribution	Number	Rate (%)
non-Hispanic White	117,557	27.5
non-Hispanic Black	94,103	22.0
Hispanic/Latino	159,588	37.3
American Indian/Alaskan Native (AI/AN)	4,509	1.1
Asian/Pacific Islander (A/P Islander)	43,506	10.2
Multiple Races	8,056	1.9
Others	0	0.0
Total	427,319	100.0
<i>Excluded Unknown: 245 0.1%</i>		

Age Distribution	Number	Rate (%)
0-11 Months	128,079	30.0
12-23 Months	99,028	23.2
24-35 Months	76,595	17.9
36-47 Months	66,204	15.5
48-59 Months	57,658	13.5
Total	427,564	100.0
<i>Excluded Unknown: 0 0.0%</i>		

% of Poverty Level	Number	Rate (%)
0-50	146,408	34.7
51-100	170,225	40.3
101-130	47,829	11.3
131-150	18,228	4.3
151-185	21,618	5.1
186-200	1,843	0.4
Over 200	5,009	1.2
Adjunctive Eligibility	11,316	2.7
Total	422,476	100.0
<i>Excluded Unknown: 5,088 1.2%</i>		

Program	Participation	Number	Rate (%)
WIC	Yes	427,564	100.0
	No	0	0.0
	Total	427,564	100.0
<i>Excl Unkn: 0 0.0%</i>			
SNAP	Yes	158,735	37.2
	No	267,734	62.8
	Total	426,469	100.0
<i>Excl Unkn: 1,095 0.3%</i>			
Medicaid	Yes	363,988	85.3
	No	62,752	14.7
	Total	426,740	100.0
<i>Excl Unkn: 824 0.2%</i>			
TANF	Yes	33,225	7.8
	No	393,859	92.2
	Total	427,084	100.0
<i>Excl Unkn: 480 0.1%</i>			

Migrant Status	Number	Rate (%)
Yes	1,023	0.2
No	426,541	99.8
Total	427,564	100.0
<i>Excluded Unknown: 0 0.0%</i>		

(1) Records are rejected if date of birth and/or date of visit unknown.
 (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
 (3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 25, 2016

Table 2C Summary of Health Indicators for Children Aged < 5 Years (1,2,3)

Birth Weight (4)	Number	Rate (%)
Low (< 2500g)	10,129	8.9
Normal	95,911	84.5
High (> 4000g)	7,425	6.5
Total	113,465	100.0

Growth (5,6)	Status	Number	Rate (%)
Short Stature	Yes	22,561	5.3
	No	401,991	94.7
	Total	424,552	100.0
Weight & Height	Underweight	18,722	4.5
	Healthy & Overweight	359,128	85.4
	Obese	42,644	10.1
	Total	420,494	100.0
BMI (2-4 Years)	Underweight	7,901	4.0
	Healthy Weight	131,547	67.3
	Overweight	30,786	15.7
	Obese	25,283	12.9
	Total	195,517	100.0

Anemic (7)	Status	Number	Rate (%)
Low Hemoglobin	Yes	44,516	14.9
	No	253,953	85.1
	Total	298,469	100.0
Low Hematocrit	Yes	503	9.2
	No	4,966	90.8
	Total	5,469	100.0
Low Hb/Hct	Yes	45,019	14.8
	No	258,919	85.2
	Total	303,938	100.0

Breastfeeding (8)	Status	Number	Rate (%)
Ever Breastfed	Yes	94,876	83.4
	No	18,930	16.6
	Total	113,806	100.0
BF 6+ Months	Yes	17,281	39.5
	No	26,416	60.5
	Total	43,697	100.0
BF 12+ Months	Yes	18,963	22.8
	No	64,097	77.2
	Total	83,060	100.0

Smoking in Household	Number	Rate (%)
Yes	7,238	1.7
No	418,111	98.3
Total	425,349	100.0

≤ 2 Hours TV Viewing Daily (9)	Number	Rate (%)
Yes	170,021	85.3
No	29,204	14.7
Total	199,225	100.0

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Infants born during the reporting period are included in the analysis.
- (5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age ≤ 2.3rd percentile, Underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as ≥ 97.7th percentile.
- (6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and Obese is defined as ≥ 95th percentile.
- (7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.
- (8) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
- (9) Children aged 2 years and older are included in the analysis.

Run Date: August 25, 2016

Table 3C Summary of Breastfeeding Indicators for Children Aged < 5 Years (1,2,3)

Ever Breastfed (4)	Number	Rate (%)
Yes	94,876	83.4
No	18,930	16.6
Total	113,806	100.0

BF Duration (Weeks) (5,6)	Status	Number	Rate (%)
1+ Weeks	Yes	74,440	77.1
	No	22,109	22.9
	Total	96,549	100.0
2+ Weeks	Yes	49,784	75.6
	No	16,087	24.4
	Total	65,871	100.0
3+ Weeks	Yes	33,941	73.4
	No	12,284	26.6
	Total	46,225	100.0
4+ Weeks	Yes	25,307	71.6
	No	10,049	28.4
	Total	35,356	100.0
6+ Weeks	Yes	16,095	64.6
	No	8,822	35.4
	Total	24,917	100.0

Exclusive BF (5,6,7)	Status	Number	Rate (%)
1+ Months	Yes	7,293	23.2
	No	24,188	76.8
	Total	31,481	100.0
3+ Months	Yes	3,321	14.3
	No	19,860	85.7
	Total	23,181	100.0
6+ Months	Yes	3,373	8.0
	No	38,881	92.0
	Total	42,254	100.0

BF Duration (Months) (5,6)	Status	Number	Rate (%)
2+ Months	Yes	13,083	61.1
	No	8,319	38.9
	Total	21,402	100.0
3+ Months	Yes	12,881	53.9
	No	11,034	46.1
	Total	23,915	100.0
4+ Months	Yes	14,224	47.9
	No	15,456	52.1
	Total	29,680	100.0
5+ Months	Yes	16,024	43.9
	No	20,456	56.1
	Total	36,480	100.0
6+ Months	Yes	17,281	39.5
	No	26,416	60.5
	Total	43,697	100.0
9+ Months	Yes	18,876	29.3
	No	45,629	70.7
	Total	64,505	100.0
12+ Months	Yes	18,963	22.8
	No	64,097	77.2
	Total	83,060	100.0
18+ Months	Yes	802	8.8
	No	8,334	91.2
	Total	9,136	100.0

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Infants born during the reporting period are included in the Ever Breastfed analysis.
- (5) For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ Months analysis.
- (6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ Weeks of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Run Date: August 25, 2016

Table 8C Growth and Anemia Indicators by Race/Ethnicity or Age for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
	Number	Low (%)	High (%)	Number	Short (%)	Number	Under Wt (%)	Obese (%)	Number	Over Wt (%)	Obese (%)	Number	Low (%)
non-Hisp. White	30,533	7.3	8.8	117,061	6.7	116,363	3.7	9.1	53,132	16.0	11.0	84,383	13.2
non-Hisp. Black	26,635	12.3	5.0	93,094	5.5	91,865	6.0	9.3	41,358	14.0	11.4	64,718	20.8
Hispanic/Latino	40,957	8.1	6.4	158,590	4.6	156,925	3.5	12.3	75,493	17.5	16.2	115,121	13.8
AI/AN	1,222	10.4	7.0	4,469	5.0	4,410	6.7	9.0	2,003	15.5	11.6	3,179	14.2
A/P Islander	11,944	8.4	4.4	43,281	3.7	42,947	6.6	6.8	19,884	12.1	9.0	30,802	10.0
Multiple Races	2,160	8.3	7.3	8,002	6.1	7,929	3.9	11.5	3,624	16.0	13.8	5,703	16.9
Others/Unknown	14	.	.	55	.	55	.	.	23	.	.	32	.
Total	113,465	8.9	6.5	424,552	5.3	420,494	4.5	10.1	195,517	15.7	12.9	303,938	14.8

Age	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
	Number	Low (%)	High (%)	Number	Short (%)	Number	Under Wt (%)	Obese (%)	Number	Over Wt (%)	Obese (%)	Number	Low (%)
0-11 Months	113,465	8.9	6.5	132,014	8.0	129,914	7.8	5.2	0	.	.	58,547	18.3
12-23 Months	0	.	.	95,266	5.7	95,063	0.8	11.2	0	.	.	69,478	15.3
24-35 Months	0	.	.	74,433	3.5	73,988	4.4	11.1	73,988	15.0	11.1	69,336	15.4
36-47 Months	0	.	.	64,747	3.4	64,102	3.8	13.3	64,102	16.0	13.3	62,573	12.9
48-59 Months	0	.	.	58,092	2.9	57,427	3.8	15.0	57,427	16.4	15.0	44,004	11.2
Total	113,465	8.9	6.5	424,552	5.3	420,494	4.5	10.1	195,517	15.7	12.9	303,938	14.8

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

(7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 25, 2016

Table 9C Breastfeeding, Daily TV Viewing, and Smoking in Household by Race/Ethnicity or Age for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	BF Ever (4)		BF 6+ Months (4,5)		BF 12+ Months (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
non-Hispanic White	30,647	79.0	12,528	42.3	22,246	28.8	53,220	90.7	117,086	2.3
non-Hispanic Black	26,723	81.9	9,358	35.5	18,548	18.3	42,426	78.8	93,707	2.2
Hispanic/Latino	41,062	88.2	16,072	40.1	31,373	21.9	77,421	84.1	158,773	1.0
American Indian/Alaskan Native	1,230	88.6	451	45.7	901	26.5	2,062	84.3	4,494	1.5
Asian/Pacific Islander	11,969	82.7	4,431	40.7	8,380	22.0	20,438	90.2	43,267	1.4
Multiple Races	2,162	72.2	851	23.7	1,605	13.3	3,650	82.7	7,996	3.4
Others/Unknown	13	.	6	.	7	.	8	.	26	.
Total	113,806	83.4	43,697	39.5	83,060	22.8	199,225	85.3	425,349	1.7

Age	BF Ever (4)		BF 6+ Months (4,5)		BF 12+ Months (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
0-11 Months	113,806	83.4	5,365	44.8	0	.	0	.	127,132	1.5
12-23 Months	0	.	38,332	38.8	83,060	22.8	0	.	98,607	1.6
24-35 Months	0	.	0	.	0	.	76,208	87.4	76,275	1.8
36-47 Months	0	.	0	.	0	.	65,767	84.7	65,918	1.9
48-59 Months	0	.	0	.	0	.	57,250	83.4	57,417	1.8
Total	113,806	83.4	43,697	39.5	83,060	22.8	199,225	85.3	425,349	1.7

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) Children aged 2 years and older included in the analysis.

Run Date: August 25, 2016

Table 10C Trends in Race/Ethnicity Distribution for Children Aged < 5 Years (1,2,3)

Year	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
2015	427,564	27.5	22.0	37.3	1.1	10.2	1.9	0.1
2014	442,335	27.7	22.4	37.3	1.1	9.6	1.9	0.0
2013	454,919	27.8	22.5	37.3	1.1	9.3	2.0	0.0
2012	456,684	27.8	22.6	37.5	1.1	9.0	2.0	0.0
2011	509,148	27.9	22.7	37.8	1.1	8.4	2.0	0.1
2010	502,099	28.0	22.8	38.0	1.1	8.0	2.0	0.1
2009	511,792	28.0	23.2	38.0	1.0	7.8	1.9	0.1
2008	492,610	28.1	23.6	37.9	0.9	7.8	1.7	0.0
2007	469,617	28.1	24.0	37.7	0.8	7.7	1.6	0.1
2006	467,411	28.3	24.7	37.5	0.7	7.3	1.5	0.0
2005	468,900	28.1	25.2	36.5	0.5	7.2	1.0	1.5
2004	466,388	27.5	25.3	34.9	0.3	6.9	0.6	4.4
2003	452,274	27.4	25.5	33.8	0.3	6.6	0.4	6.0
2002	443,180	27.3	25.8	33.0	0.3	6.3	0.2	7.0
2001	431,366	27.5	26.5	33.9	0.4	5.9	0.0	5.8
2000	440,217	28.5	27.8	33.3	0.7	6.0	0.0	3.7
1999	393,918	27.2	29.2	33.9	0.4	6.0	0.0	3.3
1998	462,039	30.6	29.2	31.2	0.4	5.2	0.0	3.3
1997	459,941	31.2	29.2	31.1	0.5	4.8	0.0	3.2
1996	458,871	31.7	29.1	31.3	0.4	4.3	0.0	3.2

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: August 25, 2016

Table 11C Trends in Age Distribution for Children Aged < 5 Years (1,2,3)

Year	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
2015	427,564	30.0	23.2	17.9	15.5	13.5
2014	442,335	29.9	23.0	17.9	16.7	12.5
2013	454,919	29.5	23.0	19.6	15.4	12.6
2012	456,684	30.3	25.0	17.2	15.2	12.4
2011	509,148	28.1	25.3	17.2	15.2	14.2
2010	502,099	28.2	25.7	17.4	15.2	13.6
2009	511,792	28.8	25.9	17.3	14.7	13.3
2008	492,610	29.8	26.1	16.7	14.3	13.1
2007	469,617	30.7	25.5	16.4	14.3	13.1
2006	467,411	30.5	25.2	16.5	14.5	13.4
2005	468,900	29.8	25.4	16.8	14.6	13.4
2004	466,388	30.1	25.6	16.6	14.6	13.1
2003	452,274	31.0	25.5	16.5	14.3	12.7
2002	443,180	31.9	25.5	16.2	13.9	12.4
2001	431,366	31.0	23.8	17.4	15.2	12.6
2000	440,217	32.3	23.3	16.9	15.0	12.4
1999	393,918	31.0	22.9	17.6	15.8	12.7
1998	462,039	31.8	22.2	17.3	15.7	13.0
1997	459,941	32.0	21.7	17.5	15.9	12.9
1996	458,871	31.9	22.0	17.7	15.8	12.6

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Table 12C Trends in Growth and Anemia Indicators for Children Aged < 5 Years (1,2,3)

Year	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
	Number	Low (%)	High (%)	Number	Short (%)	Number	Under Wt (%)	Obese (%)	Number	Over Wt (%)	Obese (%)	Number	Low (%)
2015	113,465	8.9	6.5	424,552	5.3	420,494	4.5	10.1	195,517	15.7	12.9	303,938	14.8
2014	117,312	8.7	6.8	439,310	4.8	435,983	3.4	11.3	209,767	16.1	13.6	315,444	14.4
2013	119,130	8.7	6.7	451,746	4.5	448,812	2.8	12.0	221,688	16.2	14.1	325,353	14.4
2012	124,252	8.6	6.5	453,410	4.4	450,444	2.8	12.2	215,699	16.3	14.2	322,732	13.8
2011	126,263	8.7	6.5	504,637	5.0	499,762	3.7	11.8	230,032	16.8	14.3	373,138	12.7
2010	125,391	8.8	6.6	497,660	5.0	492,866	3.6	12.1	224,111	17.0	14.5	365,630	12.6
2009	131,102	8.9	6.6	506,994	4.9	502,939	2.9	12.7	224,116	17.3	14.4	369,230	12.1
2008	130,568	8.9	6.7	487,721	4.9	483,608	3.1	12.6	209,693	17.4	14.5	350,055	12.4
2007	128,809	8.7	6.7	464,609	4.7	460,342	3.4	12.3	198,045	17.4	14.6	328,309	12.0
2006	127,394	8.9	6.7	462,464	4.7	458,652	2.9	12.7	199,625	17.2	14.8	327,340	11.0
2005	124,905	8.9	6.9	463,319	4.8	459,161	3.2	12.7	201,495	16.9	14.9	331,605	11.0
2004	125,083	8.7	7.2	459,221	5.0	454,097	3.7	13.1	197,180	17.2	15.9	328,666	12.4
2003	124,246	8.5	7.6	442,485	5.3	436,131	4.6	13.2	186,480	16.7	16.5	314,719	13.1
2002	121,199	8.9	7.6	432,883	5.4	426,052	5.1	12.9	178,908	16.1	16.5	307,300	13.9
2001	53,340	7.3	8.5	420,929	5.6	413,870	5.5	13.0	187,335	16.1	16.3	313,518	15.0
2000	86,940	8.8	8.3	429,147	5.2	422,373	5.7	12.9	189,747	16.2	16.2	320,619	14.4
1999	78,096	9.1	8.1	388,921	5.1	383,826	5.7	12.2	177,608	15.9	15.4	307,777	15.0
1998	93,741	9.2	8.4	455,701	5.1	449,809	5.7	11.8	207,605	15.8	14.7	365,790	14.9
1997	89,596	9.5	8.0	453,970	5.3	448,652	5.6	11.7	208,384	15.4	14.3	369,076	14.5
1996	84,519	9.3	8.4	451,861	5.5	446,549	5.4	12.0	206,786	15.4	14.5	371,507	14.3

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

(7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 25, 2016

Table 13C Trends in Breastfeeding, Daily TV Viewing, and Smoking in Household for Children Aged < 5 Years (1,2,3)

Year	BF Ever (4)		BF 6+ Months (4,5)		BF 12+ Months (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
2015	113,806	83.4	43,697	39.5	83,060	22.8	199,225	85.3	425,349	1.7
2014	117,578	82.4	44,804	39.9	85,049	22.1	207,248	83.8	440,212	1.9
2013	119,403	81.2	46,799	39.2	89,514	21.4	214,870	82.7	452,535	2.1
2012	124,622	80.1	46,966	38.0	92,356	20.4	203,230	81.4	454,187	2.3
2011	126,686	78.7	48,133	38.3	90,911	20.6	252,438	79.6	506,223	2.8
2010	125,779	76.9	45,492	38.2	90,038	19.7	245,985	78.9	498,863	3.0
2009	131,550	74.4	46,939	38.8	92,565	22.8	246,764	78.7	508,423	3.0
2008	131,145	73.8	47,556	41.2	91,415	26.1	231,228	78.1	488,866	3.2
2007	129,207	72.0	43,834	39.7	85,180	23.4	218,203	78.6	466,304	2.6
2006	107,385	67.2	34,481	32.9	72,455	18.1	220,219	76.2	464,272	2.9
2005	105,698	66.0	41,901	38.9	83,140	24.6	180,831	72.6	399,544	3.6
2004	124,760	66.5	43,584	38.4	84,304	22.5	127,729	62.9	309,893	4.4
2003	124,436	64.6	41,405	33.0	80,524	17.2	129,863	58.8	286,979	4.9
2002	122,852	62.0	41,411	30.2	79,003	15.0	135,527	58.6	286,103	6.0

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) Children aged 2 years and older included in the analysis.

Run Date: August 25, 2016

Table 16C Growth Indicators by Race/Ethnicity and Age for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Age	Stature (4,5)		Weight & Height (4,5)			BMI (2-4 Years) (5)		
		Number	Short (%)	Number	UnderWt (%)	Obese (%)	Number	OverWt (%)	Obese (%)
non-Hispanic White	0-11 Months	37,194	8.6	36,851	6.3	5.0	0	.	.
	12-23 Months	26,411	7.4	26,380	0.6	11.0	0	.	.
	24-35 Months	20,395	5.2	20,309	3.7	10.0	20,309	15.1	10.0
	36-47 Months	17,668	5.4	17,545	3.0	11.6	17,545	16.6	11.6
	48-59 Months	15,393	4.7	15,278	3.4	11.7	15,278	16.4	11.7
	Subtotal		117,061	6.7	116,363	3.7	9.1	53,132	16.0
non-Hispanic Black	0-11 Months	30,247	10.3	29,436	10.0	5.5	0	.	.
	12-23 Months	21,127	5.1	21,071	1.3	10.5	0	.	.
	24-35 Months	15,969	2.6	15,868	5.8	10.1	15,868	13.4	10.1
	36-47 Months	13,533	2.4	13,409	5.3	11.3	13,409	14.1	11.3
	48-59 Months	12,218	1.6	12,081	5.3	13.4	12,081	14.8	13.4
	Subtotal		93,094	5.5	91,865	6.0	9.3	41,358	14.0
Hispanic/Latino	0-11 Months	46,585	6.8	45,923	6.9	5.6	0	.	.
	12-23 Months	35,604	5.1	35,509	0.5	12.7	0	.	.
	24-35 Months	28,324	3.1	28,120	3.1	13.6	28,120	16.7	13.6
	36-47 Months	24,988	3.0	24,643	2.7	16.4	24,643	17.9	16.4
	48-59 Months	23,089	2.6	22,730	2.7	19.1	22,730	18.0	19.1
	Subtotal		158,590	4.6	156,925	3.5	12.3	75,493	17.5
Am. Indian/Alask. Native	0-11 Months	1,413	8.4	1,377	9.4	5.5	0	.	.
	12-23 Months	1,033	4.9	1,030	1.5	8.6	0	.	.
	24-35 Months	727	1.7	719	8.1	8.8	719	16.1	8.8
	36-47 Months	640	3.1	633	7.4	13.0	633	14.4	13.0
	48-59 Months	656	3.0	651	7.1	13.5	651	16.0	13.5
	Subtotal		4,469	5.0	4,410	6.7	9.0	2,003	15.5

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(5) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

Run Date: August 25, 2016

Table 16C Growth Indicators by Race/Ethnicity and Age for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Age	Stature (4,5)		Weight & Height (4,5)			BMI (2-4 Years) (5)		
		Number	Short (%)	Number	UnderWt (%)	Obese (%)	Number	OverWt (%)	Obese (%)
Asian/Pacific Islander	0-11 Months	14,070	5.2	13,861	9.6	3.4	0	.	.
	12-23 Months	9,216	4.0	9,202	1.1	7.1	0	.	.
	24-35 Months	7,609	2.8	7,572	7.6	6.9	7,572	11.4	6.9
	36-47 Months	6,711	2.5	6,675	6.9	9.5	6,675	12.0	9.5
	48-59 Months	5,675	2.3	5,637	6.7	11.2	5,637	13.3	11.2
	Subtotal		43,281	3.7	42,947	6.6	6.8	19,884	12.1
Multiple Races	0-11 Months	2,480	9.7	2,441	6.7	6.1	0	.	.
	12-23 Months	1,868	6.9	1,864	0.8	14.0	0	.	.
	24-35 Months	1,400	4.4	1,391	3.7	11.5	1,391	15.9	11.5
	36-47 Months	1,202	2.3	1,192	4.4	15.4	1,192	14.8	15.4
	48-59 Months	1,052	2.7	1,041	2.9	15.1	1,041	17.7	15.1
	Subtotal		8,002	6.1	7,929	3.9	11.5	3,624	16.0
Others/Unknown	0-11 Months	25	.	25	.	.	0	.	.
	12-23 Months	7	.	7	.	.	0	.	.
	24-35 Months	9	.	9	.	.	9	.	.
	36-47 Months	5	.	5	.	.	5	.	.
	48-59 Months	9	.	9	.	.	9	.	.
	Subtotal		55	.	55	.	.	23	.
Across Race/Ethnicity	0-11 Months	132,014	8.0	129,914	7.8	5.2	0	.	.
	12-23 Months	95,266	5.7	95,063	0.8	11.2	0	.	.
	24-35 Months	74,433	3.5	73,988	4.4	11.1	73,988	15.0	11.1
	36-47 Months	64,747	3.4	64,102	3.8	13.3	64,102	16.0	13.3
	48-59 Months	58,092	2.9	57,427	3.8	15.0	57,427	16.4	15.0
	Total		424,552	5.3	420,494	4.5	10.1	195,517	15.7

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age \leq 2.3rd percentile, Underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as \geq 97.7th percentile.

(5) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and Obese is defined as \geq 95th percentile.

Run Date: August 25, 2016

Table 17C Anemia Indicators (Low Hb/Hct) by Race/Ethnicity and Age for Children Aged < 5 Years (1,2,3,4)

Race/Ethnicity	Age	Number	Rate (%)	Race/Ethnicity	Age	Number	Rate (%)
non-Hispanic White	6-11 Months	17,864	18.7	Asian/Pacific Islander	6-11 Months	5,546	11.8
	12-17 Months	10,098	20.0		12-17 Months	4,044	11.9
	18-23 Months	8,734	9.1		18-23 Months	3,280	6.9
	24-35 Months	18,999	12.4		24-35 Months	7,203	10.8
	36-59 Months	28,688	9.3		36-59 Months	10,729	8.7
	Subtotal	84,383	13.2		Subtotal	30,802	10.0
non-Hispanic Black	6-11 Months	12,175	20.9	Multiple Races	6-11 Months	1,319	20.1
	12-17 Months	8,921	23.6		12-17 Months	576	20.7
	18-23 Months	6,220	14.1		18-23 Months	539	11.5
	24-35 Months	14,806	23.4		24-35 Months	1,310	18.1
	36-59 Months	22,596	19.9		36-59 Months	1,959	14.4
	Subtotal	64,718	20.8		Subtotal	5,703	16.9
Hispanic/Latino	6-11 Months	21,026	18.0	Others/Unknown	6-11 Months	6	.
	12-17 Months	15,038	18.0		12-17 Months	1	.
	18-23 Months	11,262	10.0		18-23 Months	4	.
	24-35 Months	26,352	14.3		24-35 Months	10	.
	36-59 Months	41,443	10.8		36-59 Months	11	.
	Subtotal	115,121	13.8		Subtotal	32	.
American Indian/Alaskan Native	6-11 Months	611	17.0	Across Race/Ethnicity	6-11 Months	58,547	18.3
	12-17 Months	443	16.5		12-17 Months	39,121	19.2
	18-23 Months	318	11.3		18-23 Months	30,357	10.3
	24-35 Months	656	13.0		24-35 Months	69,336	15.4
	36-59 Months	1,151	13.4		36-59 Months	106,577	12.2
	Subtotal	3,179	14.2		Total	303,938	14.8

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 25, 2016

Table 18C Trends in Growth and Anemia Indicators by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
		N	Low (%)	High (%)	N	Short (%)	N	Under Wt (%)	Obese (%)	N	Over Wt (%)	Obese (%)	N	Low (%)
non-Hispanic White	2015	30,533	7.3	8.8	117,061	6.7	116,363	3.7	9.1	53,132	16.0	11.0	84,383	13.2
	2014	32,060	7.2	9.1	122,200	6.3	121,608	2.9	9.7	57,619	16.1	11.3	88,063	12.9
	2013	33,067	7.3	9.1	126,014	6.0	125,488	2.4	10.2	61,158	16.4	11.5	90,752	12.7
	2012	34,155	7.4	8.5	126,336	6.0	125,769	2.3	10.2	59,693	16.4	11.5	90,260	12.0
	2011	34,535	7.2	8.5	141,261	6.2	140,377	3.2	10.1	64,330	16.5	11.9	105,068	10.9
	2010	34,395	7.4	8.7	139,769	6.3	138,785	3.1	10.4	63,319	16.7	12.1	103,190	11.0
	2009	35,143	7.4	8.7	142,690	6.1	141,909	2.4	11.1	64,466	17.3	12.2	105,427	10.4
	2008	34,578	7.4	8.9	137,417	6.0	136,586	2.5	11.1	61,509	17.2	12.3	100,583	10.8
	2007	33,683	7.3	8.7	131,121	5.8	130,296	2.8	10.9	58,509	17.3	12.4	94,891	11.2
	2006	33,852	7.6	8.7	131,385	5.6	130,726	2.5	10.9	59,517	16.6	12.2	94,849	10.4
	2005	32,993	7.7	9.2	130,793	5.5	130,101	2.7	10.9	59,662	16.7	12.2	95,330	10.0
	2004	31,638	7.4	9.6	127,148	5.6	126,221	3.1	11.7	57,695	16.8	13.2	93,146	10.6
non-Hispanic Black	2015	26,635	12.3	5.0	93,094	5.5	91,865	6.0	9.3	41,358	14.0	11.4	64,718	20.8
	2014	27,822	12.1	5.4	97,857	4.7	96,980	4.5	10.2	44,779	14.5	11.9	68,496	20.3
	2013	28,669	12.4	5.3	101,285	4.2	100,632	3.6	11.0	47,624	14.4	12.2	70,756	20.5
	2012	29,633	12.0	5.0	101,966	4.2	101,313	3.6	11.0	46,368	14.7	12.1	70,736	19.8
	2011	30,721	12.4	4.8	114,146	4.9	112,819	5.0	10.6	49,536	14.8	12.5	82,217	18.8
	2010	30,923	12.2	5.2	113,240	4.9	111,984	4.8	10.9	48,122	15.2	12.8	80,882	18.1
	2009	33,168	12.4	4.9	117,284	4.8	116,244	4.1	11.6	48,766	15.1	12.7	82,594	17.2
	2008	33,033	12.3	5.2	114,703	5.0	113,622	4.3	11.6	47,298	15.9	12.9	79,936	17.6
	2007	32,315	12.0	5.3	111,221	4.9	110,025	4.6	11.4	46,285	15.4	12.8	77,227	16.1
	2006	32,383	12.0	5.0	113,742	4.8	112,704	3.9	11.8	48,148	15.8	12.9	79,683	14.7
	2005	32,233	12.6	5.4	116,318	4.9	115,141	4.1	11.7	49,933	15.4	13.4	82,768	14.7
	2004	32,676	12.0	5.6	115,977	5.2	114,557	4.4	12.3	48,889	16.0	14.5	82,349	16.5

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

(7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 25, 2016

Table 18C Trends in Growth and Anemia Indicators by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
		N	Low (%)	High (%)	N	Short (%)	N	Under Wt (%)	Obese (%)	N	Over Wt (%)	Obese (%)	N	Low (%)
Hispanic/Latino	2015	40,957	8.1	6.4	158,590	4.6	156,925	3.5	12.3	75,493	17.5	16.2	115,121	13.8
	2014	41,885	7.9	6.7	163,972	4.1	162,474	2.6	13.9	81,064	17.7	17.1	119,863	13.1
	2013	42,149	7.6	6.6	168,631	3.8	167,169	2.0	14.8	85,656	17.9	17.8	123,969	13.1
	2012	43,998	7.6	6.7	170,035	3.8	168,561	1.9	15.3	83,829	18.1	18.1	123,666	12.7
	2011	45,078	7.7	6.6	190,717	4.3	188,527	2.8	14.7	89,490	18.8	18.1	143,757	11.4
	2010	45,270	7.6	6.4	189,321	4.2	187,195	2.8	14.8	87,500	18.8	18.0	141,580	11.4
	2009	47,591	7.8	6.8	192,600	4.2	190,709	2.2	15.5	87,159	19.3	17.9	142,613	11.0
	2008	47,729	7.9	6.5	184,762	4.1	182,883	2.4	15.2	80,269	19.2	18.0	134,548	11.4
	2007	47,402	7.7	6.7	175,182	4.0	173,260	2.7	15.1	74,916	19.3	18.4	125,156	10.9
	2006	46,898	7.8	6.6	173,336	4.1	171,488	2.2	15.6	74,459	19.4	18.8	123,636	9.7
	2005	45,325	7.5	6.9	169,249	4.2	167,277	2.5	15.6	72,609	18.8	19.1	121,719	9.9
	2004	42,953	7.3	7.2	160,299	4.4	158,104	2.9	16.0	68,237	19.1	20.2	116,037	11.3
Am. Indian/Alask. Native	2015	1,222	10.4	7.0	4,469	5.0	4,410	6.7	9.0	2,003	15.5	11.6	3,179	14.2
	2014	1,308	9.8	6.3	4,756	3.8	4,718	5.8	10.6	2,301	16.3	13.3	3,350	14.0
	2013	1,217	8.5	6.7	4,822	4.3	4,788	4.9	11.9	2,473	14.0	14.2	3,508	13.3
	2012	1,289	9.9	7.4	4,935	4.6	4,900	4.8	11.7	2,278	14.4	14.3	3,549	13.2
	2011	1,618	10.3	5.6	5,666	5.3	5,616	5.6	11.1	2,279	15.3	14.5	3,963	12.5
	2010	1,525	9.8	5.8	5,395	4.9	5,348	5.3	11.6	2,130	15.9	15.0	3,746	13.4
	2009	1,696	11.4	6.6	5,117	5.7	5,075	4.5	12.2	1,903	15.1	14.8	3,304	11.9
	2008	1,341	10.0	6.1	4,240	5.4	4,208	5.0	12.2	1,447	14.6	15.3	2,790	12.0
	2007	1,310	10.9	6.6	3,612	6.1	3,569	6.1	10.5	1,063	15.1	14.3	2,226	11.7
	2006	1,375	9.2	7.3	3,189	4.8	3,169	4.4	12.6	990	15.4	17.4	1,759	12.1
	2005	826	8.5	5.3	2,190	4.2	2,174	4.2	11.8	821	16.4	13.6	1,355	10.9
	2004	382	8.4	8.9	1,501	5.0	1,487	4.8	12.0	655	18.9	15.9	1,097	12.4

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

(7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 25, 2016

Table 18C Trends in Growth and Anemia Indicators by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
		N	Low (%)	High (%)	N	Short (%)	N	Under Wt (%)	Obese (%)	N	Over Wt (%)	Obese (%)	N	Low (%)
Asian/Pacific Islander	2015	11,944	8.4	4.4	43,281	3.7	42,947	6.6	6.8	19,884	12.1	9.0	30,802	10.0
	2014	11,975	7.7	4.9	42,142	3.5	41,889	5.6	7.8	20,063	12.9	9.8	29,702	9.8
	2013	11,653	7.7	4.2	42,093	3.3	41,902	4.9	8.3	20,479	13.0	10.4	29,962	9.8
	2012	12,647	6.8	4.3	41,025	3.1	40,840	4.9	8.3	19,308	12.9	10.5	28,069	9.9
	2011	11,667	7.2	4.6	42,741	3.8	42,405	5.8	8.0	19,953	13.6	10.2	30,770	8.9
	2010	10,459	7.7	4.4	39,926	3.9	39,651	5.5	8.2	18,754	14.1	10.6	29,111	8.6
	2009	10,953	7.1	4.3	39,756	3.7	39,524	4.5	8.5	17,748	14.2	10.7	28,435	8.3
	2008	11,558	7.2	4.4	38,212	3.7	37,978	4.8	8.0	15,880	14.3	10.6	26,268	8.2
	2007	11,827	7.3	4.5	35,952	3.6	35,726	5.3	7.9	14,661	14.4	10.8	23,680	7.5
	2006	10,335	7.5	5.2	33,879	3.6	33,700	4.6	8.0	14,087	14.0	10.4	23,173	7.9
	2005	10,644	7.6	4.5	33,708	3.9	33,512	5.1	8.0	13,697	14.0	10.3	22,689	7.9
	2004	10,557	7.5	5.1	31,925	4.2	31,667	5.8	7.8	12,498	13.8	10.8	21,124	9.5
Multiple Races	2015	2,160	8.3	7.3	8,002	6.1	7,929	3.9	11.5	3,624	16.0	13.8	5,703	16.9
	2014	2,249	9.6	6.5	8,342	5.9	8,273	3.1	11.7	3,926	16.8	14.2	5,948	16.6
	2013	2,366	8.1	7.2	8,870	4.9	8,802	2.8	12.1	4,289	15.9	13.8	6,388	15.6
	2012	2,518	10.6	7.2	9,081	4.4	9,029	2.7	12.4	4,210	15.6	13.9	6,437	14.7
	2011	2,613	9.9	7.3	10,045	5.4	9,958	3.7	11.5	4,428	16.0	13.4	7,332	13.3
	2010	2,794	11.2	6.8	9,956	5.9	9,851	3.5	11.9	4,277	16.7	14.1	7,098	13.4
	2009	2,520	9.4	7.7	9,487	5.4	9,419	2.9	12.6	4,067	15.6	12.7	6,846	13.2
	2008	2,311	10.0	8.2	8,347	5.4	8,291	3.3	12.2	3,283	16.0	12.6	5,913	13.4
	2007	2,250	9.2	6.7	7,477	5.1	7,423	3.7	10.9	2,603	16.3	12.1	5,115	13.4
	2006	2,532	8.7	6.4	6,897	5.5	6,831	3.5	11.2	2,417	15.4	14.1	4,231	12.0
	2005	1,524	9.8	7.5	4,438	5.8	4,409	4.0	11.8	1,634	16.0	12.5	2,897	12.5
	2004	879	11.7	7.1	2,648	4.7	2,630	3.8	11.9	820	14.8	13.3	1,764	13.3

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age ≤ 2.3rd percentile, Underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as ≥ 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and Obese is defined as ≥ 95th percentile.

(7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 25, 2016

Table 18C Trends in Growth and Anemia Indicators by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
		N	Low (%)	High (%)	N	Short (%)	N	Under Wt (%)	Obese (%)	N	Over Wt (%)	Obese (%)	N	Low (%)
Others/Unknown	2015	14	.	.	55	.	55	.	.	23	.	.	32	.
	2014	13	.	.	41	.	41	.	.	15	.	.	22	.
	2013	9	.	.	31	.	31	.	.	9	.	.	18	.
	2012	12	.	.	32	.	32	.	.	13	.	.	15	.
	2011	31	.	.	61	.	60	.	.	16	.	.	31	.
	2010	25	.	.	53	.	52	.	.	9	.	.	23	.
	2009	31	.	.	60	.	59	.	.	7	.	.	11	.
	2008	18	.	.	40	.	40	.	.	7	.	.	17	.
	2007	22	.	.	44	.	43	.	.	8	.	.	14	.
	2006	19	.	.	36	.	34	.	.	7	.	.	9	.
	2005	1,360	7.3	6.3	6,623	5.5	6,547	5.3	12.6	3,139	15.8	14.9	4,847	11.0
2004	5,998	9.5	7.6	19,723	5.3	19,431	5.2	12.5	8,386	16.5	15.1	13,149	12.1	
Across Race/Ethnicity	2015	113,465	8.9	6.5	424,552	5.3	420,494	4.5	10.1	195,517	15.7	12.9	303,938	14.8
	2014	117,312	8.7	6.8	439,310	4.8	435,983	3.4	11.3	209,767	16.1	13.6	315,444	14.4
	2013	119,130	8.7	6.7	451,746	4.5	448,812	2.8	12.0	221,688	16.2	14.1	325,353	14.4
	2012	124,252	8.6	6.5	453,410	4.4	450,444	2.8	12.2	215,699	16.3	14.2	322,732	13.8
	2011	126,263	8.7	6.5	504,637	5.0	499,762	3.7	11.8	230,032	16.8	14.3	373,138	12.7
	2010	125,391	8.8	6.6	497,660	5.0	492,866	3.6	12.1	224,111	17.0	14.5	365,630	12.6
	2009	131,102	8.9	6.6	506,994	4.9	502,939	2.9	12.7	224,116	17.3	14.4	369,230	12.1
	2008	130,568	8.9	6.7	487,721	4.9	483,608	3.1	12.6	209,693	17.4	14.5	350,055	12.4
	2007	128,809	8.7	6.7	464,609	4.7	460,342	3.4	12.3	198,045	17.4	14.6	328,309	12.0
	2006	127,394	8.9	6.7	462,464	4.7	458,652	2.9	12.7	199,625	17.2	14.8	327,340	11.0
	2005	124,905	8.9	6.9	463,319	4.8	459,161	3.2	12.7	201,495	16.9	14.9	331,605	11.0
2004	125,083	8.7	7.2	459,221	5.0	454,097	3.7	13.1	197,180	17.2	15.9	328,666	12.4	

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

(7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: August 25, 2016

Table 19C Trends in Breastfeeding, Daily TV Viewing, and Smoking in Household by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	BF Ever (4)		BF 6+ Mths (4,5)		BF 12+ Mths (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
		Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
non-Hispanic White	2015	30,647	79.0	12,528	42.3	22,246	28.8	53,220	90.7	117,086	2.3
	2014	32,166	78.3	12,997	41.8	23,066	26.8	55,570	89.9	122,220	2.6
	2013	33,155	76.9	13,506	40.0	24,359	26.4	57,867	89.5	125,993	2.9
	2012	34,262	75.6	13,518	37.0	25,260	24.1	55,203	88.9	126,266	3.1
	2011	34,668	73.9	14,161	36.7	24,603	23.1	69,515	87.9	141,435	3.8
	2010	34,502	71.4	13,339	36.2	24,093	22.1	68,205	87.4	139,743	4.3
	2009	35,251	68.7	13,802	34.7	24,867	21.7	69,747	87.0	142,720	4.7
	2008	34,716	66.9	13,501	34.9	24,209	21.9	66,555	85.7	137,372	5.3
	2007	33,784	65.0	12,653	32.2	23,102	20.2	63,274	84.6	131,028	5.3
	2006	28,828	59.8	10,138	26.6	19,960	16.0	64,369	81.5	131,365	5.8
	2005	28,945	59.6	11,961	33.2	22,270	21.3	52,136	79.4	112,428	7.8
	2004	31,483	59.4	12,359	33.1	22,401	21.4	33,290	69.2	82,971	10.4
non-Hispanic Black	2015	26,723	81.9	9,358	35.5	18,548	18.3	42,426	78.8	93,707	2.2
	2014	27,889	80.8	10,018	35.2	19,632	17.9	44,805	77.6	98,492	2.4
	2013	28,761	79.9	10,348	35.9	20,489	17.5	46,517	75.8	101,876	2.4
	2012	29,745	79.7	10,604	34.9	21,377	17.2	43,784	73.7	102,568	2.9
	2011	30,844	78.5	10,759	36.1	21,284	17.4	54,580	71.7	115,061	3.4
	2010	31,027	76.2	10,323	35.2	21,498	15.6	53,089	71.0	114,060	3.6
	2009	33,308	73.3	10,690	35.9	22,068	18.8	53,885	71.3	118,128	3.6
	2008	33,228	73.0	11,044	39.0	21,753	23.2	52,105	72.1	115,454	3.4
	2007	32,429	71.1	10,199	37.7	20,421	20.4	51,154	73.4	112,163	2.2
	2006	27,923	66.0	8,222	30.8	18,284	15.6	53,297	70.8	114,679	2.4
	2005	27,458	63.2	10,357	34.9	21,366	20.7	44,494	66.8	100,311	2.8
	2004	32,612	62.7	10,818	34.5	21,645	18.9	33,059	57.7	81,375	2.8

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) Children aged 2 years and older included in the analysis.

Run Date: August 25, 2016

Table 19C Trends in Breastfeeding, Daily TV Viewing, and Smoking in Household by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	BF Ever (4)		BF 6+ Mths (4,5)		BF 12+ Mths (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
		Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
Hispanic/Latino	2015	41,062	88.2	16,072	40.1	31,373	21.9	77,421	84.1	158,773	1.0
	2014	41,943	87.6	16,372	41.9	32,046	21.9	80,965	82.1	164,226	1.1
	2013	42,226	87.2	16,973	42.0	33,603	21.2	84,195	81.0	168,836	1.2
	2012	44,119	86.3	17,368	42.0	34,981	20.7	79,878	79.1	170,321	1.5
	2011	45,202	85.7	17,901	42.2	35,212	21.6	99,075	76.8	191,231	1.7
	2010	45,422	85.0	16,965	43.1	35,034	21.4	97,071	75.9	189,764	1.8
	2009	47,742	83.1	17,642	45.0	36,216	26.5	96,815	75.9	193,129	1.7
	2008	47,921	83.4	17,950	49.2	35,937	31.8	89,675	75.7	185,155	1.7
	2007	47,525	82.1	16,609	48.4	33,297	28.2	83,422	77.5	175,891	1.1
	2006	38,005	77.4	12,773	40.1	27,486	21.8	83,112	75.3	174,059	1.3
	2005	36,651	76.6	15,727	47.1	31,665	30.1	67,774	71.0	147,849	1.4
	2004	42,753	77.1	15,558	46.7	30,848	26.8	47,806	62.1	110,321	1.6
Am. Indian/Alask. Native	2015	1,230	88.6	451	45.7	901	26.5	2,062	84.3	4,494	1.5
	2014	1,315	88.1	471	45.4	854	23.9	2,295	82.1	4,783	1.8
	2013	1,219	87.9	418	50.0	901	22.8	2,444	83.0	4,852	2.2
	2012	1,295	84.7	559	43.1	1,136	22.4	2,161	79.7	4,954	2.1
	2011	1,627	83.3	564	42.9	1,099	20.9	2,554	77.2	5,713	2.3
	2010	1,528	81.7	567	36.0	1,109	16.1	2,356	74.3	5,423	2.8
	2009	1,705	74.8	505	40.6	905	22.5	2,105	74.8	5,130	2.7
	2008	1,352	78.0	447	41.2	882	25.3	1,644	75.5	4,253	2.5
	2007	1,317	78.3	448	46.0	822	26.4	1,193	73.3	3,633	2.1
	2006	1,180	75.6	293	38.6	467	18.4	1,066	74.4	3,203	2.7
	2005	628	67.4	192	42.2	335	26.9	770	71.6	2,002	4.1
	2004	382	72.5	132	33.3	280	22.9	431	65.4	1,058	8.0

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) Children aged 2 years and older included in the analysis.

Run Date: August 25, 2016

Table 19C Trends in Breastfeeding, Daily TV Viewing, and Smoking in Household by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	BF Ever (4)		BF 6+ Mths (4,5)		BF 12+ Mths (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
		Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
Asian/Pacific Islander	2015	11,969	82.7	4,431	40.7	8,380	22.0	20,438	90.2	43,267	1.4
	2014	11,993	80.1	4,092	40.4	7,829	21.4	19,790	88.1	42,124	1.4
	2013	11,660	76.9	4,622	36.0	8,439	19.3	19,717	87.3	42,073	1.6
	2012	12,657	73.7	3,979	34.9	7,721	18.2	18,250	87.0	40,974	1.5
	2011	11,679	68.3	3,754	35.5	6,895	18.7	21,910	86.0	42,710	1.6
	2010	10,465	65.4	3,344	35.9	6,551	17.8	20,648	84.7	39,883	1.5
	2009	10,973	60.8	3,326	36.3	6,767	22.3	19,775	83.8	39,811	1.4
	2008	11,574	59.1	3,679	36.6	6,967	24.2	17,603	80.1	38,278	1.4
	2007	11,854	55.4	3,029	34.6	5,854	21.3	16,276	77.9	36,080	1.0
	2006	9,136	53.4	2,394	29.0	5,207	16.7	15,693	76.9	34,032	1.2
	2005	9,374	52.2	2,968	33.3	5,853	22.5	12,213	74.5	28,501	1.2
2004	10,494	55.3	2,875	32.3	5,627	19.8	7,518	64.5	19,652	1.4	
Multiple Races	2015	2,162	72.2	851	23.7	1,605	13.3	3,650	82.7	7,996	3.4
	2014	2,260	71.4	848	23.9	1,618	12.7	3,817	80.9	8,344	3.8
	2013	2,374	69.8	927	23.7	1,721	12.4	4,125	80.4	8,889	3.9
	2012	2,529	69.9	935	23.1	1,880	11.9	3,946	81.3	9,085	4.0
	2011	2,630	66.8	981	20.9	1,817	10.6	4,796	80.3	10,042	5.0
	2010	2,807	62.5	942	21.9	1,743	13.2	4,612	80.9	9,968	5.0
	2009	2,536	62.3	958	23.8	1,735	15.6	4,432	79.9	9,466	5.2
	2008	2,333	60.6	928	21.9	1,662	13.8	3,642	77.9	8,331	5.2
	2007	2,264	59.1	881	22.8	1,682	12.3	2,877	78.7	7,478	4.0
	2006	2,270	55.1	636	25.2	1,050	13.0	2,677	75.6	6,911	3.6
	2005	1,214	62.2	487	30.6	853	20.2	1,623	73.9	4,076	3.4
2004	874	62.0	333	33.3	635	20.3	594	68.9	1,885	4.2	

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) Children aged 2 years and older included in the analysis.

Run Date: August 25, 2016

Table 19C Trends in Breastfeeding, Daily TV Viewing, and Smoking in Household by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	BF Ever (4)		BF 6+ Mths (4,5)		BF 12+ Mths (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
		Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
Others/Unknown	2015	13	.	6	.	7	.	8	.	26	.
	2014	12	.	6	.	4	.	6	.	23	.
	2013	8	.	5	.	2	.	5	.	16	.
	2012	15	.	3	.	1	.	8	.	19	.
	2011	36	.	13	.	1	.	8	.	31	.
	2010	28	.	12	.	10	.	4	.	22	.
	2009	35	.	16	.	7	.	5	.	39	.
	2008	21	.	7	.	5	.	4	.	23	.
	2007	34	.	15	.	2	.	7	.	31	.
	2006	43	.	25	.	1	.	5	.	23	.
	2005	1,428	72.6	209	52.2	798	18.5	1,821	67.8	4,377	4.2
2004	6,162	68.7	1,509	37.6	2,868	18.0	5,031	58.3	12,631	4.9	
Across Race/Ethnicity	2015	113,806	83.4	43,697	39.5	83,060	22.8	199,225	85.3	425,349	1.7
	2014	117,578	82.4	44,804	39.9	85,049	22.1	207,248	83.8	440,212	1.9
	2013	119,403	81.2	46,799	39.2	89,514	21.4	214,870	82.7	452,535	2.1
	2012	124,622	80.1	46,966	38.0	92,356	20.4	203,230	81.4	454,187	2.3
	2011	126,686	78.7	48,133	38.3	90,911	20.6	252,438	79.6	506,223	2.8
	2010	125,779	76.9	45,492	38.2	90,038	19.7	245,985	78.9	498,863	3.0
	2009	131,550	74.4	46,939	38.8	92,565	22.8	246,764	78.7	508,423	3.0
	2008	131,145	73.8	47,556	41.2	91,415	26.1	231,228	78.1	488,866	3.2
	2007	129,207	72.0	43,834	39.7	85,180	23.4	218,203	78.6	466,304	2.6
	2006	107,385	67.2	34,481	32.9	72,455	18.1	220,219	76.2	464,272	2.9
	2005	105,698	66.0	41,901	38.9	83,140	24.6	180,831	72.6	399,544	3.6
2004	124,760	66.5	43,584	38.4	84,304	22.5	127,729	62.9	309,893	4.4	

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) Children aged 2 years and older included in the analysis.

Run Date: August 25, 2016

Table 20C Trends in Growth Indicators for Children Aged < 5 Years (1,2,3)

Age	Year	Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)		
		Number	Short (%)	Number	UnderWt (%)	Obese (%)	Number	OverWt (%)	Obese (%)
0-11 Months	2015	132,014	8.0	129,914	7.8	5.2	0	.	.
	2014	133,067	6.9	131,896	4.7	6.6	0	.	.
	2013	131,966	6.2	131,459	2.7	7.7	0	.	.
	2012	136,250	6.2	135,701	2.6	8.0	0	.	.
	2011	149,328	7.3	147,128	6.4	6.8	0	.	.
	2010	148,253	7.2	146,277	6.2	7.1	0	.	.
	2009	154,185	6.6	152,925	4.1	8.9	0	.	.
	2008	152,927	6.7	151,503	4.6	8.7	0	.	.
	2007	151,545	6.5	149,882	5.5	7.9	0	.	.
	2006	149,112	6.4	147,913	4.0	8.9	0	.	.
	2005	146,984	6.6	145,565	4.6	8.5	0	.	.
2004	147,091	6.6	145,290	5.9	8.3	0	.	.	
12-23 Months	2015	95,266	5.7	95,063	0.8	11.2	0	.	.
	2014	94,531	5.4	94,320	0.7	12.6	0	.	.
	2013	95,921	5.2	95,665	0.6	13.0	0	.	.
	2012	99,281	4.9	99,044	0.6	13.5	0	.	.
	2011	122,913	5.5	122,602	0.8	13.1	0	.	.
	2010	122,841	5.4	122,478	0.8	13.7	0	.	.
	2009	126,236	5.5	125,898	0.7	14.3	0	.	.
	2008	122,749	5.3	122,412	0.8	14.0	0	.	.
	2007	112,765	5.0	112,415	0.8	14.1	0	.	.
	2006	111,418	5.0	111,114	0.8	14.0	0	.	.
	2005	112,468	5.1	112,101	0.9	14.1	0	.	.
2004	112,120	5.3	111,627	0.9	14.5	0	.	.	

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

Run Date: August 25, 2016

Table 20C Trends in Growth Indicators for Children Aged < 5 Years (1,2,3)

Age	Year	Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)		
		Number	Short (%)	Number	UnderWt (%)	Obese (%)	Number	OverWt (%)	Obese (%)
24-35 Months	2015	74,433	3.5	73,988	4.4	11.1	73,988	15.0	11.1
	2014	76,567	3.6	76,093	4.2	11.6	76,093	15.5	11.6
	2013	80,245	3.4	79,716	4.0	11.8	79,716	15.4	11.8
	2012	62,190	3.5	61,822	4.2	11.6	61,822	15.2	11.6
	2011	85,437	3.5	84,860	4.0	11.8	84,860	15.9	11.8
	2010	84,741	3.6	84,122	3.9	11.8	84,122	15.9	11.8
	2009	86,129	3.6	85,537	3.8	11.8	85,537	16.2	11.8
	2008	79,504	3.4	78,931	3.7	11.8	78,931	16.5	11.8
	2007	74,104	3.4	73,562	3.6	12.1	73,562	16.4	12.1
	2006	74,601	3.3	74,027	3.8	12.2	74,027	16.3	12.2
	2005	75,830	3.5	75,254	3.9	12.3	75,254	15.9	12.3
	2004	74,746	3.6	74,028	4.1	13.4	74,028	16.2	13.4
36-47 Months	2015	64,747	3.4	64,102	3.8	13.3	64,102	16.0	13.3
	2014	69,309	3.2	68,590	3.6	14.2	68,590	16.3	14.2
	2013	59,154	3.2	58,563	3.7	14.2	58,563	16.3	14.2
	2012	70,641	3.1	69,917	3.7	14.2	69,917	16.5	14.2
	2011	75,709	3.2	74,851	3.3	15.0	74,851	17.2	15.0
	2010	74,682	3.3	73,824	3.2	15.2	73,824	17.6	15.2
	2009	73,342	3.5	72,458	3.1	15.1	72,458	18.2	15.1
	2008	68,951	3.4	68,077	3.2	15.3	68,077	17.9	15.3
	2007	65,795	3.3	64,967	3.1	15.1	64,967	18.1	15.1
	2006	66,223	3.3	65,398	3.2	15.3	65,398	17.7	15.3
	2005	66,753	3.2	65,894	3.3	15.4	65,894	17.5	15.4
	2004	66,068	3.7	65,056	3.3	16.7	65,056	17.7	16.7

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

Run Date: August 25, 2016

Table 20C Trends in Growth Indicators for Children Aged < 5 Years (1,2,3)

Age	Year	Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)		
		Number	Short (%)	Number	UnderWt (%)	Obese (%)	Number	OverWt (%)	Obese (%)
48-59 Months	2015	58,092	2.9	57,427	3.8	15.0	57,427	16.4	15.0
	2014	65,836	2.9	65,084	3.7	15.3	65,084	16.6	15.3
	2013	84,460	2.8	83,409	3.5	16.1	83,409	16.9	16.1
	2012	85,048	2.8	83,960	3.6	16.0	83,960	17.0	16.0
	2011	71,250	2.9	70,321	3.2	16.8	70,321	17.4	16.8
	2010	67,143	2.9	66,165	3.1	17.1	66,165	17.7	17.1
	2009	67,102	3.1	66,121	3.0	17.1	66,121	17.8	17.1
	2008	63,590	3.1	62,685	2.9	17.2	62,685	18.1	17.2
	2007	60,400	3.0	59,516	3.1	17.2	59,516	17.8	17.2
	2006	61,110	3.1	60,200	2.9	17.3	60,200	17.9	17.3
	2005	61,284	3.1	60,347	3.2	17.6	60,347	17.5	17.6
	2004	59,194	3.4	58,095	3.2	18.2	58,095	17.9	18.2
Across Age	2015	424,552	5.3	420,494	4.5	10.1	195,517	15.7	12.9
	2014	439,310	4.8	435,983	3.4	11.3	209,767	16.1	13.6
	2013	451,746	4.5	448,812	2.8	12.0	221,688	16.2	14.1
	2012	453,410	4.4	450,444	2.8	12.2	215,699	16.3	14.2
	2011	504,637	5.0	499,762	3.7	11.8	230,032	16.8	14.3
	2010	497,660	5.0	492,866	3.6	12.1	224,111	17.0	14.5
	2009	506,994	4.9	502,939	2.9	12.7	224,116	17.3	14.4
	2008	487,721	4.9	483,608	3.1	12.6	209,693	17.4	14.5
	2007	464,609	4.7	460,342	3.4	12.3	198,045	17.4	14.6
	2006	462,464	4.7	458,652	2.9	12.7	199,625	17.2	14.8
	2005	463,319	4.8	459,161	3.2	12.7	201,495	16.9	14.9
	2004	459,219	5.0	454,096	3.7	13.1	197,179	17.2	15.9

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age ≤ 2.3rd percentile, Underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as ≥ 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and Obese is defined as ≥ 95th percentile.

Run Date: August 25, 2016

Table 21C Trends in Anemia Indicators (Low Hb/Hct) for Children Aged < 5 Years (1,2,3,4)

Age	Year	Number	Rate (%)
0-11 Months	2015	58,547	18.3
	2014	58,297	17.8
	2013	59,893	17.6
	2012	55,366	16.8
	2011	29,667	15.6
	2010	27,179	15.1
	2009	27,083	15.2
	2008	25,189	16.3
	2007	24,319	14.7
	2006	24,292	13.7
	2005	25,230	13.2
	2004	25,253	15.4
12-23 Months	2015	69,478	15.3
	2014	72,697	15.3
	2013	74,496	15.4
	2012	77,993	16.6
	2011	121,738	15.1
	2010	123,085	15.1
	2009	127,489	14.2
	2008	123,161	14.3
	2007	113,566	14.1
	2006	111,817	12.6
	2005	112,897	12.4
	2004	112,623	13.9

Age	Year	Number	Rate (%)
24-35 Months	2015	69,336	15.4
	2014	72,291	15.1
	2013	74,846	15.9
	2012	73,510	14.0
	2011	84,154	13.6
	2010	83,995	13.2
	2009	84,611	12.5
	2008	78,625	13.0
	2007	73,417	12.7
	2006	73,771	11.9
	2005	74,983	12.1
	2004	73,967	13.6
36-47 Months	2015	62,573	12.9
	2014	65,834	12.6
	2013	67,320	11.9
	2012	67,620	11.4
	2011	77,317	10.3
	2010	75,248	10.1
	2009	74,315	9.8
	2008	69,963	10.1
	2007	66,738	9.8
	2006	66,948	9.2
	2005	67,540	9.4
	2004	66,948	10.3

Age	Year	Number	Rate (%)
48-59 Months	2015	44,004	11.2
	2014	46,322	10.0
	2013	48,797	9.8
	2012	48,240	9.2
	2011	60,262	8.3
	2010	56,122	8.2
	2009	55,732	8.1
	2008	53,117	8.4
	2007	50,269	8.0
	2006	50,512	7.5
Across Age	2015	303,938	14.8
	2014	315,441	14.4
	2013	325,352	14.4
	2012	322,729	13.8
	2011	373,138	12.7
	2010	365,629	12.6
	2009	369,230	12.1
	2008	350,055	12.4
	2007	328,309	12.0
	2006	327,340	11.0
2005	331,605	11.0	
2004	328,666	12.4	

(1) Records are rejected if date of birth and/or date of visit unknown.
 (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
 (3) Percentages are not calculated if < 100 records are available for analysis.
 (4) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.