

Run Date: June 9, 2017

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Albany	4,395	23.6	36.0	18.2	1.4	12.7	8.1	0.0
Allegany	833	95.1	0.6	2.2	0.0	0.4	1.7	0.1
Bronx	55,524	2.2	28.2	62.8	1.7	4.2	0.8	0.0
Broome	3,737	67.0	15.1	9.8	0.1	1.6	6.3	0.1
Cattaraugus	1,536	89.5	1.2	3.5	0.7	0.3	5.0	0.0
Cayuga	1,192	80.2	6.5	5.5	0.0	0.7	7.1	0.0
Chautauqua	2,978	69.3	2.9	26.4	0.2	0.5	0.7	0.1
Chemung	1,919	67.9	10.3	7.6	0.2	0.6	13.4	0.1
Chenango	1,425	94.8	0.7	1.9	0.0	0.1	2.5	0.0
Clinton	1,391	92.7	2.2	1.7	0.0	0.9	2.5	0.0
Columbia	888	58.7	9.5	18.5	1.0	2.3	9.8	0.3
Cortland	1,042	85.5	2.4	4.7	0.0	0.2	7.2	0.0
Delaware	734	86.8	2.2	9.4	0.0	0.4	1.2	0.0
Dutchess	2,810	31.7	22.5	35.9	2.1	3.2	4.5	0.0
Erie	16,529	37.6	33.5	15.7	0.5	8.8	3.7	0.1
Essex	622	97.4	0.5	1.3	0.0	0.0	0.8	0.0
Franklin	976	78.0	0.3	2.6	15.6	0.9	2.7	0.0
Fulton	1,086	89.8	1.8	4.8	0.2	0.0	3.4	0.0
Genesee	1,701	87.3	3.6	6.0	0.5	0.5	2.2	0.0
Greene	589	71.0	6.5	11.5	0.0	0.5	10.5	0.0
Hamilton	362	92.0	1.1	4.7	0.0	0.3	1.9	0.0
Herkimer	1,189	86.0	1.2	6.1	0.0	0.3	6.6	0.0
Jefferson	3,678	68.0	9.1	15.5	0.3	1.8	5.3	0.1
Kings	88,776	29.7	28.5	22.6	0.7	18.0	0.5	0.0
Lewis	729	90.3	1.0	6.0	0.1	0.4	2.2	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 9, 2017

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Livingston	832	82.9	1.1	13.9	0.0	0.5	1.6	0.0
Madison	4,230	45.9	16.8	16.5	0.4	14.3	6.0	0.1
Monroe	11,722	26.4	39.3	25.5	0.4	4.6	3.7	0.1
Montgomery	986	57.7	3.7	36.2	0.0	0.4	2.0	0.0
Nassau	11,533	6.3	20.4	68.0	1.2	3.4	0.6	0.1
New York	31,024	2.9	22.5	60.2	0.9	12.8	0.6	0.0
Niagara	3,501	66.0	19.1	7.7	0.6	0.7	5.8	0.1
Oneida	1,439	79.0	5.1	10.5	0.1	0.8	4.4	0.1
Onondaga	8,285	34.4	30.1	15.4	0.7	9.2	10.0	0.1
Ontario	1,357	64.3	4.5	23.0	0.0	0.8	7.1	0.3
Orange	8,141	52.6	9.6	33.8	0.4	1.0	2.5	0.1
Orleans	687	76.4	4.7	13.1	0.0	0.0	5.8	0.0
Oswego	2,360	89.1	1.0	6.7	0.2	0.3	2.8	0.0
Otsego	738	94.4	1.8	2.7	0.0	0.1	0.8	0.1
Putnam	964	32.5	1.6	64.4	0.2	0.9	0.4	0.0
Queens	56,905	6.9	17.4	43.9	2.1	29.1	0.6	0.0
Rensselaer	2,534	52.5	19.6	16.8	0.2	1.3	9.6	0.0
Richmond	5,929	26.6	25.5	40.6	0.8	5.2	1.1	0.1
Rockland	11,023	65.2	6.8	26.3	0.5	0.9	0.3	0.0
Saratoga	1,669	86.6	3.1	5.6	0.0	1.8	2.9	0.0
Schenectady	2,606	44.4	21.6	18.5	0.6	6.1	8.6	0.2
Schoharie	457	95.6	1.1	2.8	0.2	0.0	0.2	0.0
Schuyler	286	91.3	0.7	2.8	0.0	0.3	4.9	0.0
Seneca	480	77.9	1.3	11.5	1.0	0.6	7.7	0.0
St. Lawrence	1,146	92.9	1.0	2.2	0.0	0.7	3.1	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 9, 2017

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Steuben	1,635	89.5	1.3	3.5	0.0	0.2	5.3	0.1
Suffolk	17,297	14.3	12.5	68.2	1.3	2.5	1.1	0.1
Sullivan	1,682	55.0	7.8	32.5	0.0	0.5	4.2	0.0
Tioga	934	96.5	0.3	1.8	0.0	0.2	1.2	0.0
Tompkins	1,214	63.6	7.3	10.2	0.1	8.8	9.9	0.1
Ulster	1,499	61.4	13.9	21.2	0.2	0.9	2.3	0.0
Warren	903	85.6	0.9	6.4	0.1	0.4	6.5	0.0
Washington	1,244	94.5	0.6	2.6	0.0	0.2	2.2	0.0
Wayne	1,364	69.9	5.6	14.9	0.4	0.4	8.7	0.1
Westchester	15,408	5.1	24.1	66.3	1.2	2.6	0.7	0.0
Wyoming	431	92.8	0.2	5.8	0.0	0.2	0.9	0.0
Yates	225	86.7	0.9	8.4	0.0	0.0	4.0	0.0
Total	411,311	27.2	21.6	37.3	1.0	11.0	1.9	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 9, 2017

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Albany	4,395	29.7	24.6	17.8	15.2	12.7
Allegany	833	31.9	22.4	18.2	15.7	11.6
Bronx	55,524	28.6	23.5	18.4	16.3	13.1
Broome	3,737	30.5	25.3	18.4	15.2	10.7
Cattaraugus	1,536	28.8	26.0	17.6	14.7	13.0
Cayuga	1,192	31.4	23.9	18.2	15.4	11.2
Chautauqua	2,978	29.3	26.0	18.6	14.2	12.0
Chemung	1,919	31.1	24.9	17.1	15.6	11.4
Chenango	1,425	31.2	22.4	19.9	15.5	11.1
Clinton	1,391	29.0	24.4	16.8	16.7	13.1
Columbia	888	29.1	25.5	18.2	15.7	11.6
Cortland	1,042	32.3	23.9	19.3	13.9	10.6
Delaware	734	28.7	22.3	18.3	15.8	14.9
Dutchess	2,810	31.9	23.5	18.8	14.6	11.2
Erie	16,529	29.2	24.8	18.4	15.8	11.8
Essex	622	25.1	24.3	18.6	17.0	15.0
Franklin	976	33.3	24.6	16.0	15.3	10.9
Fulton	1,086	32.8	25.4	19.5	12.6	9.7
Genesee	1,701	30.8	24.2	18.2	14.8	12.0
Greene	589	29.2	24.4	18.8	16.5	11.0
Hamilton	362	32.0	21.3	18.0	17.7	11.0
Herkimer	1,189	27.9	25.0	18.9	16.4	11.8
Jefferson	3,678	35.3	23.4	17.1	13.2	11.0
Kings	88,776	29.1	22.9	18.4	16.4	13.3
Lewis	729	31.8	22.2	17.6	15.6	12.8

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 9, 2017

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Livingston	832	30.8	23.6	19.6	14.4	11.7
Madison	4,230	27.9	24.3	18.2	16.2	13.4
Monroe	11,722	31.7	24.0	17.9	14.8	11.6
Montgomery	986	35.3	22.9	17.4	15.4	8.9
Nassau	11,533	34.2	23.9	17.6	13.9	10.4
New York	31,024	28.7	22.8	18.8	16.6	13.2
Niagara	3,501	31.6	25.3	17.6	15.3	10.3
Oneida	1,439	33.7	25.2	15.8	15.2	10.1
Onondaga	8,285	31.5	24.6	17.7	14.6	11.6
Ontario	1,357	32.1	26.6	19.2	13.4	8.7
Orange	8,141	29.8	22.1	18.7	16.2	13.2
Orleans	687	30.1	21.8	21.0	14.6	12.5
Oswego	2,360	33.9	22.4	17.4	14.4	11.9
Otsego	738	30.5	24.8	18.8	14.2	11.7
Putnam	964	23.0	25.6	21.9	16.4	13.1
Queens	56,905	29.6	23.1	18.5	15.8	13.1
Rensselaer	2,534	31.7	23.4	17.8	15.9	11.2
Richmond	5,929	32.9	23.3	17.3	14.5	12.0
Rockland	11,023	26.1	23.1	19.1	17.8	13.9
Saratoga	1,669	32.6	25.1	17.5	14.4	10.4
Schenectady	2,606	34.2	24.2	17.3	14.0	10.4
Schoharie	457	30.2	24.5	18.2	15.5	11.6
Schuyler	286	26.9	27.6	21.0	14.3	10.1
Seneca	480	30.0	24.4	18.5	15.2	11.9
St. Lawrence	1,146	33.4	21.7	18.3	15.2	11.3

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 9, 2017

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Steuben	1,635	31.1	26.2	17.4	14.8	10.5
Suffolk	17,297	36.1	23.9	16.6	13.2	10.2
Sullivan	1,682	29.3	23.8	18.6	16.6	11.6
Tioga	934	29.6	25.3	18.6	16.2	10.4
Tompkins	1,214	30.1	25.7	17.9	15.5	10.9
Ulster	1,499	36.0	24.1	16.7	13.8	9.3
Warren	903	30.6	26.8	16.7	13.5	12.4
Washington	1,244	31.9	21.8	17.2	15.8	13.3
Wayne	1,364	31.5	25.1	16.3	15.8	11.3
Westchester	15,408	26.8	23.7	19.1	17.0	13.4
Wyoming	431	32.7	21.8	19.7	13.5	12.3
Yates	225	33.3	27.6	12.9	15.6	10.7
Total	411,311	29.9	23.5	18.3	15.8	12.6

(1) Records are rejected if date of birth and/or date of visit unknown.
 (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
 (3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 9, 2017

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Albany	1,176	11.6	56	5.5	4	4,372	6.1	27	4,316	4.7	52	10.5	16	2,017	15.9	17	12.9	8	3,134	25.1	62
Allegany	226	9.7	42	7.1	17	831	7.7	47	830	1.0	5	10.2	13	385	16.4	27	13.2	11	597	15.7	47
Bronx	14,641	10.4	48	5.6	5	55,281	4.7	6	54,884	4.7	53	11.3	26	26,315	14.9	8	14.5	21	39,412	17.2	51
Broome	1,009	8.4	23	8.2	33	3,716	8.2	52	3,708	1.4	14	11.2	23	1,674	19.2	53	13.6	13	2,621	10.2	13
Cattaraugus	398	8.0	19	7.8	26	1,522	8.3	53	1,517	2.5	31	11.4	27	698	14.5	6	13.0	10	1,101	7.7	4
Cayuga	336	8.9	33	8.9	39	1,190	6.5	31	1,187	1.5	16	13.1	49	535	19.8	57	16.1	38	803	9.8	9
Chautauqua	779	9.4	39	7.2	18	2,945	8.0	51	2,925	2.1	27	11.8	34	1,332	16.6	32	15.8	35	2,108	16.9	49
Chemung	541	7.6	14	8.9	37	1,911	9.6	61	1,900	1.3	12	13.0	48	857	17.2	37	16.0	37	1,359	13.9	33
Chenango	358	7.3	12	11.5	55	1,418	6.9	34	1,410	1.6	18	13.6	53	661	15.9	19	17.4	50	1,039	6.4	3
Clinton	370	9.2	37	5.7	6	1,389	7.1	35	1,385	4.3	49	10.0	11	653	16.4	29	13.5	12	998	10.6	14
Columbia	221	6.3	4	6.3	11	884	4.9	8	874	3.2	41	15.9	60	409	17.1	36	18.8	57	644	18.3	52
Cortland	295	9.2	36	10.2	49	1,034	6.2	28	1,033	1.5	17	8.1	2	454	16.5	30	12.6	6	716	13.3	26
Delaware	176	5.7	1	8.5	34	732	6.4	30	730	3.4	42	14.0	57	359	19.8	56	16.4	44	548	14.4	37
Dutchess	807	9.0	35	8.1	30	2,806	5.6	18	2,800	1.0	6	9.4	7	1,267	17.3	40	13.8	17	1,956	10.9	17
Erie	4,429	11.5	55	6.3	12	16,438	5.5	17	16,316	5.9	60	10.4	14	7,589	14.7	7	12.9	7	11,750	22.6	59
Essex	135	10.4	46	5.2	1	619	8.4	56	617	2.3	28	13.0	46	315	20.6	60	15.6	33	475	12.6	23
Franklin	294	8.5	28	7.5	21	971	5.9	24	969	3.0	39	11.2	24	411	17.5	44	17.5	51	664	10.1	11
Fulton	305	6.9	6	12.1	56	1,085	5.6	20	1,080	2.9	37	10.7	18	459	15.3	12	16.8	46	766	11.0	18
Genesee	466	8.6	32	8.2	32	1,697	5.7	22	1,689	3.8	45	11.7	31	766	17.5	43	13.6	15	1,171	24.9	60
Greene	153	7.2	9	9.2	43	588	4.1	3	580	2.8	34	16.4	62	275	20.4	59	20.7	61	429	13.8	31

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Hamilton	93	362	7.7	49	360	1.7	21	12.2	38	171	15.8	15	18.7	56	261	13.0	25
Herkimer	293	8.5	29	12.3	57	1,186	8.3	54	1,185	1.7	22	12.8	45	573	16.9	35	15.5	32	875	15.5	46
Jefferson	1,009	7.2	11	7.7	24	3,668	6.0	26	3,663	1.7	20	9.9	10	1,544	16.9	34	13.8	16	2,601	9.3	7
Kings	22,991	9.3	38	5.7	8	88,478	5.4	15	87,805	5.3	57	9.0	5	41,925	14.1	3	11.2	2	63,728	14.0	35
Lewis	189	13.2	58	7.9	28	728	7.7	46	727	1.7	19	9.4	6	341	17.6	46	15.0	25	532	16.9	48
Livingston	230	10.4	49	7.4	20	831	9.1	60	829	0.8	4	13.8	55	384	19.3	55	16.4	43	591	13.7	30
Madison	1,054	8.0	18	8.8	36	4,211	7.4	40	4,200	2.8	36	12.5	42	2,029	16.0	20	16.3	40	3,119	20.0	55
Monroe	3,222	10.5	50	7.0	16	11,665	5.6	21	11,602	5.0	55	11.0	21	5,184	16.1	22	13.9	19	8,204	13.3	27
Montgomery	298	8.4	22	9.1	40	982	7.3	39	978	2.0	26	13.5	51	415	16.4	28	19.3	58	658	11.9	19
Nassau	3,605	10.4	47	5.8	9	11,464	5.2	12	11,369	6.3	61	13.7	54	4,736	15.9	18	20.4	60	7,535	14.5	39
New York	8,256	10.2	43	5.3	2	30,957	3.9	2	30,849	4.2	48	8.9	4	14,935	15.0	10	12.0	4	21,814	13.9	32
Niagara	1,016	8.5	24	6.7	15	3,493	5.1	11	3,471	6.7	62	10.2	12	1,514	16.3	25	15.3	28	2,413	9.5	8
Oneida	420	10.5	51	9.8	47	1,434	7.2	37	1,431	2.8	35	11.3	25	605	20.0	58	16.4	42	986	14.7	41
Onondaga	2,339	10.6	53	8.7	35	8,236	7.6	44	8,178	3.0	38	11.1	22	3,657	15.6	14	14.1	20	5,721	15.4	44
Ontario	374	7.2	10	11.2	54	1,346	5.3	14	1,346	1.3	10	11.7	33	570	16.8	33	16.0	36	920	10.9	16
Orange	1,984	7.6	15	7.3	19	8,096	7.7	48	8,065	3.7	44	8.8	3	3,941	17.3	39	11.8	3	5,910	20.8	56
Orleans	180	6.1	3	7.8	25	683	5.4	16	676	4.3	50	12.6	43	330	18.5	51	17.3	49	471	21.7	58
Oswego	694	6.8	5	8.1	31	2,356	7.9	50	2,349	1.8	25	11.8	35	1,037	19.2	54	17.1	48	1,635	12.7	24
Otsego	200	8.5	26	8.0	29	731	5.9	25	724	4.6	51	10.9	20	329	17.3	41	15.5	31	512	8.8	6
Putnam	200	8.5	27	7.5	22	963	3.4	1	961	2.6	32	10.4	15	496	15.3	13	14.9	24	750	10.7	15

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Queens	15,372	9.4	40	5.5	3	56,690	4.4	5	56,298	5.1	56	9.6	9	26,401	15.0	9	13.0	9	40,027	12.4	21
Rensselaer	735	8.6	31	10.5	51	2,524	5.8	23	2,505	5.3	58	11.7	32	1,150	14.0	2	12.3	5	1,832	14.0	34
Richmond	1,752	9.0	34	6.6	14	5,895	4.4	4	5,834	5.7	59	11.6	29	2,511	15.9	16	17.0	47	3,979	14.5	38
Rockland	2,486	6.0	2	6.6	13	10,989	7.2	38	10,966	3.6	43	7.6	1	5,522	16.4	26	10.3	1	8,053	13.3	28
Saratoga	471	7.4	13	9.1	42	1,667	6.8	32	1,660	3.9	46	12.3	40	716	18.7	52	15.4	29	1,151	14.0	36
Schenectady	789	13.3	59	7.6	23	2,574	10.8	62	2,505	3.2	40	16.3	61	1,088	16.1	21	15.7	34	1,738	24.9	61
Schoharie	125	11.2	54	12.8	59	456	7.5	41	454	2.6	33	13.2	50	211	11.4	1	17.5	52	329	21.6	57
Schuyler	72	286	9.1	59	285	0.4	1	13.0	47	135	16.3	24	16.3	41	215	5.1	2
Seneca	131	13.0	57	9.2	44	478	7.5	43	476	1.1	8	14.7	59	220	21.8	61	14.5	22	342	12.6	22
St. Lawrence	310	7.1	8	9.4	45	1,144	6.2	29	1,142	1.3	11	11.8	36	517	14.3	5	17.8	54	813	8.1	5
Steuben	449	8.2	21	8.9	38	1,632	8.4	55	1,630	1.2	9	10.6	17	712	18.3	49	13.9	18	1,123	12.1	20
Suffolk	5,629	8.5	30	6.2	10	17,227	5.0	10	17,102	4.8	54	13.5	52	6,884	17.8	47	20.0	59	11,017	15.5	45
Sullivan	431	8.1	20	7.9	27	1,670	6.9	33	1,660	1.7	24	12.3	39	789	18.4	50	16.1	39	1,224	14.8	42
Tioga	241	7.1	7	11.2	53	931	7.6	45	927	1.7	23	11.7	30	419	14.1	4	17.7	53	657	18.7	53
Tompkins	311	10.6	52	9.6	46	1,207	5.3	13	1,204	2.5	30	10.8	19	538	15.2	11	15.4	30	878	13.7	29
Ulster	483	7.9	17	9.1	41	1,492	5.6	19	1,477	3.9	47	9.5	8	595	18.2	48	14.6	23	970	19.7	54
Warren	245	10.2	44	10.2	50	901	9.0	58	895	1.3	13	13.9	56	389	16.2	23	15.2	26	643	3.7	1
Washington	311	10.3	45	10.0	48	1,231	7.1	36	1,221	1.0	7	14.5	58	575	17.6	45	18.6	55	897	10.1	12
Wayne	374	9.6	41	10.7	52	1,359	4.9	9	1,357	1.4	15	12.7	44	610	17.2	38	16.7	45	955	14.6	40
Westchester	3,813	8.5	25	5.7	7	15,362	4.8	7	15,309	2.4	29	12.0	37	7,622	17.5	42	15.2	27	11,362	17.1	50

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Wyoming	129	7.8	16	12.4	58	428	7.5	42	427	0.5	3	11.5	28	199	16.6	31	13.6	14	301	10.0	10
Yates	67	225	8.9	57	224	0.4	2	12.5	41	92	146	15.1	43
Total	110,488	9.4	.	6.4	.	409,667	5.4	.	407,076	4.4	.	10.5	.	190,042	15.5	.	13.7	.	290,179	14.9	.

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Albany	1,182	78.3	21	474	30.6	16	907	19.0	13	263	22.1	6	440	11.8	13	1,909	75.5	60	4,369	2.1	25
Allegany	226	78.3	19	81	.	.	158	16.5	25	41	.	.	79	.	.	378	87.3	22	827	4.2	53
Bronx	14,689	89.9	4	5,680	41.5	6	11,319	21.1	10	2,881	7.4	25	5,503	4.3	42	26,478	82.4	42	55,390	1.4	16
Broome	1,011	77.4	24	393	25.7	21	732	16.4	26	216	21.3	8	379	7.4	33	1,630	81.1	47	3,703	5.1	58
Cattaraugus	403	76.4	29	171	21.1	36	324	12.3	44	97	.	.	166	9.6	22	692	83.4	34	1,521	6.4	61
Cayuga	337	75.1	34	114	25.4	22	231	15.2	30	65	.	.	112	17.9	3	532	81.6	45	1,191	3.6	49
Chautauqua	779	67.8	53	350	20.0	42	635	12.8	41	172	16.3	15	335	12.5	10	1,297	85.4	30	2,902	7.9	62
Chemung	543	73.7	41	185	20.5	39	395	12.2	46	99	.	.	182	9.3	25	848	85.7	29	1,913	4.1	51
Chenango	358	79.1	18	136	22.8	31	243	12.8	40	64	.	.	135	12.6	9	662	93.8	6	1,420	5.1	59
Clinton	370	81.4	13	155	32.9	14	296	18.9	14	75	.	.	153	13.7	6	645	87.9	20	1,385	2.8	36
Columbia	221	76.5	28	94	.	.	187	14.4	32	38	.	.	92	.	.	403	77.4	56	880	2.3	29
Cortland	297	70.0	47	118	26.3	20	213	17.4	19	56	.	.	115	5.2	41	453	91.4	8	1,032	2.3	31
Delaware	176	75.6	33	72	.	.	129	14.7	31	40	.	.	61	.	.	357	82.9	38	730	3.6	48
Dutchess	813	82.5	11	290	38.3	11	567	22.8	9	172	20.9	9	283	8.1	30	1,251	78.0	55	2,802	2.3	30
Erie	4,439	69.2	51	1,749	20.6	38	3,521	13.0	37	878	15.6	20	1,622	8.2	29	7,534	82.8	40	16,386	2.2	26
Essex	134	79.9	17	62	.	.	132	16.7	24	35	.	.	59	.	.	310	87.1	23	620	1.0	7
Franklin	295	69.8	49	101	18.8	43	211	12.8	39	50	.	.	96	.	.	409	80.7	49	973	4.3	55
Fulton	305	62.3	59	132	17.4	45	232	9.9	53	83	.	.	132	3.8	43	453	76.4	57	1,083	4.7	56
Genesee	467	75.6	32	160	29.4	17	335	18.8	16	101	29.7	2	159	11.9	12	761	94.7	4	1,695	1.8	21
Greene	154	74.7	36	60	.	.	111	13.5	35	28	.	.	55	.	.	273	79.9	53	587	2.2	28

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: June 9, 2017

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Hamilton	92	.	.	39	.	.	57	.	.	21	.	.	38	.	.	168	86.3	25	360	3.3	46
Herkimer	292	74.0	39	116	22.4	32	246	16.3	27	63	.	.	113	6.2	37	561	85.0	32	1,186	2.0	24
Jefferson	1,013	76.7	26	456	29.2	18	684	18.3	17	321	28.7	3	452	14.4	5	1,509	75.9	59	3,640	1.3	12
Kings	23,045	89.8	5	8,928	57.6	2	17,055	33.9	2	4,874	16.0	17	8,707	11.2	16	42,608	90.3	11	88,250	1.1	10
Lewis	190	66.3	56	78	.	.	127	11.0	51	47	.	.	78	.	.	333	87.4	21	725	1.9	23
Livingston	231	77.5	23	81	.	.	157	12.1	48	47	.	.	80	.	.	382	88.5	18	826	1.5	18
Madison	1,052	68.8	52	410	27.1	19	833	13.0	38	227	16.7	14	397	8.1	31	2,009	79.5	54	4,205	2.9	38
Monroe	3,236	76.1	31	1,214	24.1	28	2,358	14.0	33	739	17.5	13	1,151	10.5	20	5,150	88.1	19	11,629	1.4	15
Montgomery	299	72.6	42	96	.	.	183	8.2	55	53	.	.	95	.	.	407	67.6	61	978	3.3	44
Nassau	3,611	84.1	10	1,258	39.8	7	2,407	19.2	12	706	7.1	26	1,228	2.4	44	4,808	88.5	17	11,486	0.6	3
New York	8,262	88.4	7	3,080	39.8	8	6,101	22.8	8	1,589	12.0	22	2,993	8.7	28	14,877	85.8	28	30,980	1.3	13
Niagara	1,012	62.4	58	365	17.8	44	751	10.0	52	212	21.7	7	341	10.6	19	1,504	89.4	13	3,483	3.8	50
Oneida	421	67.0	54	152	20.4	40	294	12.6	43	87	.	.	149	11.4	15	589	84.0	33	1,435	3.0	39
Onondaga	2,350	73.8	40	879	22.1	35	1,694	12.7	42	454	17.8	11	853	6.1	38	3,580	85.4	31	8,158	2.8	34
Ontario	375	80.8	14	145	24.8	25	276	15.9	28	96	.	.	145	14.5	4	551	80.8	48	1,331	2.4	32
Orange	1,990	85.6	8	796	49.5	3	1,473	32.6	4	458	17.5	12	746	10.9	17	3,895	88.7	16	8,067	1.9	22
Orleans	181	65.2	57	76	.	.	126	11.9	49	37	.	.	74	.	.	329	82.4	43	683	3.4	47
Oswego	698	66.5	55	239	20.1	41	448	12.3	45	155	16.1	16	235	9.4	24	1,025	76.2	58	2,348	5.1	57
Otsego	200	75.0	35	79	.	.	153	13.7	34	49	.	.	77	.	.	325	82.5	41	732	1.8	20
Putnam	203	84.7	9	117	38.5	10	221	28.1	6	56	.	.	111	9.0	26	495	94.5	5	964	0.2	2

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: June 9, 2017

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Queens	15,417	90.3	3	5,850	46.6	5	11,612	27.8	7	3,106	10.3	23	5,721	6.7	36	26,871	90.0	12	56,788	0.8	5
Rensselaer	740	71.6	45	278	22.3	34	485	16.7	23	170	15.9	18	264	6.8	35	1,132	83.0	37	2,526	3.0	40
Richmond	1,755	80.7	15	634	36.0	12	1,207	20.5	11	320	13.1	21	622	8.8	27	2,590	80.4	50	5,909	1.4	17
Rockland	2,494	95.0	1	1,085	72.8	1	2,103	54.0	1	625	44.6	1	1,064	38.6	1	5,588	98.0	1	10,993	0.1	1
Saratoga	471	74.3	37	179	32.4	15	345	17.1	22	110	22.7	5	175	13.1	7	707	96.3	2	1,665	1.0	9
Schenectady	797	71.4	46	268	22.4	33	526	11.2	50	157	19.1	10	260	7.3	34	1,084	80.3	51	2,591	1.6	19
Schoharie	125	77.6	22	50	.	.	90	.	.	25	.	.	45	.	.	208	91.3	9	457	2.2	27
Schuyler	72	.	.	38	.	.	67	.	.	21	.	.	38	.	.	130	89.2	14	286	2.4	33
Seneca	130	69.2	50	54	.	.	96	.	.	33	.	.	53	.	.	217	87.1	24	478	4.2	52
St. Lawrence	310	70.0	48	121	23.1	29	200	9.0	54	78	.	.	120	10.8	18	514	83.3	35	1,144	2.8	35
Steuben	454	76.2	30	168	24.4	26	342	17.3	21	96	.	.	163	12.9	8	699	83.1	36	1,627	3.1	41
Suffolk	5,645	82.5	12	1,785	34.4	13	3,607	18.8	15	1,002	8.7	24	1,704	5.2	40	6,867	85.8	27	17,211	0.9	6
Sullivan	433	80.6	16	157	24.8	23	317	17.4	20	105	26.7	4	152	12.5	11	775	80.1	52	1,668	2.9	37
Tioga	243	76.5	27	95	.	.	206	12.1	47	57	.	.	93	.	.	421	81.2	46	932	3.1	42
Tompkins	309	89.6	6	136	39.7	9	249	32.9	3	81	.	.	134	26.1	2	514	91.4	7	1,203	1.0	8
Ulster	487	72.5	43	149	24.8	24	316	17.4	18	86	.	.	149	8.1	32	593	88.9	15	1,492	1.1	11
Warren	246	77.2	25	104	23.1	30	195	15.9	29	51	.	.	102	11.8	14	385	82.3	44	901	3.3	45
Washington	313	71.9	44	133	21.1	37	216	5.6	56	69	.	.	132	9.8	21	573	96.0	3	1,236	1.4	14
Wayne	374	74.1	38	160	24.4	27	275	13.1	36	93	.	.	160	5.6	39	591	86.1	26	1,352	4.3	54
Westchester	3,823	91.8	2	1,587	48.0	4	3,162	28.4	5	746	15.7	19	1,503	9.5	23	7,610	82.9	39	15,331	0.7	4

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: June 9, 2017

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Wyoming	129	78.3	20	44	.	.	80	.	.	23	.	.	44	.	.	197	90.4	10	431	3.2	43
Yates	67	.	.	20	.	.	44	.	.	16	.	.	20	.	.	88	.	.	225	5.8	60
Total	110,786	84.8	.	42,276	41.4	.	82,262	24.2	.	22,815	15.1	.	40,939	9.2	.	190,734	86.8	.	409,321	1.5	.

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.

Run Date: June 9, 2017

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Albany	3,605	10.7	59	6.8	13	13,220	5.6	20	13,082	4.2	50	11.7	26	6,147	15.4	9	13.5	11	9,453	27.3	62
Allegany	685	9.1	45	6.6	10	2,659	7.0	39	2,653	1.4	13	10.1	9	1,265	18.7	57	11.5	2	1,948	14.0	39
Bronx	44,820	10.0	54	5.8	3	170,854	4.4	5	169,764	4.4	53	11.6	25	82,895	15.1	5	14.6	21	122,676	16.7	44
Broome	3,211	8.1	21	7.6	23	11,783	7.4	47	11,754	1.3	10	11.5	21	5,294	18.3	52	13.9	14	8,339	11.8	17
Cattaraugus	1,225	8.9	40	6.8	12	4,619	8.2	57	4,605	2.6	36	11.7	28	2,181	16.4	19	13.6	12	3,313	8.0	5
Cayuga	1,017	8.0	18	10.1	53	3,678	6.5	35	3,668	1.7	20	13.0	43	1,685	18.3	51	16.1	42	2,490	12.2	21
Chautauqua	2,504	8.9	39	6.7	11	9,395	7.7	52	9,360	1.8	22	12.5	36	4,348	16.5	23	15.7	33	6,717	15.7	42
Chemung	1,581	8.5	28	9.6	48	5,892	8.8	60	5,872	1.3	12	12.5	37	2,737	17.8	42	15.6	31	4,271	13.7	36
Chenango	1,067	7.8	14	10.9	59	4,160	6.2	30	4,147	2.1	28	13.6	51	1,927	15.5	12	17.2	52	3,037	6.6	2
Clinton	1,105	9.3	49	7.2	19	4,352	7.2	45	4,337	3.6	48	11.6	24	2,140	16.0	15	15.0	24	3,210	9.5	8
Columbia	735	7.1	8	9.0	35	2,840	5.2	13	2,811	2.4	33	14.7	60	1,305	16.9	30	18.6	59	2,065	18.7	54
Cortland	851	8.5	27	9.5	45	3,133	5.8	24	3,127	1.3	9	8.5	2	1,417	18.1	49	12.7	6	2,198	12.6	25
Delaware	559	7.5	12	6.8	14	2,328	6.2	31	2,319	3.3	45	15.8	62	1,145	17.6	38	19.0	60	1,739	18.2	53
Dutchess	2,544	9.4	51	7.3	21	9,100	4.8	9	9,078	1.6	14	9.6	7	4,127	17.4	36	12.8	8	6,391	12.6	24
Erie	13,885	10.5	57	6.4	8	48,938	5.5	19	48,607	5.1	60	10.6	14	22,006	14.5	3	12.8	7	34,259	22.2	60
Essex	438	8.2	24	7.3	20	1,896	8.5	58	1,893	1.8	23	13.6	50	946	18.4	53	16.4	47	1,418	12.3	22
Franklin	816	7.8	16	8.7	34	3,072	6.4	34	3,066	2.7	37	10.3	11	1,450	18.8	59	14.3	17	2,177	13.0	27
Fulton	882	9.3	48	9.2	40	2,891	6.0	27	2,882	3.5	47	11.3	19	1,219	15.4	11	16.9	48	1,973	10.0	11
Genesee	1,439	6.5	4	11.3	60	5,231	5.4	17	5,206	3.2	43	12.9	42	2,353	17.6	40	15.1	26	3,594	20.0	56
Greene	518	6.4	3	8.3	29	2,005	4.1	3	1,988	2.2	30	14.6	58	945	16.8	29	17.8	56	1,469	13.1	31

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Hamilton	135	10.4	56	10.4	55	540	8.1	56	537	2.2	31	12.3	34	253	15.4	10	17.0	51	395	11.9	18
Herkimer	1,000	8.6	31	10.1	52	3,924	9.0	62	3,919	1.6	18	13.0	44	1,862	17.3	35	15.3	28	2,883	12.5	23
Jefferson	3,265	7.2	10	9.2	42	11,709	5.7	23	11,695	1.6	15	9.9	8	4,950	17.5	37	13.4	9	8,282	11.3	15
Kings	72,091	8.8	37	6.0	5	279,599	5.1	12	277,838	4.9	57	9.4	6	135,253	14.5	2	11.7	3	202,908	13.8	38
Lewis	591	9.0	42	9.8	49	2,320	6.7	37	2,319	2.1	26	9.2	4	1,082	18.2	50	13.5	10	1,698	17.7	50
Livingston	687	10.0	55	7.1	17	2,525	7.6	50	2,520	0.6	2	14.2	55	1,156	19.0	60	15.1	25	1,802	11.7	16
Madison	2,555	8.0	19	8.5	30	10,042	7.2	44	10,013	2.9	39	12.2	33	4,876	16.7	27	16.0	38	7,410	17.6	49
Monroe	9,945	10.5	58	7.2	18	36,034	5.4	16	35,864	4.5	55	11.5	22	16,170	15.8	14	13.9	15	25,393	13.1	30
Montgomery	904	8.7	35	8.2	27	3,071	7.5	49	3,058	2.5	34	14.0	53	1,305	16.7	26	18.3	57	2,095	10.6	12
Nassau	10,672	9.2	47	6.2	6	34,623	4.7	8	34,382	5.8	62	14.0	52	14,553	16.2	17	20.0	61	23,149	16.4	43
New York	25,646	9.5	52	5.5	1	98,209	3.6	2	97,893	3.9	49	9.4	5	48,042	15.2	7	12.2	5	70,167	13.6	35
Niagara	3,187	8.7	34	6.8	15	10,944	5.0	11	10,880	5.1	59	11.3	17	4,831	17.0	31	15.8	34	7,597	9.6	9
Oneida	2,028	8.8	38	8.5	32	7,976	5.9	26	7,960	2.9	40	11.4	20	3,810	16.7	25	15.9	36	5,743	13.4	34
Onondaga	7,191	9.5	53	8.2	28	25,289	6.9	38	25,139	2.9	38	11.2	16	11,396	16.2	18	14.0	16	17,564	14.3	40
Ontario	1,201	7.6	13	9.5	44	4,357	5.0	10	4,356	1.2	7	13.1	45	1,886	18.5	55	17.0	50	3,042	17.0	46
Orange	6,063	7.2	9	7.6	22	25,737	7.0	41	25,648	3.4	46	9.0	3	12,822	17.3	34	11.9	4	19,100	20.4	57
Orleans	585	9.1	46	8.5	33	2,104	5.8	25	2,091	4.4	54	13.3	47	950	17.3	33	17.3	53	1,433	21.6	59
Oswego	2,003	6.9	7	9.3	43	7,346	7.8	54	7,325	1.6	17	12.7	40	3,293	19.5	61	16.3	45	5,265	13.0	28
Otsego	678	7.8	15	10.5	57	2,421	6.3	33	2,399	4.8	56	11.3	18	1,099	18.1	48	16.0	39	1,695	8.4	7
Putnam	732	8.6	32	5.9	4	3,075	3.3	1	3,068	2.3	32	10.7	15	1,564	17.0	32	15.6	32	2,299	9.8	10

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Queens	46,935	9.0	43	5.7	2	173,741	4.2	4	172,642	4.9	58	10.4	12	81,797	15.1	4	13.8	13	123,116	12.0	19
Rensselaer	2,226	8.9	41	9.5	46	8,209	6.1	28	8,149	4.2	52	12.4	35	3,758	15.2	8	14.4	19	5,933	17.1	48
Richmond	5,495	9.0	44	6.9	16	18,787	4.4	6	18,653	5.2	61	11.5	23	8,411	16.0	16	16.4	46	12,808	13.7	37
Rockland	7,489	6.2	2	7.7	25	33,107	7.1	43	33,063	3.2	44	7.8	1	16,656	16.5	21	10.4	1	24,478	13.1	29
Saratoga	1,442	7.4	11	10.5	56	5,014	5.6	21	4,992	3.1	41	11.8	29	2,157	18.5	54	14.8	22	3,457	12.9	26
Schenectady	2,384	10.8	60	7.7	24	8,390	9.0	61	8,217	2.5	35	15.2	61	3,748	16.5	22	14.9	23	5,856	25.9	61
Schoharie	372	12.6	62	9.1	39	1,462	7.0	40	1,452	2.1	25	12.6	38	705	16.5	20	16.0	40	1,079	17.7	51
Schuyler	238	11.8	61	11.3	61	906	8.6	59	905	0.4	1	13.4	49	415	16.6	24	18.6	58	662	7.6	4
Seneca	459	8.5	29	8.5	31	1,605	7.2	46	1,602	1.0	4	14.2	56	692	20.8	62	16.0	41	1,121	13.3	33
St. Lawrence	1,199	6.2	1	10.0	51	4,701	6.2	29	4,697	1.6	16	11.7	27	2,119	16.8	28	16.0	37	3,421	8.3	6
Steuben	1,452	6.8	6	9.1	37	5,220	7.4	48	5,217	1.3	11	11.8	30	2,323	18.0	47	15.2	27	3,616	10.7	13
Suffolk	16,705	8.4	26	6.5	9	52,717	5.5	18	52,402	4.2	51	14.7	59	21,591	18.0	46	21.0	62	34,239	15.1	41
Sullivan	1,346	9.4	50	8.2	26	5,162	7.6	51	5,134	1.9	24	12.1	32	2,431	18.8	58	15.9	35	3,734	12.1	20
Tioga	788	7.9	17	12.4	62	3,013	6.3	32	3,004	1.8	21	12.1	31	1,398	15.6	13	17.0	49	2,150	21.3	58
Tompkins	1,025	8.2	23	9.1	36	3,718	5.3	14	3,705	2.1	27	10.4	13	1,648	15.2	6	14.6	20	2,653	13.2	32
Ulster	1,525	8.3	25	9.1	38	4,814	5.7	22	4,779	3.2	42	10.2	10	1,948	18.6	56	15.5	30	3,170	17.0	47
Warren	776	8.0	20	10.6	58	2,888	7.8	53	2,879	1.7	19	14.1	54	1,318	17.8	43	15.3	29	2,074	4.8	1
Washington	958	8.1	22	10.2	54	3,977	7.1	42	3,964	1.1	5	14.4	57	1,915	17.7	41	17.8	55	2,906	11.0	14
Wayne	1,156	8.6	30	9.9	50	4,279	5.4	15	4,271	1.3	8	12.9	41	1,953	18.0	45	16.2	43	3,056	18.0	52
Westchester	12,108	8.8	36	6.3	7	48,518	4.5	7	48,351	2.2	29	12.6	39	24,394	17.6	39	16.2	44	35,863	16.8	45

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Wyoming	356	8.7	33	9.6	47	1,332	8.0	55	1,329	0.9	3	13.2	46	632	14.4	1	14.4	18	963	7.4	3
Yates	185	6.5	5	9.2	41	750	6.7	36	748	1.2	6	13.4	48	357	17.9	44	17.4	54	549	19.5	55
Total	341,265	9.0	.	6.6	.	1,276,201	5.2	.	1,269,278	4.1	.	10.9	.	601,051	15.7	.	13.9	.	909,561	14.7	.

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Albany	3,622	77.4	22	1,394	27.8	20	2,627	15.8	21	792	20.1	24	1,297	9.5	26	5,682	76.0	59	13,200	3.0	31
Allegany	684	71.1	46	274	21.9	37	522	12.6	37	167	22.2	14	266	10.2	21	1,237	86.0	26	2,652	6.6	60
Bronx	44,962	89.1	4	17,492	41.6	7	34,169	20.1	10	9,034	6.0	56	17,048	3.5	59	82,880	79.2	50	171,124	1.8	15
Broome	3,217	74.9	29	1,289	22.3	32	2,353	13.1	35	704	20.0	25	1,250	6.2	54	5,110	83.9	33	11,750	3.7	42
Cattaraugus	1,239	71.7	44	492	22.8	31	925	11.0	53	252	23.8	7	483	10.8	17	2,134	79.4	48	4,614	5.8	59
Cayuga	1,020	72.5	41	381	20.7	44	706	13.5	33	211	22.7	12	375	13.1	7	1,659	91.3	9	3,682	3.9	45
Chautauqua	2,530	66.6	58	1,039	19.0	54	1,873	11.2	49	550	17.8	35	967	11.4	13	4,183	83.2	36	9,307	7.9	62
Chemung	1,594	69.2	52	606	19.3	50	1,172	11.1	50	332	15.7	43	593	7.8	37	2,641	78.9	51	5,884	4.9	55
Chenango	1,068	76.5	25	428	20.8	42	707	10.6	54	219	18.3	33	425	13.2	6	1,873	95.6	4	4,162	7.2	61
Clinton	1,101	78.7	15	473	24.7	26	896	14.5	28	240	22.9	10	464	9.9	23	2,096	85.5	29	4,330	3.1	33
Columbia	734	75.3	27	296	29.7	14	544	16.7	17	139	21.6	16	291	9.3	28	1,268	78.2	54	2,831	2.4	25
Cortland	858	72.8	39	359	21.7	38	644	14.6	26	184	20.1	23	352	5.1	57	1,378	92.6	7	3,125	3.1	32
Delaware	556	75.2	28	237	20.3	45	415	13.7	32	119	21.8	15	214	7.5	39	1,108	83.7	34	2,325	3.9	44
Dutchess	2,562	79.6	13	927	32.8	13	1,861	21.7	9	562	18.9	29	884	9.7	25	4,042	78.5	53	9,083	3.3	36
Erie	13,925	67.3	56	5,161	19.4	49	10,213	11.7	44	2,617	15.0	46	4,816	7.7	38	21,672	84.0	32	48,796	2.4	22
Essex	438	78.5	16	182	23.6	29	356	14.3	29	95	.	.	171	11.7	12	922	87.0	20	1,897	2.2	20
Franklin	817	68.1	55	313	21.1	41	609	11.5	46	161	19.3	27	292	12.3	9	1,432	81.1	44	3,077	4.4	52
Fulton	884	62.1	62	352	15.3	60	567	8.8	59	204	13.2	49	351	4.3	58	1,193	77.1	56	2,884	5.5	58
Genesee	1,442	73.9	35	562	27.9	19	1,051	15.3	22	333	24.9	6	557	11.1	14	2,324	94.3	6	5,229	2.3	21
Greene	520	73.8	36	201	18.4	55	372	11.6	45	104	20.2	22	191	6.8	44	925	80.4	46	2,007	4.4	51

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Hamilton	134	74.6	30	62	.	.	85	.	.	33	.	.	60	.	.	250	86.0	27	539	2.8	29
Herkimer	1,000	71.4	45	418	21.5	39	780	14.6	24	234	18.4	31	414	9.9	24	1,803	86.7	22	3,909	1.8	16
Jefferson	3,278	76.4	26	1,433	28.1	18	2,130	17.3	15	976	28.8	4	1,426	11.0	15	4,784	75.3	61	11,581	1.7	13
Kings	72,260	88.0	6	27,837	56.1	2	52,426	32.9	2	15,101	15.1	45	27,062	10.5	19	135,688	89.1	12	278,999	1.2	9
Lewis	593	68.8	53	251	19.5	48	397	12.8	36	152	21.1	20	251	6.4	51	1,049	87.6	16	2,311	3.5	38
Livingston	690	73.3	37	267	25.8	22	479	16.5	18	167	22.8	11	265	11.7	11	1,120	88.1	15	2,511	2.1	19
Madison	2,557	69.5	49	1,061	23.8	28	1,922	12.2	41	532	15.6	44	1,026	6.6	48	4,781	83.2	37	10,007	3.6	41
Monroe	9,974	74.0	34	3,781	22.2	33	7,179	12.3	39	2,250	17.2	38	3,573	8.8	29	15,850	86.0	25	35,900	1.9	17
Montgomery	906	70.8	47	304	19.1	52	588	8.5	60	164	18.3	32	301	8.0	35	1,274	69.4	62	3,065	3.9	43
Nassau	10,679	83.8	9	3,631	36.4	10	7,181	15.9	20	1,945	6.6	55	3,547	2.9	60	14,720	85.3	30	34,665	0.5	2
New York	25,690	87.3	7	9,783	39.5	8	19,315	22.6	8	5,139	9.7	52	9,491	6.3	53	47,703	83.0	40	98,272	1.5	12
Niagara	3,181	63.2	61	1,163	16.9	59	2,299	9.3	56	644	19.1	28	1,104	8.1	33	4,770	87.0	21	10,926	4.5	53
Oneida	2,031	69.5	50	698	19.6	47	1,552	11.1	51	386	17.4	37	659	6.5	50	3,654	88.9	13	7,967	2.4	23
Onondaga	7,219	69.4	51	2,657	21.9	36	5,035	13.3	34	1,444	16.9	40	2,601	6.8	45	11,014	84.0	31	25,042	2.7	28
Ontario	1,211	78.0	18	463	24.4	27	920	14.2	30	270	20.4	21	456	12.1	10	1,808	80.4	47	4,321	2.8	30
Orange	6,066	83.4	10	2,666	49.8	3	4,503	31.6	3	1,523	16.9	41	2,527	10.2	20	12,479	87.4	17	25,654	1.9	18
Orleans	591	66.7	57	246	18.3	56	418	11.2	48	126	27.8	5	239	8.8	30	940	83.4	35	2,107	4.1	50
Oswego	2,012	66.5	59	816	19.1	51	1,352	11.4	47	487	17.7	36	810	7.3	41	3,201	76.1	58	7,324	5.4	56
Otsego	681	76.7	24	258	22.1	34	499	12.2	40	155	31.6	3	252	15.1	5	1,087	78.7	52	2,431	2.6	26
Putnam	737	86.0	8	326	38.7	9	613	26.3	6	175	11.4	50	315	6.7	46	1,546	94.4	5	3,077	1.0	7

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Number	%	Rk	Number	%	Rk
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk						
Queens	47,057	89.0	5	17,729	45.6	4	34,925	26.5	5	9,136	8.5	54	17,240	5.4	55	82,824	88.4	14	173,962	0.9	3
Rensselaer	2,240	70.5	48	886	19.1	53	1,627	12.4	38	484	14.7	47	845	7.0	43	3,655	76.8	57	8,201	4.0	46
Richmond	5,513	79.9	12	1,848	34.9	11	3,643	19.9	11	991	11.0	51	1,808	6.6	47	8,583	75.9	60	18,844	1.4	11
Rockland	7,514	95.0	1	3,225	71.3	1	6,304	52.3	1	1,834	44.6	2	3,139	35.5	1	16,703	97.7	1	33,091	0.1	1
Saratoga	1,443	74.5	31	554	25.6	24	1,005	14.1	31	338	21.3	18	538	8.7	31	2,098	96.0	3	5,007	1.2	10
Schenectady	2,399	72.0	43	881	19.9	46	1,638	10.3	55	517	17.0	39	867	7.0	42	3,668	79.3	49	8,418	2.4	24
Schoharie	373	72.7	40	176	28.4	17	292	17.5	14	96	.	.	163	22.7	2	689	92.2	8	1,459	4.0	49
Schuyler	240	77.1	23	106	17.0	58	190	11.1	52	56	.	.	102	7.8	36	401	85.8	28	905	3.2	34
Seneca	458	68.8	54	195	17.4	57	338	8.3	61	109	16.5	42	193	9.3	27	677	87.3	18	1,602	4.0	47
St. Lawrenc	1,202	66.3	60	510	21.4	40	787	11.9	42	293	21.5	17	508	8.7	32	2,062	83.2	38	4,701	3.6	40
Steuben	1,460	74.2	33	509	23.0	30	1,028	14.6	27	303	23.4	9	497	10.1	22	2,244	86.2	23	5,189	3.3	35
Suffolk	16,713	82.4	11	5,524	32.9	12	10,931	17.2	16	2,933	9.0	53	5,206	5.2	56	21,330	83.0	39	52,633	1.0	6
Sullivan	1,356	78.2	17	501	29.1	16	962	19.2	12	279	23.7	8	482	12.4	8	2,333	81.0	45	5,145	2.6	27
Tioga	795	79.0	14	337	25.8	23	616	15.3	23	189	22.2	13	329	10.9	16	1,370	81.6	43	3,012	4.7	54
Tompkins	1,028	90.3	3	380	41.8	6	738	27.9	4	219	44.7	1	363	22.3	3	1,565	89.7	10	3,703	1.0	5
Ulster	1,531	74.5	32	489	25.4	25	999	15.9	19	316	19.9	26	486	7.4	40	1,936	86.2	24	4,812	1.1	8
Warren	782	77.4	21	302	26.2	21	582	14.6	25	156	21.2	19	294	10.5	18	1,291	82.8	41	2,888	3.6	39
Washington	966	72.3	42	405	20.7	43	696	9.1	58	217	18.0	34	394	6.3	52	1,871	96.4	2	3,975	1.7	14
Wayne	1,159	73.3	38	472	22.0	35	869	11.9	43	266	18.8	30	469	6.6	49	1,868	87.0	19	4,257	4.0	48
Westchester	12,136	90.6	2	4,952	45.4	5	9,558	26.2	7	2,439	13.5	48	4,704	8.1	34	23,807	82.5	42	48,431	0.9	4

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: June 9, 2017

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Wyoming	357	77.9	19	136	29.4	15	247	19.0	13	91	.	.	136	16.9	4	609	89.3	11	1,335	3.4	37
Yates	185	77.8	20	81	.	.	141	9.2	57	54	.	.	79	.	.	343	77.8	55	745	5.4	57
Total	342,170	83.5	.	130,777	40.3	.	250,371	23.0	.	70,238	14.1	.	126,508	8.1	.	597,207	85.3	.	1,274,882	1.7	.

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.