

Run Date: June 9, 2017

Table 1C Summary of Demographic Indicators for Children Aged < 5 Years (1,2,3)

Total Records	Number
Individual Children	411,311
Total Records (All Visits)	420,108

Source of Data	Number	Rate (%)
WIC	411,311	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	411,311	100.0
<i>Excluded Unknown: 0 0.0%</i>		

Racial & Ethnic Distribution	Number	Rate (%)
non-Hispanic White	111,700	27.2
non-Hispanic Black	88,933	21.6
Hispanic/Latino	153,244	37.3
American Indian/Alaskan Native (AI/AN)	4,278	1.0
Asian/Pacific Islander (A/P Islander)	45,204	11.0
Multiple Races	7,747	1.9
Others	0	0.0
Total	411,106	100.0
<i>Excluded Unknown: 205 0.0%</i>		

Age Distribution	Number	Rate (%)
0-11 Months	122,975	29.9
12-23 Months	96,608	23.5
24-35 Months	75,159	18.3
36-47 Months	64,929	15.8
48-59 Months	51,640	12.6
Total	411,311	100.0
<i>Excluded Unknown: 0 0.0%</i>		

% of Poverty Level	Number	Rate (%)
0-50	132,539	32.6
51-100	165,292	40.7
101-130	50,637	12.5
131-150	17,661	4.3
151-185	21,258	5.2
186-200	2,045	0.5
Over 200	5,847	1.4
Adjunctive Eligibility	11,149	2.7
Total	406,428	100.0
<i>Excluded Unknown: 4,883 1.2%</i>		

Program	Participation	Number	Rate (%)
WIC	Yes	411,311	100.0
	No	0	0.0
	Total	411,311	100.0
<i>Excl Unkn: 0 0.0%</i>			
SNAP	Yes	151,950	37.0
	No	258,711	63.0
	Total	410,661	100.0
<i>Excl Unkn: 650 0.2%</i>			
Medicaid	Yes	353,953	86.2
	No	56,691	13.8
	Total	410,644	100.0
<i>Excl Unkn: 667 0.2%</i>			
TANF	Yes	30,634	7.5
	No	380,382	92.5
	Total	411,016	100.0
<i>Excl Unkn: 295 0.1%</i>			

Migrant Status	Number	Rate (%)
Yes	1,079	0.3
No	410,232	99.7
Total	411,311	100.0
<i>Excluded Unknown: 0 0.0%</i>		

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 9, 2017

Table 2C Summary of Health Indicators for Children Aged < 5 Years (1,2,3)

Birth Weight (4)	Number	Rate (%)
Low (< 2500g)	10,419	9.4
Normal	93,029	84.2
High (> 4000g)	7,040	6.4
Total	110,488	100.0

Growth (5,6)	Status	Number	Rate (%)
Short Stature	Yes	22,197	5.4
	No	387,470	94.6
	Total	409,667	100.0
Weight & Height	Underweight	18,048	4.4
	Healthy & Overweight	346,451	85.1
	Obese	42,577	10.5
	Total	407,076	100.0
BMI (2-4 Years)	Underweight	7,739	4.1
	Healthy Weight	126,943	66.8
	Overweight	29,407	15.5
	Obese	25,953	13.7
	Total	190,042	100.0

Anemic (7)	Status	Number	Rate (%)
Low Hemoglobin	Yes	42,862	15.0
	No	242,791	85.0
	Total	285,653	100.0
Low Hematocrit	Yes	421	9.3
	No	4,105	90.7
	Total	4,526	100.0
Low Hb/Hct	Yes	43,283	14.9
	No	246,896	85.1
	Total	290,179	100.0

Breastfeeding (8)	Status	Number	Rate (%)
Ever Breastfed	Yes	93,908	84.8
	No	16,878	15.2
	Total	110,786	100.0
BF 6+ Months	Yes	17,505	41.4
	No	24,771	58.6
	Total	42,276	100.0
BF 12+ Months	Yes	19,920	24.2
	No	62,342	75.8
	Total	82,262	100.0

Smoking in Household	Number	Rate (%)
Yes	6,236	1.5
No	403,085	98.5
Total	409,321	100.0

≤ 2 Hours TV Viewing Daily (9)	Number	Rate (%)
Yes	165,497	86.8
No	25,237	13.2
Total	190,734	100.0

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Infants born during the reporting period are included in the analysis.
- (5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age ≤ 2.3rd percentile, Underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as ≥ 97.7th percentile.
- (6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and Obese is defined as ≥ 95th percentile.
- (7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.
- (8) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
- (9) Children aged 2 years and older are included in the analysis.

Run Date: June 9, 2017

Table 3C Summary of Breastfeeding Indicators for Children Aged < 5 Years (1,2,3)

Ever Breastfed (4)	Number	Rate (%)
Yes	93,908	84.8
No	16,878	15.2
Total	110,786	100.0

BF Duration (Weeks) (5,6)	Status	Number	Rate (%)
1+ Weeks	Yes	73,630	78.4
	No	20,306	21.6
	Total	93,936	100.0
2+ Weeks	Yes	48,917	76.8
	No	14,801	23.2
	Total	63,718	100.0
3+ Weeks	Yes	33,306	74.5
	No	11,404	25.5
	Total	44,710	100.0
4+ Weeks	Yes	24,690	72.6
	No	9,336	27.4
	Total	34,026	100.0
6+ Weeks	Yes	15,739	65.7
	No	8,216	34.3
	Total	23,955	100.0

Exclusive BF (5,6,7)	Status	Number	Rate (%)
1+ Months	Yes	7,377	24.3
	No	22,974	75.7
	Total	30,351	100.0
3+ Months	Yes	3,440	15.1
	No	19,375	84.9
	Total	22,815	100.0
6+ Months	Yes	3,748	9.2
	No	37,191	90.8
	Total	40,939	100.0

BF Duration (Months) (5,6)	Status	Number	Rate (%)
2+ Months	Yes	12,928	62.5
	No	7,748	37.5
	Total	20,676	100.0
3+ Months	Yes	13,012	55.3
	No	10,502	44.7
	Total	23,514	100.0
4+ Months	Yes	14,421	49.7
	No	14,584	50.3
	Total	29,005	100.0
5+ Months	Yes	16,095	45.5
	No	19,295	54.5
	Total	35,390	100.0
6+ Months	Yes	17,505	41.4
	No	24,771	58.6
	Total	42,276	100.0
9+ Months	Yes	18,954	30.3
	No	43,534	69.7
	Total	62,488	100.0
12+ Months	Yes	19,920	24.2
	No	62,342	75.8
	Total	82,262	100.0
18+ Months	Yes	826	9.4
	No	7,973	90.6
	Total	8,799	100.0

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Infants born during the reporting period are included in the Ever Breastfed analysis.
- (5) For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ Months analysis.
- (6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ Weeks of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Run Date: June 9, 2017

Table 8C Growth and Anemia Indicators by Race/Ethnicity or Age for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
	Number	Low (%)	High (%)	Number	Short (%)	Number	Under Wt (%)	Obese (%)	Number	Over Wt (%)	Obese (%)	Number	Low (%)
non-Hisp. White	29,259	7.9	8.6	111,341	7.0	110,876	3.7	9.3	51,075	15.5	11.7	79,743	13.2
non-Hisp. Black	25,760	13.0	4.9	88,495	5.5	87,597	6.0	9.8	39,346	14.0	12.2	60,366	20.9
Hispanic/Latino	39,747	8.3	6.2	152,722	4.6	151,861	3.4	12.7	73,060	17.3	17.0	109,696	14.2
AI/AN	1,249	12.2	5.9	4,264	5.2	4,226	6.9	9.9	1,898	13.5	13.3	2,919	14.7
A/P Islander	12,303	8.7	4.4	45,085	4.1	44,806	6.6	6.9	21,149	11.9	9.2	32,012	10.2
Multiple Races	2,154	9.7	8.6	7,720	6.0	7,671	4.2	11.7	3,501	16.4	15.0	5,422	15.4
Others/Unknown	16	.	.	40	.	39	.	.	13	.	.	21	.
Total	110,488	9.4	6.4	409,667	5.4	407,076	4.4	10.5	190,042	15.5	13.7	290,179	14.9

Age	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
	Number	Low (%)	High (%)	Number	Short (%)	Number	Under Wt (%)	Obese (%)	Number	Over Wt (%)	Obese (%)	Number	Low (%)
0-11 Months	110,488	9.4	6.4	126,184	8.2	124,052	7.7	5.0	0	.	.	55,895	18.8
12-23 Months	0	.	.	93,134	5.6	92,982	0.8	11.1	0	.	.	67,446	15.0
24-35 Months	0	.	.	73,188	3.6	73,107	4.3	11.4	73,107	14.8	11.4	67,126	15.6
36-47 Months	0	.	.	63,800	3.6	63,686	4.0	14.4	63,686	15.8	14.4	60,836	12.6
48-59 Months	0	.	.	53,361	3.1	53,249	3.9	15.8	53,249	15.9	15.8	38,874	11.6
Total	110,488	9.4	6.4	409,667	5.4	407,076	4.4	10.5	190,042	15.5	13.7	290,177	14.9

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

(7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 9C Breastfeeding, Daily TV Viewing, and Smoking in Household by Race/Ethnicity or Age for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	BF Ever (4)		BF 6+ Months (4,5)		BF 12+ Months (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
non-Hispanic White	29,338	80.1	11,887	43.5	21,823	29.8	50,780	90.8	111,239	2.1
non-Hispanic Black	25,846	84.1	8,944	37.7	17,970	19.4	39,569	81.0	88,611	1.9
Hispanic/Latino	39,849	89.0	15,711	41.8	31,280	23.8	73,476	86.1	152,475	0.9
American Indian/Alaskan Native	1,253	89.2	461	47.3	858	26.7	1,911	84.8	4,266	1.1
Asian/Pacific Islander	12,323	85.3	4,474	44.3	8,788	23.2	21,506	90.6	44,993	1.5
Multiple Races	2,160	73.4	794	23.7	1,538	13.6	3,483	84.5	7,708	3.1
Others/Unknown	17	.	5	.	5	.	9	.	29	.
Total	110,786	84.8	42,276	41.4	82,262	24.2	190,734	86.8	409,321	1.5

Age	BF Ever (4)		BF 6+ Months (4,5)		BF 12+ Months (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
0-11 Months	110,786	84.8	4,305	46.8	0	.	0	.	122,059	1.4
12-23 Months	0	.	37,971	40.8	82,262	24.2	0	.	96,249	1.5
24-35 Months	0	.	0	.	0	.	74,862	88.3	74,889	1.6
36-47 Months	0	.	0	.	0	.	64,578	86.1	64,705	1.6
48-59 Months	0	.	0	.	0	.	51,294	85.4	51,419	1.7
Total	110,786	84.8	42,276	41.4	82,262	24.2	190,734	86.8	409,321	1.5

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) Children aged 2 years and older included in the analysis.

Run Date: June 9, 2017

Table 10C Trends in Race/Ethnicity Distribution for Children Aged < 5 Years (1,2,3)

Year	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
2016	411,311	27.2	21.6	37.3	1.0	11.0	1.9	0.0
2015	427,564	27.5	22.0	37.3	1.1	10.2	1.9	0.1
2014	442,335	27.7	22.4	37.3	1.1	9.6	1.9	0.0
2013	454,919	27.8	22.5	37.3	1.1	9.3	2.0	0.0
2012	456,684	27.8	22.6	37.5	1.1	9.0	2.0	0.0
2011	509,148	27.9	22.7	37.8	1.1	8.4	2.0	0.1
2010	502,099	28.0	22.8	38.0	1.1	8.0	2.0	0.1
2009	511,792	28.0	23.2	38.0	1.0	7.8	1.9	0.1
2008	492,610	28.1	23.6	37.9	0.9	7.8	1.7	0.0
2007	469,617	28.1	24.0	37.7	0.8	7.7	1.6	0.1
2006	467,411	28.3	24.7	37.5	0.7	7.3	1.5	0.0
2005	468,900	28.1	25.2	36.5	0.5	7.2	1.0	1.5
2004	466,388	27.5	25.3	34.9	0.3	6.9	0.6	4.4
2003	452,274	27.4	25.5	33.8	0.3	6.6	0.4	6.0
2002	443,180	27.3	25.8	33.0	0.3	6.3	0.2	7.0
2001	431,366	27.5	26.5	33.9	0.4	5.9	0.0	5.8
2000	440,217	28.5	27.8	33.3	0.7	6.0	0.0	3.7
1999	393,918	27.2	29.2	33.9	0.4	6.0	0.0	3.3
1998	462,039	30.6	29.2	31.2	0.4	5.2	0.0	3.3
1997	459,941	31.2	29.2	31.1	0.5	4.8	0.0	3.2

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 9, 2017

Table 11C Trends in Age Distribution for Children Aged < 5 Years (1,2,3)

Year	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
2016	411,311	29.9	23.5	18.3	15.8	12.6
2015	427,564	30.0	23.2	17.9	15.5	13.5
2014	442,335	29.9	23.0	17.9	16.7	12.5
2013	454,919	29.5	23.0	19.6	15.4	12.6
2012	456,684	30.3	25.0	17.2	15.2	12.4
2011	509,148	28.1	25.3	17.2	15.2	14.2
2010	502,099	28.2	25.7	17.4	15.2	13.6
2009	511,792	28.8	25.9	17.3	14.7	13.3
2008	492,610	29.8	26.1	16.7	14.3	13.1
2007	469,617	30.7	25.5	16.4	14.3	13.1
2006	467,411	30.5	25.2	16.5	14.5	13.4
2005	468,900	29.8	25.4	16.8	14.6	13.4
2004	466,388	30.1	25.6	16.6	14.6	13.1
2003	452,274	31.0	25.5	16.5	14.3	12.7
2002	443,180	31.9	25.5	16.2	13.9	12.4
2001	431,366	31.0	23.8	17.4	15.2	12.6
2000	440,217	32.3	23.3	16.9	15.0	12.4
1999	393,918	31.0	22.9	17.6	15.8	12.7
1998	462,039	31.8	22.2	17.3	15.7	13.0
1997	459,941	32.0	21.7	17.5	15.9	12.9

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 9, 2017

Table 12C Trends in Growth and Anemia Indicators for Children Aged < 5 Years (1,2,3)

Year	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
	Number	Low (%)	High (%)	Number	Short (%)	Number	Under Wt (%)	Obese (%)	Number	Over Wt (%)	Obese (%)	Number	Low (%)
2016	110,488	9.4	6.4	409,667	5.4	407,076	4.4	10.5	190,042	15.5	13.7	290,179	14.9
2015	113,465	8.9	6.5	425,799	5.3	423,179	4.4	10.5	198,202	15.6	13.7	303,938	14.8
2014	117,312	8.7	6.8	440,735	4.8	439,023	3.4	11.7	212,807	15.9	14.4	315,444	14.4
2013	119,130	8.7	6.7	453,193	4.5	452,030	2.8	12.4	224,906	16.0	14.9	325,353	14.4
2012	124,252	8.6	6.5	454,963	4.4	453,788	2.7	12.6	219,043	16.2	15.1	322,732	13.8
2011	126,263	8.7	6.5	506,224	5.0	503,296	3.7	12.2	233,566	16.6	15.2	373,138	12.7
2010	125,391	8.8	6.6	499,265	5.0	496,487	3.6	12.5	227,732	16.8	15.4	365,630	12.6
2009	131,102	8.9	6.6	508,666	4.9	506,569	2.9	13.1	227,746	17.1	15.3	369,230	12.1
2008	130,568	8.9	6.7	489,270	4.8	487,054	3.1	13.0	213,139	17.3	15.4	350,055	12.4
2007	128,809	8.7	6.7	466,028	4.7	463,564	3.4	12.8	201,267	17.2	15.6	328,309	12.0
2006	127,394	8.9	6.7	463,801	4.7	461,855	2.9	13.1	202,828	17.1	15.7	327,340	11.0
2005	124,905	8.9	6.9	464,850	4.7	462,584	3.2	13.1	204,918	16.7	15.8	331,605	11.0
2004	125,083	8.7	7.2	460,822	5.0	457,735	3.6	13.6	200,818	17.0	16.9	328,666	12.4
2003	124,246	8.5	7.6	444,088	5.3	439,785	4.6	13.7	190,134	16.5	17.6	314,719	13.1
2002	121,199	8.9	7.6	434,491	5.4	429,611	5.1	13.4	182,467	15.9	17.6	307,300	13.9
2001	53,340	7.3	8.5	422,797	5.6	417,675	5.5	13.5	191,140	15.9	17.3	313,518	15.0
2000	86,940	8.8	8.3	430,811	5.2	425,900	5.7	13.4	193,274	16.0	17.2	320,619	14.4
1999	78,096	9.1	8.1	390,409	5.0	386,900	5.7	12.6	180,682	15.7	16.3	307,777	15.0
1998	93,741	9.2	8.4	457,461	5.1	453,441	5.7	12.3	211,237	15.6	15.6	365,790	14.9
1997	89,596	9.5	8.0	455,605	5.3	451,976	5.6	12.2	211,708	15.2	15.1	369,076	14.5

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

(7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 13C Trends in Breastfeeding, Daily TV Viewing, and Smoking in Household for Children Aged < 5 Years (1,2,3)

Year	BF Ever (4)		BF 6+ Months (4,5)		BF 12+ Months (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
2016	110,786	84.8	42,276	41.4	82,262	24.2	190,734	86.8	409,321	1.5
2015	113,806	83.4	43,697	39.5	83,060	22.8	199,225	85.3	425,349	1.7
2014	117,578	82.4	44,804	39.9	85,049	22.1	207,248	83.8	440,212	1.9
2013	119,403	81.2	46,799	39.2	89,514	21.4	214,870	82.7	452,535	2.1
2012	124,622	80.1	46,966	38.0	92,356	20.4	203,230	81.4	454,187	2.3
2011	126,686	78.7	48,133	38.3	90,911	20.6	252,438	79.6	506,223	2.8
2010	125,779	76.9	45,492	38.2	90,038	19.7	245,985	78.9	498,863	3.0
2009	131,550	74.4	46,939	38.8	92,565	22.8	246,764	78.7	508,423	3.0
2008	131,145	73.8	47,556	41.2	91,415	26.1	231,228	78.1	488,866	3.2
2007	129,207	72.0	43,834	39.7	85,180	23.4	218,203	78.6	466,304	2.6
2006	107,385	67.2	34,481	32.9	72,455	18.1	220,219	76.2	464,272	2.9
2005	105,698	66.0	41,901	38.9	83,140	24.6	180,831	72.6	399,544	3.6
2004	124,760	66.5	43,584	38.4	84,304	22.5	127,729	62.9	309,893	4.4
2003	124,436	64.6	41,405	33.0	80,524	17.2	129,863	58.8	286,979	4.9
2002	122,852	62.0	41,411	30.2	79,003	15.0	135,527	58.6	286,103	6.0

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) Children aged 2 years and older included in the analysis.

Run Date: June 9, 2017

Table 16C Growth Indicators by Race/Ethnicity and Age for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Age	Stature (4,5)		Weight & Height (4,5)			BMI (2-4 Years) (5)		
		Number	Short (%)	Number	UnderWt (%)	Obese (%)	Number	OverWt (%)	Obese (%)
non-Hispanic White	0-11 Months	34,950	8.9	34,579	6.4	4.7	0	.	.
	12-23 Months	25,242	7.9	25,222	0.7	10.6	0	.	.
	24-35 Months	19,949	5.5	19,932	3.5	10.4	19,932	14.9	10.4
	36-47 Months	17,073	5.3	17,037	3.2	12.2	17,037	16.1	12.2
	48-59 Months	14,127	4.8	14,106	3.1	12.9	14,106	15.9	12.9
	Subtotal		111,341	7.0	110,876	3.7	9.3	51,075	15.5
non-Hispanic Black	0-11 Months	28,709	10.5	27,929	10.1	5.6	0	.	.
	12-23 Months	20,369	4.7	20,322	1.2	10.9	0	.	.
	24-35 Months	15,368	2.4	15,343	5.7	10.3	15,343	13.5	10.3
	36-47 Months	13,130	2.3	13,113	5.3	12.9	13,113	13.9	12.9
	48-59 Months	10,919	1.8	10,890	5.3	14.2	10,890	14.8	14.2
	Subtotal		88,495	5.5	87,597	6.0	9.8	39,346	14.0
Hispanic/Latino	0-11 Months	44,502	6.9	43,831	6.8	5.5	0	.	.
	12-23 Months	35,041	4.9	34,970	0.5	12.7	0	.	.
	24-35 Months	27,823	3.1	27,798	3.0	13.9	27,798	16.6	13.9
	36-47 Months	24,689	3.3	24,641	2.6	17.9	24,641	17.7	17.9
	48-59 Months	20,667	2.8	20,621	2.6	20.2	20,621	17.7	20.2
	Subtotal		152,722	4.6	151,861	3.4	12.7	73,060	17.3
Am. Indian/Alask. Native	0-11 Months	1,400	8.2	1,368	10.4	4.9	0	.	.
	12-23 Months	961	5.3	960	0.4	10.4	0	.	.
	24-35 Months	741	3.2	738	7.6	11.2	738	12.6	11.2
	36-47 Months	627	2.2	626	7.7	14.4	626	13.3	14.4
	48-59 Months	535	3.2	534	7.9	14.8	534	15.2	14.8
	Subtotal		4,264	5.2	4,226	6.9	9.9	1,898	13.5

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age \leq 2.3rd percentile, Underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as \geq 97.7th percentile.

(5) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and Obese is defined as \geq 95th percentile.

Run Date: June 9, 2017

Table 16C Growth Indicators by Race/Ethnicity and Age for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Age	Stature (4,5)		Weight & Height (4,5)			BMI (2-4 Years) (5)		
		Number	Short (%)	Number	UnderWt (%)	Obese (%)	Number	OverWt (%)	Obese (%)
Asian/Pacific Islander	0-11 Months	14,180	6.1	13,944	8.8	3.5	0	.	.
	12-23 Months	9,724	4.3	9,713	1.6	7.0	0	.	.
	24-35 Months	7,936	2.6	7,925	7.8	7.2	7,925	11.2	7.2
	36-47 Months	7,072	2.9	7,063	7.6	10.2	7,063	12.0	10.2
	48-59 Months	6,173	2.4	6,161	6.8	10.5	6,161	12.6	10.5
	Subtotal		45,085	4.1	44,806	6.6	6.9	21,149	11.9
Multiple Races	0-11 Months	2,419	9.6	2,378	7.0	5.7	0	.	.
	12-23 Months	1,794	5.6	1,792	1.1	13.3	0	.	.
	24-35 Months	1,364	4.9	1,364	4.0	13.6	1,364	16.3	13.6
	36-47 Months	1,205	3.2	1,202	3.5	14.4	1,202	17.2	14.4
	48-59 Months	938	2.5	935	4.8	18.0	935	15.6	18.0
	Subtotal		7,720	6.0	7,671	4.2	11.7	3,501	16.4
Others/Unknown	0-11 Months	24	.	23	.	.	0	.	.
	12-23 Months	3	.	3	.	.	0	.	.
	24-35 Months	7	.	7	.	.	7	.	.
	36-47 Months	4	.	4	.	.	4	.	.
	48-59 Months	2	.	2	.	.	2	.	.
	Subtotal		40	.	39	.	.	13	.
Across Race/Ethnicity	0-11 Months	126,184	8.2	124,052	7.7	5.0	0	.	.
	12-23 Months	93,134	5.6	92,982	0.8	11.1	0	.	.
	24-35 Months	73,188	3.6	73,107	4.3	11.4	73,107	14.8	11.4
	36-47 Months	63,800	3.6	63,686	4.0	14.4	63,686	15.8	14.4
	48-59 Months	53,361	3.1	53,249	3.9	15.8	53,249	15.9	15.8
	Total		409,667	5.4	407,076	4.4	10.5	190,042	15.5

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(5) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

Run Date: June 9, 2017

Table 17C Anemia Indicators (Low Hb/Hct) by Race/Ethnicity and Age for Children Aged < 5 Years (1,2,3,4)

Race/Ethnicity	Age	Number	Rate (%)	Race/Ethnicity	Age	Number	Rate (%)
non-Hispanic White	6-11 Months	16,569	18.9	Asian/Pacific Islander	6-11 Months	5,468	12.5
	12-17 Months	9,981	19.8		12-17 Months	4,315	11.9
	18-23 Months	8,146	8.6		18-23 Months	3,537	6.8
	24-35 Months	18,322	12.3		24-35 Months	7,296	10.6
	36-59 Months	26,725	9.3		36-59 Months	11,396	9.1
	Subtotal	79,743	13.2		Subtotal	32,012	10.2
non-Hispanic Black	6-11 Months	11,571	22.0	Multiple Races	6-11 Months	1,185	16.5
	12-17 Months	8,487	22.6		12-17 Months	606	20.6
	18-23 Months	5,936	14.2		18-23 Months	533	10.3
	24-35 Months	13,887	23.4		24-35 Months	1,272	16.4
	36-59 Months	20,485	19.9		36-59 Months	1,826	13.6
	Subtotal	60,366	20.9		Subtotal	5,422	15.4
Hispanic/Latino	6-11 Months	20,490	18.6	Others/Unknown	6-11 Months	2	.
	12-17 Months	14,654	18.2		12-17 Months	6	.
	18-23 Months	10,580	9.2		18-23 Months	2	.
	24-35 Months	25,680	15.1		24-35 Months	5	.
	36-59 Months	38,290	11.0		36-59 Months	6	.
	Subtotal	109,694	14.2		Subtotal	21	.
American Indian/Alaskan Native	6-11 Months	610	17.7	Across Race/Ethnicity	6-11 Months	55,895	18.8
	12-17 Months	375	18.7		12-17 Months	38,424	18.9
	18-23 Months	288	10.1		18-23 Months	29,022	9.8
	24-35 Months	664	14.9		24-35 Months	67,126	15.6
	36-59 Months	982	12.5		36-59 Months	99,710	12.2
	Subtotal	2,919	14.7		Total	290,177	14.9

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 18C Trends in Growth and Anemia Indicators by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
		N	Low (%)	High (%)	N	Short (%)	N	Under Wt (%)	Obese (%)	N	Over Wt (%)	Obese (%)	N	Low (%)
non-Hispanic White	2016	29,259	7.9	8.6	111,341	7.0	110,876	3.7	9.3	51,075	15.5	11.7	79,743	13.2
	2015	30,533	7.3	8.8	117,221	6.7	116,779	3.7	9.4	53,548	15.9	11.5	84,383	13.2
	2014	32,060	7.2	9.1	122,384	6.3	122,093	2.9	10.0	58,104	16.0	11.8	88,063	12.9
	2013	33,067	7.3	9.1	126,209	6.0	125,982	2.4	10.4	61,652	16.3	12.0	90,752	12.7
	2012	34,155	7.4	8.5	126,532	6.0	126,301	2.3	10.5	60,225	16.3	12.1	90,260	12.0
	2011	34,535	7.2	8.5	141,478	6.2	140,953	3.2	10.3	64,906	16.4	12.4	105,068	10.9
	2010	34,395	7.4	8.7	139,972	6.2	139,408	3.1	10.8	63,942	16.6	12.7	103,190	11.0
	2009	35,143	7.4	8.7	142,916	6.1	142,517	2.4	11.4	65,074	17.2	12.8	105,427	10.4
	2008	34,578	7.4	8.9	137,626	6.0	137,210	2.5	11.4	62,133	17.1	12.9	100,583	10.8
	2007	33,683	7.3	8.7	131,293	5.7	130,859	2.8	11.2	59,072	17.1	13.0	94,891	11.2
	2006	33,852	7.6	8.7	131,557	5.6	131,241	2.5	11.2	60,032	16.5	12.8	94,849	10.4
2005	32,993	7.7	9.2	130,980	5.5	130,634	2.7	11.2	60,195	16.6	12.8	95,330	10.0	
non-Hispanic Black	2016	25,760	13.0	4.9	88,495	5.5	87,597	6.0	9.8	39,346	14.0	12.2	60,366	20.9
	2015	26,635	12.3	5.0	93,611	5.5	92,659	6.0	9.7	42,152	13.9	12.2	64,718	20.8
	2014	27,822	12.1	5.4	98,424	4.6	97,842	4.5	10.6	45,641	14.4	12.7	68,496	20.3
	2013	28,669	12.4	5.3	101,873	4.2	101,526	3.6	11.4	48,518	14.3	13.0	70,756	20.5
	2012	29,633	12.0	5.0	102,607	4.1	102,270	3.6	11.5	47,325	14.6	13.0	70,736	19.8
	2011	30,721	12.4	4.8	114,760	4.9	113,779	4.9	11.0	50,496	14.7	13.4	82,217	18.8
	2010	30,923	12.2	5.2	113,888	4.9	112,974	4.8	11.3	49,112	15.1	13.7	80,882	18.1
	2009	33,168	12.4	4.9	117,931	4.8	117,241	4.1	12.0	49,763	15.0	13.6	82,594	17.2
	2008	33,033	12.3	5.2	115,306	5.0	114,551	4.3	11.9	48,227	15.7	13.8	79,936	17.6
	2007	32,315	12.0	5.3	111,841	4.9	111,006	4.6	11.8	47,266	15.2	13.7	77,227	16.1
	2006	32,383	12.0	5.0	114,324	4.8	113,663	3.9	12.2	49,107	15.6	13.8	79,683	14.7
2005	32,233	12.6	5.4	116,956	4.9	116,177	4.1	12.1	50,969	15.3	14.3	82,768	14.7	

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

(7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 18C Trends in Growth and Anemia Indicators by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
		N	Low (%)	High (%)	N	Short (%)	N	Under Wt (%)	Obese (%)	N	Over Wt (%)	Obese (%)	N	Low (%)
Hispanic/Latino	2016	39,747	8.3	6.2	152,722	4.6	151,861	3.4	12.7	73,060	17.3	17.0	109,696	14.2
	2015	40,957	8.1	6.4	158,992	4.6	158,102	3.5	12.8	76,670	17.3	17.2	115,121	13.8
	2014	41,885	7.9	6.7	164,472	4.1	163,857	2.6	14.5	82,447	17.5	18.1	119,863	13.1
	2013	42,149	7.6	6.6	169,129	3.8	168,683	2.0	15.4	87,170	17.6	19.0	123,969	13.1
	2012	43,998	7.6	6.7	170,577	3.8	170,115	1.9	15.9	85,383	17.8	19.2	123,666	12.7
	2011	45,078	7.7	6.6	191,320	4.3	190,220	2.8	15.3	91,183	18.5	19.3	143,757	11.4
	2010	45,270	7.6	6.4	189,928	4.2	188,915	2.8	15.4	89,220	18.5	19.2	141,580	11.4
	2009	47,591	7.8	6.8	193,243	4.2	192,440	2.2	16.0	88,890	19.0	19.0	142,613	11.0
	2008	47,729	7.9	6.5	185,358	4.1	184,524	2.4	15.8	81,910	19.0	19.2	134,548	11.4
	2007	47,402	7.7	6.7	175,699	4.0	174,723	2.7	15.6	76,379	19.1	19.6	125,156	10.9
	2006	46,898	7.8	6.6	173,817	4.1	173,022	2.2	16.2	75,993	19.1	20.0	123,636	9.7
	2005	45,325	7.5	6.9	169,805	4.2	168,874	2.5	16.2	74,206	18.5	20.4	121,719	9.9
Am. Indian/Alask. Native	2016	1,249	12.2	5.9	4,264	5.2	4,226	6.9	9.9	1,898	13.5	13.3	2,919	14.7
	2015	1,222	10.4	7.0	4,492	4.9	4,449	6.7	9.5	2,042	15.4	12.6	3,179	14.2
	2014	1,308	9.8	6.3	4,776	3.8	4,752	5.7	11.0	2,335	16.3	14.0	3,350	14.0
	2013	1,217	8.5	6.7	4,846	4.2	4,833	4.9	12.5	2,518	14.0	15.2	3,508	13.3
	2012	1,289	9.9	7.4	4,959	4.6	4,946	4.8	12.3	2,324	14.2	15.5	3,549	13.2
	2011	1,618	10.3	5.6	5,684	5.3	5,646	5.6	11.3	2,309	15.2	15.2	3,963	12.5
	2010	1,525	9.8	5.8	5,408	4.9	5,378	5.2	12.0	2,160	15.6	15.8	3,746	13.4
	2009	1,696	11.4	6.6	5,135	5.7	5,106	4.5	12.5	1,934	14.9	15.5	3,304	11.9
	2008	1,341	10.0	6.1	4,252	5.4	4,228	5.0	12.5	1,467	14.5	16.0	2,790	12.0
	2007	1,310	10.9	6.6	3,621	6.0	3,588	6.0	10.8	1,082	15.2	15.1	2,226	11.7
	2006	1,375	9.2	7.3	3,193	4.8	3,177	4.4	12.7	998	15.3	17.8	1,759	12.1
	2005	826	8.5	5.3	2,206	4.2	2,194	4.2	12.1	841	16.4	14.5	1,355	10.9

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

(7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 18C Trends in Growth and Anemia Indicators by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
		N	Low (%)	High (%)	N	Short (%)	N	Under Wt (%)	Obese (%)	N	Over Wt (%)	Obese (%)	N	Low (%)
Asian/Pacific Islander	2016	12,303	8.7	4.4	45,085	4.1	44,806	6.6	6.9	21,149	11.9	9.2	32,012	10.2
	2015	11,944	8.4	4.4	43,400	3.7	43,156	6.6	7.0	20,093	12.1	9.5	30,802	10.0
	2014	11,975	7.7	4.9	42,266	3.5	42,105	5.6	8.1	20,279	12.8	10.4	29,702	9.8
	2013	11,653	7.7	4.2	42,211	3.3	42,105	4.9	8.6	20,682	12.9	10.9	29,962	9.8
	2012	12,647	6.8	4.3	41,153	3.1	41,044	4.9	8.5	19,512	12.8	11.0	28,069	9.9
	2011	11,667	7.2	4.6	42,860	3.8	42,634	5.8	8.4	20,182	13.6	10.8	30,770	8.9
	2010	10,459	7.7	4.4	40,039	3.9	39,855	5.5	8.5	18,958	14.0	11.2	29,111	8.6
	2009	10,953	7.1	4.3	39,873	3.7	39,737	4.5	8.8	17,961	14.2	11.4	28,435	8.3
	2008	11,558	7.2	4.4	38,321	3.7	38,173	4.8	8.3	16,075	14.3	11.2	26,268	8.2
	2007	11,827	7.3	4.5	36,037	3.6	35,884	5.3	8.1	14,819	14.3	11.4	23,680	7.5
	2006	10,335	7.5	5.2	33,963	3.6	33,854	4.6	8.3	14,241	14.0	10.9	23,173	7.9
	2005	10,644	7.6	4.5	33,801	3.8	33,676	5.1	8.2	13,861	13.9	10.9	22,689	7.9
Multiple Races	2016	2,154	9.7	8.6	7,720	6.0	7,671	4.2	11.7	3,501	16.4	15.0	5,422	15.4
	2015	2,160	8.3	7.3	8,028	6.1	7,979	3.9	11.9	3,674	15.9	14.6	5,703	16.9
	2014	2,249	9.6	6.5	8,372	5.9	8,333	3.1	12.1	3,986	16.7	15.1	5,948	16.6
	2013	2,366	8.1	7.2	8,894	4.9	8,870	2.8	12.6	4,357	15.6	14.9	6,388	15.6
	2012	2,518	10.6	7.2	9,103	4.4	9,080	2.7	12.8	4,261	15.4	14.7	6,437	14.7
	2011	2,613	9.9	7.3	10,060	5.4	10,003	3.7	11.8	4,473	15.9	14.2	7,332	13.3
	2010	2,794	11.2	6.8	9,977	5.9	9,905	3.5	12.2	4,331	16.6	14.9	7,098	13.4
	2009	2,520	9.4	7.7	9,507	5.4	9,468	2.9	12.9	4,116	15.5	13.4	6,846	13.2
	2008	2,311	10.0	8.2	8,367	5.4	8,328	3.3	12.4	3,320	15.8	13.2	5,913	13.4
	2007	2,250	9.2	6.7	7,493	5.1	7,461	3.7	11.3	2,641	16.1	13.1	5,115	13.4
	2006	2,532	8.7	6.4	6,911	5.5	6,864	3.5	11.5	2,450	15.3	14.9	4,231	12.0
	2005	1,524	9.8	7.5	4,450	5.8	4,429	4.0	11.9	1,654	15.8	13.0	2,897	12.5

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age ≤ 2.3rd percentile, Underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as ≥ 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and Obese is defined as ≥ 95th percentile.

(7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 18C Trends in Growth and Anemia Indicators by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	Birth Weight (4)			Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)			Hb/Hct (7)	
		N	Low (%)	High (%)	N	Short (%)	N	Under Wt (%)	Obese (%)	N	Over Wt (%)	Obese (%)	N	Low (%)
Others/Unknown	2016	16	.	.	40	.	39	.	.	13	.	.	21	.
	2015	14	.	.	55	.	55	.	.	23	.	.	32	.
	2014	13	.	.	41	.	41	.	.	15	.	.	22	.
	2013	9	.	.	31	.	31	.	.	9	.	.	18	.
	2012	12	.	.	32	.	32	.	.	13	.	.	15	.
	2011	31	.	.	62	.	61	.	.	17	.	.	31	.
	2010	25	.	.	53	.	52	.	.	9	.	.	23	.
	2009	31	.	.	61	.	60	.	.	8	.	.	11	.
	2008	18	.	.	40	.	40	.	.	7	.	.	17	.
	2007	22	.	.	44	.	43	.	.	8	.	.	14	.
	2006	19	.	.	36	.	34	.	.	7	.	.	9	.
	2005	1,360	7.3	6.3	6,652	5.5	6,600	5.3	13.0	3,192	15.6	15.7	4,847	11.0
Across Race/Ethnicity	2016	110,488	9.4	6.4	409,667	5.4	407,076	4.4	10.5	190,042	15.5	13.7	290,179	14.9
	2015	113,465	8.9	6.5	425,799	5.3	423,179	4.4	10.5	198,202	15.6	13.7	303,938	14.8
	2014	117,312	8.7	6.8	440,735	4.8	439,023	3.4	11.7	212,807	15.9	14.4	315,444	14.4
	2013	119,130	8.7	6.7	453,193	4.5	452,030	2.8	12.4	224,906	16.0	14.9	325,353	14.4
	2012	124,252	8.6	6.5	454,963	4.4	453,788	2.7	12.6	219,043	16.2	15.1	322,732	13.8
	2011	126,263	8.7	6.5	506,224	5.0	503,296	3.7	12.2	233,566	16.6	15.2	373,138	12.7
	2010	125,391	8.8	6.6	499,265	5.0	496,487	3.6	12.5	227,732	16.8	15.4	365,630	12.6
	2009	131,102	8.9	6.6	508,666	4.9	506,569	2.9	13.1	227,746	17.1	15.3	369,230	12.1
	2008	130,568	8.9	6.7	489,270	4.8	487,054	3.1	13.0	213,139	17.3	15.4	350,055	12.4
	2007	128,809	8.7	6.7	466,028	4.7	463,564	3.4	12.8	201,267	17.2	15.6	328,309	12.0
	2006	127,394	8.9	6.7	463,801	4.7	461,855	2.9	13.1	202,828	17.1	15.7	327,340	11.0
	2005	124,905	8.9	6.9	464,850	4.7	462,584	3.2	13.1	204,918	16.7	15.8	331,605	11.0

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

(7) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 9, 2017

Table 19C Trends in Breastfeeding, Daily TV Viewing, and Smoking in Household by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	BF Ever (4)		BF 6+ Mths (4,5)		BF 12+ Mths (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
		Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
non-Hispanic White	2016	29,338	80.1	11,887	43.5	21,823	29.8	50,780	90.8	111,239	2.1
	2015	30,647	79.0	12,528	42.3	22,246	28.8	53,220	90.7	117,086	2.3
	2014	32,166	78.3	12,997	41.8	23,066	26.8	55,570	89.9	122,220	2.6
	2013	33,155	76.9	13,506	40.0	24,359	26.4	57,867	89.5	125,993	2.9
	2012	34,262	75.6	13,518	37.0	25,260	24.1	55,203	88.9	126,266	3.1
	2011	34,668	73.9	14,161	36.7	24,603	23.1	69,515	87.9	141,435	3.8
	2010	34,502	71.4	13,339	36.2	24,093	22.1	68,205	87.4	139,743	4.3
	2009	35,251	68.7	13,802	34.7	24,867	21.7	69,747	87.0	142,720	4.7
	2008	34,716	66.9	13,501	34.9	24,209	21.9	66,555	85.7	137,372	5.3
	2007	33,784	65.0	12,653	32.2	23,102	20.2	63,274	84.6	131,028	5.3
	2006	28,828	59.8	10,138	26.6	19,960	16.0	64,369	81.5	131,365	5.8
2005	28,945	59.6	11,961	33.2	22,270	21.3	52,136	79.4	112,428	7.8	
non-Hispanic Black	2016	25,846	84.1	8,944	37.7	17,970	19.4	39,569	81.0	88,611	1.9
	2015	26,723	81.9	9,358	35.5	18,548	18.3	42,426	78.8	93,707	2.2
	2014	27,889	80.8	10,018	35.2	19,632	17.9	44,805	77.6	98,492	2.4
	2013	28,761	79.9	10,348	35.9	20,489	17.5	46,517	75.8	101,876	2.4
	2012	29,745	79.7	10,604	34.9	21,377	17.2	43,784	73.7	102,568	2.9
	2011	30,844	78.5	10,759	36.1	21,284	17.4	54,580	71.7	115,061	3.4
	2010	31,027	76.2	10,323	35.2	21,498	15.6	53,089	71.0	114,060	3.6
	2009	33,308	73.3	10,690	35.9	22,068	18.8	53,885	71.3	118,128	3.6
	2008	33,228	73.0	11,044	39.0	21,753	23.2	52,105	72.1	115,454	3.4
	2007	32,429	71.1	10,199	37.7	20,421	20.4	51,154	73.4	112,163	2.2
	2006	27,923	66.0	8,222	30.8	18,284	15.6	53,297	70.8	114,679	2.4
2005	27,458	63.2	10,357	34.9	21,366	20.7	44,494	66.8	100,311	2.8	

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) Children aged 2 years and older included in the analysis.

Run Date: June 9, 2017

Table 19C Trends in Breastfeeding, Daily TV Viewing, and Smoking in Household by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	BF Ever (4)		BF 6+ Mths (4,5)		BF 12+ Mths (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
		Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
Hispanic/Latino	2016	39,849	89.0	15,711	41.8	31,280	23.8	73,476	86.1	152,475	0.9
	2015	41,062	88.2	16,072	40.1	31,373	21.9	77,421	84.1	158,773	1.0
	2014	41,943	87.6	16,372	41.9	32,046	21.9	80,965	82.1	164,226	1.1
	2013	42,226	87.2	16,973	42.0	33,603	21.2	84,195	81.0	168,836	1.2
	2012	44,119	86.3	17,368	42.0	34,981	20.7	79,878	79.1	170,321	1.5
	2011	45,202	85.7	17,901	42.2	35,212	21.6	99,075	76.8	191,231	1.7
	2010	45,422	85.0	16,965	43.1	35,034	21.4	97,071	75.9	189,764	1.8
	2009	47,742	83.1	17,642	45.0	36,216	26.5	96,815	75.9	193,129	1.7
	2008	47,921	83.4	17,950	49.2	35,937	31.8	89,675	75.7	185,155	1.7
	2007	47,525	82.1	16,609	48.4	33,297	28.2	83,422	77.5	175,891	1.1
	2006	38,005	77.4	12,773	40.1	27,486	21.8	83,112	75.3	174,059	1.3
	2005	36,651	76.6	15,727	47.1	31,665	30.1	67,774	71.0	147,849	1.4
Am. Indian/Alask. Native	2016	1,253	89.2	461	47.3	858	26.7	1,911	84.8	4,266	1.1
	2015	1,230	88.6	451	45.7	901	26.5	2,062	84.3	4,494	1.5
	2014	1,315	88.1	471	45.4	854	23.9	2,295	82.1	4,783	1.8
	2013	1,219	87.9	418	50.0	901	22.8	2,444	83.0	4,852	2.2
	2012	1,295	84.7	559	43.1	1,136	22.4	2,161	79.7	4,954	2.1
	2011	1,627	83.3	564	42.9	1,099	20.9	2,554	77.2	5,713	2.3
	2010	1,528	81.7	567	36.0	1,109	16.1	2,356	74.3	5,423	2.8
	2009	1,705	74.8	505	40.6	905	22.5	2,105	74.8	5,130	2.7
	2008	1,352	78.0	447	41.2	882	25.3	1,644	75.5	4,253	2.5
	2007	1,317	78.3	448	46.0	822	26.4	1,193	73.3	3,633	2.1
	2006	1,180	75.6	293	38.6	467	18.4	1,066	74.4	3,203	2.7
	2005	628	67.4	192	42.2	335	26.9	770	71.6	2,002	4.1

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) Children aged 2 years and older included in the analysis.

Run Date: June 9, 2017

Table 19C Trends in Breastfeeding, Daily TV Viewing, and Smoking in Household by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	BF Ever (4)		BF 6+ Mths (4,5)		BF 12+ Mths (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
		Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
Asian/Pacific Islander	2016	12,323	85.3	4,474	44.3	8,788	23.2	21,506	90.6	44,993	1.5
	2015	11,969	82.7	4,431	40.7	8,380	22.0	20,438	90.2	43,267	1.4
	2014	11,993	80.1	4,092	40.4	7,829	21.4	19,790	88.1	42,124	1.4
	2013	11,660	76.9	4,622	36.0	8,439	19.3	19,717	87.3	42,073	1.6
	2012	12,657	73.7	3,979	34.9	7,721	18.2	18,250	87.0	40,974	1.5
	2011	11,679	68.3	3,754	35.5	6,895	18.7	21,910	86.0	42,710	1.6
	2010	10,465	65.4	3,344	35.9	6,551	17.8	20,648	84.7	39,883	1.5
	2009	10,973	60.8	3,326	36.3	6,767	22.3	19,775	83.8	39,811	1.4
	2008	11,574	59.1	3,679	36.6	6,967	24.2	17,603	80.1	38,278	1.4
	2007	11,854	55.4	3,029	34.6	5,854	21.3	16,276	77.9	36,080	1.0
	2006	9,136	53.4	2,394	29.0	5,207	16.7	15,693	76.9	34,032	1.2
2005	9,374	52.2	2,968	33.3	5,853	22.5	12,213	74.5	28,501	1.2	
Multiple Races	2016	2,160	73.4	794	23.7	1,538	13.6	3,483	84.5	7,708	3.1
	2015	2,162	72.2	851	23.7	1,605	13.3	3,650	82.7	7,996	3.4
	2014	2,260	71.4	848	23.9	1,618	12.7	3,817	80.9	8,344	3.8
	2013	2,374	69.8	927	23.7	1,721	12.4	4,125	80.4	8,889	3.9
	2012	2,529	69.9	935	23.1	1,880	11.9	3,946	81.3	9,085	4.0
	2011	2,630	66.8	981	20.9	1,817	10.6	4,796	80.3	10,042	5.0
	2010	2,807	62.5	942	21.9	1,743	13.2	4,612	80.9	9,968	5.0
	2009	2,536	62.3	958	23.8	1,735	15.6	4,432	79.9	9,466	5.2
	2008	2,333	60.6	928	21.9	1,662	13.8	3,642	77.9	8,331	5.2
	2007	2,264	59.1	881	22.8	1,682	12.3	2,877	78.7	7,478	4.0
	2006	2,270	55.1	636	25.2	1,050	13.0	2,677	75.6	6,911	3.6
2005	1,214	62.2	487	30.6	853	20.2	1,623	73.9	4,076	3.4	

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) Children aged 2 years and older included in the analysis.

Run Date: June 9, 2017

Table 19C Trends in Breastfeeding, Daily TV Viewing, and Smoking in Household by Race/Ethnicity for Children Aged < 5 Years (1,2,3)

Race/Ethnicity	Year	BF Ever (4)		BF 6+ Mths (4,5)		BF 12+ Mths (4,5)		≤ 2 Hrs TV Time (6)		Smoking in HH	
		Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)	Number	Rate (%)
Others/Unknown	2016	17	.	5	.	5	.	9	.	29	.
	2015	13	.	6	.	7	.	8	.	26	.
	2014	12	.	6	.	4	.	6	.	23	.
	2013	8	.	5	.	2	.	5	.	16	.
	2012	15	.	3	.	1	.	8	.	19	.
	2011	36	.	13	.	1	.	8	.	31	.
	2010	28	.	12	.	10	.	4	.	22	.
	2009	35	.	16	.	7	.	5	.	39	.
	2008	21	.	7	.	5	.	4	.	23	.
	2007	34	.	15	.	2	.	7	.	31	.
	2006	43	.	25	.	1	.	5	.	23	.
2005	1,428	72.6	209	52.2	798	18.5	1,821	67.8	4,377	4.2	
Across Race/Ethnicity	2016	110,786	84.8	42,276	41.4	82,262	24.2	190,734	86.8	409,321	1.5
	2015	113,806	83.4	43,697	39.5	83,060	22.8	199,225	85.3	425,349	1.7
	2014	117,578	82.4	44,804	39.9	85,049	22.1	207,248	83.8	440,212	1.9
	2013	119,403	81.2	46,799	39.2	89,514	21.4	214,870	82.7	452,535	2.1
	2012	124,622	80.1	46,966	38.0	92,356	20.4	203,230	81.4	454,187	2.3
	2011	126,686	78.7	48,133	38.3	90,911	20.6	252,438	79.6	506,223	2.8
	2010	125,779	76.9	45,492	38.2	90,038	19.7	245,985	78.9	498,863	3.0
	2009	131,550	74.4	46,939	38.8	92,565	22.8	246,764	78.7	508,423	3.0
	2008	131,145	73.8	47,556	41.2	91,415	26.1	231,228	78.1	488,866	3.2
	2007	129,207	72.0	43,834	39.7	85,180	23.4	218,203	78.6	466,304	2.6
	2006	107,385	67.2	34,481	32.9	72,455	18.1	220,219	76.2	464,272	2.9
2005	105,698	66.0	41,901	38.9	83,140	24.6	180,831	72.6	399,544	3.6	

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) Children aged 2 years and older included in the analysis.

Run Date: June 9, 2017

Table 20C Trends in Growth Indicators for Children Aged < 5 Years (1,2,3)

Age	Year	Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)		
		Number	Short (%)	Number	UnderWt (%)	Obese (%)	Number	OverWt (%)	Obese (%)
0-11 Months	2016	126,184	8.2	124,052	7.7	5.0	0	.	.
	2015	132,014	8.0	129,914	7.8	5.2	0	.	.
	2014	133,067	6.9	131,896	4.7	6.6	0	.	.
	2013	131,966	6.2	131,459	2.7	7.7	0	.	.
	2012	136,250	6.2	135,701	2.6	8.0	0	.	.
	2011	149,328	7.3	147,128	6.4	6.8	0	.	.
	2010	148,253	7.2	146,277	6.2	7.1	0	.	.
	2009	154,185	6.6	152,925	4.1	8.9	0	.	.
	2008	152,927	6.7	151,503	4.6	8.7	0	.	.
	2007	151,545	6.5	149,882	5.5	7.9	0	.	.
	2006	149,112	6.4	147,913	4.0	8.9	0	.	.
2005	146,984	6.6	145,565	4.6	8.5	0	.	.	
12-23 Months	2016	93,134	5.6	92,982	0.8	11.1	0	.	.
	2015	95,266	5.7	95,063	0.8	11.2	0	.	.
	2014	94,531	5.4	94,320	0.7	12.6	0	.	.
	2013	95,921	5.2	95,665	0.6	13.0	0	.	.
	2012	99,281	4.9	99,044	0.6	13.5	0	.	.
	2011	122,913	5.5	122,602	0.8	13.1	0	.	.
	2010	122,841	5.4	122,478	0.8	13.7	0	.	.
	2009	126,236	5.5	125,898	0.7	14.3	0	.	.
	2008	122,749	5.3	122,412	0.8	14.0	0	.	.
	2007	112,765	5.0	112,415	0.8	14.1	0	.	.
	2006	111,418	5.0	111,114	0.8	14.0	0	.	.
2005	112,468	5.1	112,101	0.9	14.1	0	.	.	

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

Run Date: June 9, 2017

Table 20C Trends in Growth Indicators for Children Aged < 5 Years (1,2,3)

Age	Year	Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)		
		Number	Short (%)	Number	UnderWt (%)	Obese (%)	Number	OverWt (%)	Obese (%)
24-35 Months	2016	73,188	3.6	73,107	4.3	11.4	73,107	14.8	11.4
	2015	74,815	3.5	74,721	4.4	11.5	74,721	14.9	11.5
	2014	76,942	3.5	76,857	4.2	12.1	76,857	15.4	12.1
	2013	80,590	3.4	80,499	4.0	12.4	80,499	15.3	12.4
	2012	62,461	3.5	62,391	4.2	12.1	62,391	15.1	12.1
	2011	85,885	3.5	85,772	4.0	12.3	85,772	15.8	12.3
	2010	85,212	3.5	85,081	3.9	12.3	85,081	15.8	12.3
	2009	86,631	3.5	86,505	3.8	12.3	86,505	16.1	12.3
	2008	79,935	3.4	79,824	3.7	12.3	79,824	16.4	12.3
	2007	74,528	3.4	74,412	3.6	12.7	74,412	16.3	12.7
	2006	74,942	3.3	74,831	3.8	12.8	74,831	16.2	12.8
2005	76,268	3.4	76,143	4.0	12.8	76,143	15.8	12.8	
36-47 Months	2016	63,800	3.6	63,686	4.0	14.4	63,686	15.8	14.4
	2015	65,169	3.4	65,066	3.8	14.1	65,066	15.9	14.1
	2014	69,791	3.2	69,666	3.6	15.2	69,666	16.1	15.2
	2013	59,515	3.2	59,400	3.7	15.1	59,400	16.2	15.1
	2012	71,163	3.1	71,023	3.7	15.1	71,023	16.4	15.1
	2011	76,209	3.2	76,057	3.3	15.9	76,057	17.0	15.9
	2010	75,230	3.3	75,094	3.2	16.2	75,094	17.4	16.2
	2009	73,889	3.4	73,716	3.1	16.0	73,716	18.0	16.0
	2008	69,467	3.3	69,298	3.2	16.3	69,298	17.7	16.3
	2007	66,255	3.3	66,111	3.1	16.1	66,111	17.9	16.1
	2006	66,694	3.3	66,535	3.2	16.3	66,535	17.4	16.3
2005	67,228	3.2	67,045	3.3	16.4	67,045	17.3	16.4	

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.

(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

Run Date: June 9, 2017

Table 20C Trends in Growth Indicators for Children Aged < 5 Years (1,2,3)

Age	Year	Stature (5,6)		Weight & Height (5,6)			BMI (2-4 Years) (6)		
		Number	Short (%)	Number	UnderWt (%)	Obese (%)	Number	OverWt (%)	Obese (%)
48-59 Months	2016	53,361	3.1	53,249	3.9	15.8	53,249	15.9	15.8
	2015	58,535	2.9	58,415	3.8	16.0	58,415	16.2	16.0
	2014	66,404	2.9	66,284	3.7	16.3	66,284	16.4	16.3
	2013	85,201	2.8	85,007	3.5	17.2	85,007	16.7	17.2
	2012	85,808	2.8	85,629	3.6	17.2	85,629	16.8	17.2
	2011	71,889	2.8	71,737	3.2	17.9	71,737	17.2	17.9
	2010	67,729	2.9	67,557	3.1	18.3	67,557	17.4	18.3
	2009	67,725	3.1	67,525	2.9	18.3	67,525	17.6	18.3
	2008	64,192	3.1	64,017	2.9	18.3	64,017	17.8	18.3
	2007	60,935	3.0	60,744	3.1	18.4	60,744	17.5	18.4
	2006	61,635	3.1	61,462	2.9	18.5	61,462	17.7	18.5
	2005	61,902	3.1	61,730	3.2	18.9	61,730	17.3	18.9
Across Age	2016	409,667	5.4	407,076	4.4	10.5	190,042	15.5	13.7
	2015	425,799	5.3	423,179	4.4	10.5	198,202	15.6	13.7
	2014	440,735	4.8	439,023	3.4	11.7	212,807	15.9	14.4
	2013	453,193	4.5	452,030	2.8	12.4	224,906	16.0	14.9
	2012	454,963	4.4	453,788	2.7	12.6	219,043	16.2	15.1
	2011	506,224	5.0	503,296	3.7	12.2	233,566	16.6	15.2
	2010	499,265	5.0	496,487	3.6	12.5	227,732	16.8	15.4
	2009	508,666	4.9	506,569	2.9	13.1	227,746	17.1	15.3
	2008	489,270	4.8	487,054	3.1	13.0	213,139	17.3	15.4
	2007	466,028	4.7	463,564	3.4	12.8	201,267	17.2	15.6
	2006	463,801	4.7	461,855	2.9	13.1	202,828	17.1	15.7
	2005	464,850	4.7	462,584	3.2	13.1	204,918	16.7	15.8

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
(5) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
(6) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.

Run Date: June 9, 2017

Table 21C Trends in Anemia Indicators (Low Hb/Hct) for Children Aged < 5 Years (1,2,3,4)

Age	Year	Number	Rate (%)
0-11 Months	2016	55,895	18.8
	2015	58,547	18.3
	2014	58,297	17.8
	2013	59,893	17.6
	2012	55,366	16.8
	2011	29,667	15.6
	2010	27,179	15.1
	2009	27,083	15.2
	2008	25,189	16.3
	2007	24,319	14.7
	2006	24,292	13.7
2005	25,230	13.2	
12-23 Months	2016	67,446	15.0
	2015	69,478	15.3
	2014	72,697	15.3
	2013	74,496	15.4
	2012	77,993	16.6
	2011	121,738	15.1
	2010	123,085	15.1
	2009	127,489	14.2
	2008	123,161	14.3
	2007	113,566	14.1
2006	111,817	12.6	
2005	112,897	12.4	

Age	Year	Number	Rate (%)
24-35 Months	2016	67,126	15.6
	2015	69,336	15.4
	2014	72,291	15.1
	2013	74,846	15.9
	2012	73,510	14.0
	2011	84,154	13.6
	2010	83,995	13.2
	2009	84,611	12.5
	2008	78,625	13.0
	2007	73,417	12.7
36-47 Months	2016	60,836	12.6
	2015	62,573	12.9
	2014	65,834	12.6
	2013	67,320	11.9
	2012	67,620	11.4
	2011	77,317	10.3
	2010	75,248	10.1
	2009	74,315	9.8
	2008	69,963	10.1
	2007	66,738	9.8
2006	66,948	9.2	
2005	67,540	9.4	

Age	Year	Number	Rate (%)
48-59 Months	2016	38,874	11.6
	2015	44,004	11.2
	2014	46,322	10.0
	2013	48,797	9.8
	2012	48,240	9.2
	2011	60,262	8.3
	2010	56,122	8.2
	2009	55,732	8.1
	2008	53,117	8.4
	2007	50,269	8.0
Across Age	2016	290,177	14.9
	2015	303,938	14.8
	2014	315,441	14.4
	2013	325,352	14.4
	2012	322,729	13.8
	2011	373,138	12.7
	2010	365,629	12.6
	2009	369,230	12.1
	2008	350,055	12.4
	2007	328,309	12.0
2006	327,340	11.0	
2005	331,605	11.0	

(1) Records are rejected if date of birth and/or date of visit unknown.
 (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
 (3) Percentages are not calculated if < 100 records are available for analysis.
 (4) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.