

Run Date: June 6, 2018

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Albany	4,422	22.3	37.1	17.8	1.4	13.5	7.8	0.0
Allegany	822	94.9	1.1	1.5	0.2	0.4	1.9	0.0
Bronx	53,204	2.2	28.1	62.4	1.7	5.0	0.7	0.1
Broome	3,371	65.2	16.6	9.6	0.1	1.5	6.7	0.3
Cattaraugus	1,448	88.8	1.9	3.2	0.8	0.1	5.2	0.0
Cayuga	1,132	79.0	5.4	6.7	0.1	0.4	8.4	0.0
Chautauqua	2,930	68.3	2.5	27.8	0.1	0.5	0.7	0.0
Chemung	1,804	67.0	11.2	7.7	0.1	0.7	13.3	0.1
Chenango	1,268	94.7	0.3	2.3	0.2	0.2	2.4	0.0
Clinton	1,366	92.3	2.0	1.8	0.1	0.9	2.9	0.0
Columbia	771	55.5	11.2	20.4	1.4	3.2	8.3	0.0
Cortland	991	82.9	2.7	6.6	0.1	0.1	7.6	0.0
Delaware	656	85.5	1.2	10.5	0.2	0.3	2.3	0.0
Dutchess	2,742	32.1	23.4	35.4	2.1	3.0	4.0	0.1
Erie	16,036	36.9	33.8	15.9	0.4	9.1	3.8	0.1
Essex	601	96.8	1.0	1.5	0.0	0.0	0.7	0.0
Franklin	952	76.8	0.5	2.2	13.2	3.5	3.8	0.0
Fulton	695	89.4	2.0	6.8	0.0	0.0	1.9	0.0
Genesee	1,525	85.6	3.4	6.8	0.5	0.3	3.3	0.0
Greene	502	72.1	8.0	10.0	0.2	1.0	8.8	0.0
Hamilton	367	89.9	0.8	6.5	0.0	0.5	2.2	0.0
Herkimer	1,155	85.8	2.0	6.5	0.1	0.3	5.4	0.0
Jefferson	3,570	66.1	10.4	16.0	0.1	2.0	5.2	0.1
Kings	83,248	29.9	28.3	22.1	0.7	18.4	0.5	0.0
Lewis	704	90.9	1.0	6.0	0.1	0.3	1.7	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 6, 2018

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Livingston	840	81.0	1.4	15.5	0.0	0.6	1.3	0.2
Madison	4,044	45.6	16.2	16.9	0.3	14.2	6.7	0.0
Monroe	11,724	24.9	39.7	26.4	0.6	4.2	4.0	0.2
Montgomery	990	52.7	3.4	42.1	0.1	0.3	1.2	0.1
Nassau	11,125	6.6	20.3	67.6	1.0	3.8	0.6	0.1
New York	28,953	3.1	22.8	60.8	0.7	12.0	0.6	0.0
Niagara	3,355	63.3	19.8	8.1	0.7	0.9	7.1	0.1
Oneida	1,393	77.7	4.6	11.3	0.1	0.6	5.7	0.0
Onondaga	8,108	32.0	30.1	16.6	0.6	9.6	10.9	0.2
Ontario	1,316	62.9	5.4	23.8	0.5	0.7	6.7	0.1
Orange	7,749	52.2	9.4	34.5	0.4	1.1	2.4	0.1
Orleans	633	77.1	5.7	12.8	0.0	0.2	4.3	0.0
Oswego	2,158	89.0	1.3	6.7	0.1	0.2	2.7	0.0
Otsego	744	91.7	3.4	3.0	0.0	0.9	0.9	0.1
Putnam	911	29.3	1.6	68.1	0.2	0.4	0.2	0.1
Queens	54,242	6.8	16.9	43.2	2.1	30.0	0.8	0.0
Rensselaer	2,529	49.5	19.9	18.8	0.1	1.7	10.0	0.0
Richmond	5,834	26.9	26.3	39.0	0.7	6.0	1.1	0.1
Rockland	10,758	65.9	6.5	26.0	0.4	1.0	0.3	0.0
Saratoga	1,592	84.5	3.7	6.3	0.3	1.8	3.3	0.0
Schenectady	2,622	45.3	20.6	19.4	0.7	5.7	8.2	0.2
Schoharie	417	95.2	1.2	2.6	0.0	0.2	0.7	0.0
Schuyler	279	90.3	0.7	2.9	0.0	0.4	5.7	0.0
Seneca	432	73.1	1.4	17.6	0.5	0.2	7.2	0.0
St. Lawrence	1,475	92.8	0.7	2.0	0.3	0.7	3.5	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 6, 2018

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Steuben	1,404	88.7	2.2	3.6	0.0	0.1	5.4	0.0
Suffolk	16,330	13.8	12.4	68.7	1.3	2.7	1.1	0.0
Sullivan	1,595	55.3	7.0	33.1	0.1	0.6	3.9	0.0
Tioga	797	95.5	1.5	1.0	0.0	0.3	1.8	0.0
Tompkins	1,062	65.3	7.3	10.5	0.0	7.9	8.9	0.0
Ulster	1,410	60.6	13.3	22.5	0.3	1.2	2.1	0.1
Warren	816	84.6	1.3	5.3	0.2	0.5	8.1	0.0
Washington	1,183	94.0	0.6	3.0	0.0	0.7	1.7	0.0
Wayne	1,345	67.1	5.4	18.1	0.2	0.3	9.0	0.0
Westchester	14,549	5.4	23.1	66.6	1.3	2.6	0.8	0.0
Wyoming	404	92.3	0.0	5.7	0.0	0.5	1.5	0.0
Yates	199	82.9	0.0	9.5	0.0	0.5	7.0	0.0
Total	391,599	26.9	21.6	37.2	1.0	11.3	2.0	0.1

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 6, 2018

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Albany	4,422	32.3	23.6	17.1	15.2	11.8
Allegany	822	31.6	22.4	19.5	14.5	12.0
Bronx	53,204	29.3	22.9	18.5	16.0	13.2
Broome	3,371	32.9	24.2	17.0	15.6	10.4
Cattaraugus	1,448	29.6	25.4	17.1	17.5	10.4
Cayuga	1,132	32.1	24.9	17.9	14.6	10.5
Chautauqua	2,930	29.7	24.6	20.4	14.7	10.6
Chemung	1,804	29.7	25.8	17.4	15.6	11.4
Chenango	1,268	33.8	20.6	18.0	16.8	10.8
Clinton	1,366	29.5	25.6	18.8	14.6	11.4
Columbia	771	34.5	23.1	16.7	15.3	10.4
Cortland	991	31.4	24.8	17.7	15.2	10.9
Delaware	656	31.3	21.5	19.7	15.5	12.0
Dutchess	2,742	32.5	23.7	17.7	14.7	11.4
Erie	16,036	30.3	23.3	18.3	15.9	12.2
Essex	601	30.9	19.1	22.0	16.3	11.6
Franklin	952	30.0	28.0	16.9	13.2	11.8
Fulton	695	37.4	23.2	18.0	12.9	8.5
Genesee	1,525	31.4	23.0	18.5	15.7	11.5
Greene	502	35.5	21.9	15.9	13.9	12.7
Hamilton	367	31.6	27.2	16.6	13.9	10.6
Herkimer	1,155	31.0	22.3	18.1	16.6	12.0
Jefferson	3,570	35.9	24.6	16.4	13.2	9.9
Kings	83,248	29.5	22.7	18.5	16.2	13.0
Lewis	704	33.5	24.9	16.3	13.6	11.6

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 6, 2018

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Livingston	840	31.2	25.4	16.2	15.7	11.5
Madison	4,044	30.2	23.2	18.1	16.0	12.5
Monroe	11,724	32.7	23.1	17.7	15.0	11.5
Montgomery	990	35.3	24.9	14.9	15.2	9.7
Nassau	11,125	34.3	23.8	16.9	14.6	10.5
New York	28,953	29.5	22.8	18.4	16.4	12.9
Niagara	3,355	33.9	23.4	16.9	14.4	11.4
Oneida	1,393	35.3	23.6	18.2	12.1	10.7
Onondaga	8,108	32.7	23.8	17.4	14.4	11.8
Ontario	1,316	31.4	24.1	19.1	14.7	10.7
Orange	7,749	31.4	21.5	18.3	16.3	12.5
Orleans	633	32.4	23.1	17.4	17.2	10.0
Oswego	2,158	35.6	22.6	16.6	14.1	11.1
Otsego	744	28.5	23.5	19.2	17.9	10.9
Putnam	911	26.3	21.0	19.4	20.0	13.3
Queens	54,242	29.8	22.9	18.4	15.9	13.1
Rensselaer	2,529	32.6	23.8	16.5	15.1	12.0
Richmond	5,834	33.3	22.1	17.8	15.1	11.6
Rockland	10,758	26.7	22.1	19.5	17.5	14.3
Saratoga	1,592	30.7	26.1	18.0	14.5	10.7
Schenectady	2,622	34.8	23.4	16.7	14.8	10.3
Schoharie	417	28.5	23.3	18.7	16.3	13.2
Schuyler	279	29.0	22.6	18.3	18.3	11.8
Seneca	432	30.3	27.5	18.1	13.4	10.6
St. Lawrence	1,475	34.4	21.8	18.8	15.2	9.8

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 6, 2018

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Steuben	1,404	31.9	25.6	18.2	12.9	11.5
Suffolk	16,330	36.3	24.3	16.7	13.3	9.4
Sullivan	1,595	30.7	22.9	18.2	15.4	12.8
Tioga	797	29.4	23.3	18.2	16.1	13.0
Tompkins	1,062	30.0	25.0	17.6	14.2	13.1
Ulster	1,410	38.0	24.4	15.7	13.0	8.9
Warren	816	30.9	27.2	17.4	14.3	10.2
Washington	1,183	30.9	22.1	18.5	15.0	13.6
Wayne	1,345	33.1	23.4	17.2	15.2	11.1
Westchester	14,549	27.9	22.0	19.2	16.9	13.9
Wyoming	404	29.2	25.2	16.8	17.3	11.4
Yates	199	38.2	25.6	16.1	11.1	9.0
Total	391,599	30.6	23.1	18.2	15.7	12.4

(1) Records are rejected if date of birth and/or date of visit unknown.
 (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
 (3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: June 6, 2018

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Albany	1,265	9.8	42	6.7	16	4,395	5.4	13	4,353	4.5	49	10.9	23	1,955	14.7	7	13.4	12	3,110	25.2	60
Allegany	208	8.7	23	3.8	1	822	7.4	43	819	1.0	3	10.0	14	382	20.2	55	13.9	17	597	17.8	52
Bronx	14,167	10.8	52	5.1	3	52,944	4.6	3	52,542	4.9	54	11.2	27	25,170	15.5	13	14.8	27	37,005	16.6	47
Broome	935	10.2	47	8.6	34	3,330	7.8	47	3,320	1.6	14	11.9	39	1,436	16.9	31	15.3	33	2,300	7.7	4
Cattaraugus	385	8.8	28	7.8	26	1,436	8.1	53	1,424	2.2	26	12.6	49	643	17.3	36	14.9	29	1,024	9.0	8
Cayuga	329	9.4	38	10.3	48	1,131	6.9	31	1,127	1.6	12	11.7	34	485	19.2	50	14.8	28	767	11.5	16
Chautauqua	761	8.1	17	7.8	25	2,898	7.7	44	2,882	2.6	34	11.2	28	1,330	17.9	40	14.7	26	1,565	11.4	15
Chemung	463	8.9	29	7.1	17	1,800	8.4	56	1,793	1.6	13	10.7	20	809	16.8	29	13.2	11	1,320	14.8	38
Chenango	327	6.1	3	10.1	44	1,265	5.8	20	1,261	2.2	25	12.2	44	578	16.6	27	15.9	41	915	8.5	5
Clinton	373	8.0	15	9.4	40	1,365	6.4	28	1,359	4.9	53	9.5	10	618	16.2	22	12.1	4	981	8.9	6
Columbia	224	9.4	37	9.4	39	769	4.8	5	758	2.9	38	14.9	59	329	12.8	2	21.3	61	537	21.6	57
Cortland	274	8.4	21	7.7	23	987	6.3	25	985	1.0	5	7.3	1	437	15.8	17	10.1	1	693	13.9	34
Delaware	180	6.7	7	8.3	31	656	5.8	21	655	3.5	43	15.9	61	314	17.5	37	19.4	56	469	13.0	22
Dutchess	798	10.7	50	7.1	18	2,738	5.3	11	2,733	1.5	10	9.5	11	1,207	16.8	30	13.5	14	1,885	15.6	42
Erie	4,401	11.0	54	6.5	14	15,929	5.8	19	15,770	6.4	62	10.5	18	7,389	14.7	6	13.1	9	8,500	13.2	27
Essex	167	8.4	20	10.2	45	600	7.0	34	598	1.3	8	11.9	40	303	22.1	59	16.5	43	415	17.3	49
Franklin	251	8.8	26	9.6	41	949	7.2	36	946	2.3	28	12.1	41	398	18.8	48	18.1	54	659	13.2	26
Fulton	235	6.4	4	7.7	22	692	7.2	38	689	2.8	36	10.6	19	278	16.2	23	15.5	34	454	15.2	41
Genesee	417	6.7	8	10.3	46	1,523	6.1	24	1,512	3.8	45	13.4	52	698	16.6	28	16.6	44	1,021	19.9	55
Greene	152	9.2	32	10.5	49	502	7.2	37	493	2.4	30	16.2	62	216	19.4	53	19.9	58	344	22.4	58

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
(6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
(7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
(8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 6, 2018

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)					BMI (2-4 Years) (7)					Hb/Hct (8)		
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Hamilton	98	366	6.3	26	365	1.4	9	9.9	12	151	22.5	60	15.9	40	265	16.6	46
Herkimer	310	9.4	36	10.6	50	1,155	9.2	61	1,152	1.9	20	12.6	48	547	18.8	47	15.5	35	830	16.5	44
Jefferson	1,034	7.5	10	8.8	37	3,552	6.4	27	3,548	1.9	18	9.1	6	1,428	16.2	24	12.3	6	1,980	13.1	25
Kings	21,500	9.2	33	5.6	7	82,969	5.7	17	82,257	5.4	55	9.3	8	39,045	14.2	4	11.7	3	59,497	13.6	33
Lewis	204	7.8	13	5.9	8	700	6.7	30	699	2.3	27	8.2	3	303	14.9	8	12.9	7	480	16.5	43
Livingston	219	6.4	5	11.4	54	838	8.7	60	836	2.2	23	14.2	57	368	16.0	20	17.4	50	604	12.1	19
Madison	1,066	8.7	25	8.1	27	4,031	7.9	49	4,008	2.5	31	11.8	37	1,892	15.2	11	13.9	18	2,899	24.6	59
Monroe	3,342	12.1	56	6.7	15	11,642	5.7	16	11,561	5.6	58	11.1	26	5,170	15.9	18	14.7	25	7,809	17.0	48
Montgomery	302	7.6	11	11.6	55	981	5.9	22	978	3.2	41	12.6	47	397	16.1	21	19.4	55	666	13.4	29
Nassau	3,493	10.1	46	4.8	2	11,075	5.0	7	10,973	5.8	59	13.5	55	4,582	17.0	32	20.2	59	7,188	13.0	23
New York	7,860	9.9	43	5.6	6	28,879	3.9	1	28,764	3.8	46	9.2	7	13,651	14.9	9	13.1	10	20,079	15.2	40
Niagara	1,022	11.4	55	6.4	11	3,325	4.9	6	3,293	6.3	61	10.0	13	1,409	17.1	33	14.5	23	1,540	9.5	10
Oneida	414	8.7	24	9.9	43	1,387	8.5	58	1,381	2.8	37	10.1	16	576	19.4	52	14.1	19	952	20.0	56
Onondaga	2,331	10.7	51	8.2	28	7,991	8.0	51	7,949	3.0	39	10.9	22	3,509	15.7	15	14.5	22	5,535	16.5	45
Ontario	352	9.9	44	12.8	57	1,311	5.5	14	1,307	0.9	2	12.2	43	594	18.0	41	15.2	31	675	7.4	3
Orange	1,939	6.8	9	7.3	20	7,715	7.2	39	7,688	3.1	40	8.5	4	3,679	18.9	49	12.2	5	5,563	19.0	54
Orleans	179	7.8	12	12.8	58	632	7.0	33	629	4.8	52	12.6	46	285	10.2	1	19.6	57	425	13.4	30
Oswego	626	8.6	22	8.8	35	2,149	8.4	55	2,145	2.0	22	9.0	5	916	22.1	58	13.6	15	1,478	13.1	24
Otsego	181	9.9	45	7.7	24	739	7.7	45	731	4.5	50	12.3	45	356	17.7	39	16.0	42	536	9.3	9
Putnam	204	8.8	27	8.3	30	909	5.3	12	904	2.2	24	11.7	35	485	16.5	26	17.3	49	690	6.5	2

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 6, 2018

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)					BMI (2-4 Years) (7)				Hb/Hct (8)			
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Queens	14,532	9.6	40	5.4	4	54,041	4.4	2	53,668	4.7	51	9.3	9	25,183	15.0	10	13.1	8	37,963	11.8	17
Rensselaer	709	9.7	41	9.3	38	2,520	5.1	9	2,489	6.2	60	11.7	33	1,106	14.4	5	14.1	20	1,826	14.2	36
Richmond	1,748	10.9	53	5.9	9	5,814	5.1	10	5,768	5.6	57	11.5	29	2,536	15.7	16	16.6	45	3,860	12.5	21
Rockland	2,492	6.5	6	8.5	32	10,733	7.3	41	10,701	4.0	47	7.7	2	5,416	16.3	25	10.2	2	7,672	13.6	32
Saratoga	436	12.2	57	10.3	47	1,587	7.4	42	1,575	3.6	44	13.0	50	694	18.7	46	17.0	48	1,124	9.6	12
Schenectady	802	10.2	48	6.5	13	2,595	10.8	62	2,543	3.4	42	14.8	58	1,093	15.5	14	15.6	38	1,751	13.4	31
Schoharie	104	3.8	1	12.5	56	417	5.8	18	416	2.4	29	10.1	15	202	12.9	3	13.4	13	310	26.1	61
Schuyler	65	278	6.5	29	277	1.8	17	11.6	30	138	20.3	56	14.5	21	207	12.1	18
Seneca	123	4.9	2	11.4	53	432	8.1	52	431	1.2	7	13.5	53	188	24.5	61	17.6	51	237	10.5	13
St. Lawrence	388	9.5	39	7.2	19	1,473	7.7	46	1,472	2.0	21	11.6	31	653	18.1	42	17.0	47	1,053	14.2	37
Steuben	385	8.3	19	8.3	29	1,401	8.4	57	1,398	1.6	16	11.0	24	602	19.4	51	15.1	30	956	12.3	20
Suffolk	5,256	9.1	31	5.5	5	16,268	5.1	8	16,133	5.5	56	13.3	51	6,437	17.2	35	21.1	60	10,391	14.8	39
Sullivan	413	8.2	18	8.5	33	1,592	7.9	50	1,590	1.6	15	12.1	42	746	17.7	38	15.5	36	1,152	18.8	53
Tioga	201	9.0	30	10.9	52	795	7.0	35	793	1.0	4	13.6	56	379	17.2	34	16.9	46	552	17.8	51
Tompkins	283	10.6	49	6.4	12	1,059	7.3	40	1,054	1.9	19	10.7	21	484	15.9	19	13.8	16	751	13.3	28
Ulster	471	9.3	35	7.6	21	1,407	6.0	23	1,392	4.4	48	11.1	25	529	15.3	12	17.6	52	906	17.7	50
Warren	215	15.3	58	10.7	51	813	7.9	48	809	2.6	33	11.6	32	348	18.4	44	14.7	24	580	6.0	1
Washington	307	8.1	16	8.8	36	1,181	8.6	59	1,170	1.0	6	13.5	54	560	20.7	57	18.0	53	852	10.9	14
Wayne	390	7.9	14	9.7	42	1,341	6.9	32	1,338	1.6	11	11.8	36	592	18.6	45	15.2	32	674	8.9	7
Westchester	3,703	9.2	34	6.2	10	14,504	4.6	4	14,448	2.6	35	11.9	38	7,241	18.1	43	15.7	39	10,607	14.0	35

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 6, 2018

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)				Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)					
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Wyoming	97	403	8.2	54	402	0.0	1	15.2	60	186	19.9	54	15.6	37	303	9.6	11
Yates	63	198	5.6	15	197	2.5	32	10.2	17	73	83	.	.
Total	106,171	9.6	.	6.3	.	389,929	5.5	.	387,251	4.5	.	10.4	.	179,704	15.7	.	13.9	.	268,062	14.4	.

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 6, 2018

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Albany	1,268	79.3	20	498	27.9	19	876	16.8	23	265	18.5	8	472	9.1	26	1,870	73.3	58	4,397	1.7	24
Allegany	208	74.5	34	99	.	.	157	14.6	31	64	.	.	99	.	.	376	90.2	14	819	4.5	56
Bronx	14,231	89.7	7	5,389	41.1	8	10,579	22.1	11	2,824	6.9	27	5,238	4.2	41	25,334	83.2	37	52,997	1.2	13
Broome	943	75.6	32	354	28.2	18	651	16.9	22	192	18.2	9	333	9.6	24	1,410	80.3	47	3,320	2.8	44
Cattaraugus	387	73.9	38	146	22.6	29	307	14.3	33	78	.	.	142	13.4	9	651	83.1	39	1,435	5.2	58
Cayuga	330	71.2	44	132	20.5	35	233	11.6	45	71	.	.	128	12.5	12	484	86.8	24	1,131	2.8	45
Chautauqua	770	61.0	57	309	16.5	41	584	10.6	48	153	17.0	13	297	9.8	22	1,304	85.7	27	2,868	7.8	61
Chemung	463	69.8	50	229	24.0	25	399	14.0	34	137	16.1	15	223	10.3	18	797	83.3	36	1,795	4.0	54
Chenango	330	79.7	18	149	16.1	42	217	12.0	44	92	.	.	148	8.1	30	575	92.5	6	1,264	5.0	57
Clinton	373	78.6	23	164	28.7	16	298	21.1	13	79	.	.	158	17.1	5	607	88.3	20	1,361	2.3	36
Columbia	226	79.6	19	82	.	.	130	16.9	21	46	.	.	82	.	.	327	81.0	43	770	1.6	19
Cortland	277	79.8	16	115	21.7	31	201	10.4	49	61	.	.	111	9.0	27	431	89.8	17	986	2.1	31
Delaware	181	77.3	25	75	.	.	119	15.1	28	35	.	.	71	.	.	312	78.2	52	654	2.6	41
Dutchess	802	82.8	13	280	34.6	13	570	24.2	9	165	21.2	5	267	10.5	15	1,197	79.6	48	2,734	1.5	18
Erie	4,419	70.4	49	1,595	21.7	32	3,148	13.3	38	863	16.2	14	1,480	8.4	28	7,361	82.9	41	15,878	2.5	39
Essex	167	82.6	14	56	.	.	100	20.0	15	25	.	.	55	.	.	299	90.3	13	600	1.7	23
Franklin	256	73.8	39	117	23.1	27	222	14.0	35	70	.	.	111	15.3	6	400	85.5	29	952	2.7	43
Fulton	235	59.6	58	77	.	.	136	9.6	53	41	.	.	76	.	.	273	69.6	59	694	3.7	50
Genesee	419	70.6	46	162	27.2	20	304	20.1	14	103	26.2	3	158	13.3	10	693	90.6	12	1,518	1.6	22
Greene	155	76.8	28	61	.	.	89	.	.	33	.	.	61	.	.	214	83.2	38	502	3.2	48

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: June 6, 2018

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Hamilton	99	.	.	45	.	.	85	.	.	29	.	.	45	.	.	150	87.3	23	367	3.8	51
Herkimer	307	73.3	40	128	25.0	23	210	11.4	46	81	.	.	124	10.5	16	538	79.2	49	1,153	2.0	28
Jefferson	1,042	79.8	17	404	26.2	22	639	17.5	20	280	30.7	2	403	12.7	11	1,394	78.5	51	3,514	1.2	14
Kings	21,552	91.1	3	8,508	59.5	2	15,758	35.0	3	4,768	15.7	16	8,297	11.3	13	39,691	91.4	10	82,822	1.0	9
Lewis	204	69.6	51	75	.	.	133	9.8	51	48	.	.	75	.	.	296	91.9	8	701	2.3	37
Livingston	222	78.8	22	109	21.1	34	179	12.8	40	54	.	.	108	10.2	19	359	91.6	9	832	2.2	32
Madison	1,070	70.6	47	391	21.5	33	780	13.5	36	221	14.9	20	378	6.1	37	1,878	74.8	56	4,025	2.1	30
Monroe	3,350	76.8	27	1,276	23.3	26	2,278	15.1	27	752	18.2	10	1,235	9.8	21	5,095	89.6	18	11,533	1.1	10
Montgomery	302	71.2	45	88	.	.	193	12.4	42	50	.	.	88	.	.	391	68.3	60	980	1.5	17
Nassau	3,501	85.1	10	1,212	37.0	9	2,341	17.9	18	649	7.7	26	1,191	2.1	43	4,655	89.1	19	11,079	0.4	3
New York	7,876	89.9	6	2,888	41.3	7	5,792	25.4	8	1,492	12.3	23	2,802	7.6	32	13,723	87.8	22	28,911	1.3	15
Niagara	1,025	61.2	56	385	19.2	39	676	10.1	50	208	15.4	19	373	7.5	34	1,427	85.9	26	3,334	4.0	55
Oneida	419	69.2	52	148	22.3	30	270	13.3	37	81	.	.	142	9.9	20	572	78.7	50	1,388	3.8	52
Onondaga	2,354	76.7	29	861	24.0	24	1,620	14.8	30	495	17.8	11	842	8.0	31	3,443	85.6	28	7,909	2.2	34
Ontario	356	77.0	26	126	31.0	15	246	15.4	26	60	.	.	123	10.6	14	584	77.9	53	1,307	2.1	29
Orange	1,938	85.4	9	800	51.8	3	1,355	35.1	2	463	22.5	4	761	13.5	8	3,622	90.0	15	7,693	1.8	26
Orleans	179	68.7	53	69	.	.	116	12.9	39	46	.	.	68	.	.	282	80.5	46	633	3.9	53
Oswego	632	66.1	55	231	19.0	40	402	12.4	41	149	20.8	6	229	9.6	25	901	67.6	61	2,145	8.5	62
Otsego	184	74.5	35	73	.	.	131	14.5	32	45	.	.	72	.	.	356	84.6	32	739	2.6	40
Putnam	206	86.4	8	86	.	.	164	26.8	7	53	.	.	83	.	.	480	94.6	4	909	0.2	2

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: June 6, 2018

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Number	%	Rk	Number	%	Rk
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk						
Queens	14,567	90.9	5	5,782	47.7	5	10,968	29.6	5	3,033	10.6	24	5,677	7.5	33	25,610	93.0	5	54,103	0.7	7
Rensselaer	713	70.5	48	295	20.0	36	530	11.3	47	154	15.6	18	289	5.2	39	1,099	84.5	33	2,524	1.9	27
Richmond	1,757	82.9	12	562	35.9	11	1,104	22.5	10	327	14.7	21	552	8.2	29	2,595	74.8	57	5,815	1.6	21
Rockland	2,495	96.0	1	995	73.3	1	1,964	54.5	1	601	47.3	1	986	39.4	1	5,497	98.2	1	10,726	0.0	1
Saratoga	437	78.0	24	192	22.9	28	347	15.6	25	104	17.3	12	187	3.7	42	685	95.6	2	1,587	1.1	11
Schenectady	811	72.6	41	270	19.3	38	493	9.1	54	156	19.2	7	265	7.2	35	1,090	77.5	54	2,613	1.6	20
Schoharie	105	74.3	36	50	.	.	83	.	.	25	.	.	49	.	.	201	83.1	40	416	2.2	33
Schuyler	66	.	.	26	.	.	47	.	.	11	.	.	26	.	.	135	86.7	25	278	1.1	12
Seneca	124	76.6	30	42	.	.	85	.	.	23	.	.	41	.	.	183	84.2	34	432	3.7	49
St. Lawrence	393	66.4	54	171	28.7	17	262	14.9	29	93	.	.	170	14.7	7	645	85.3	30	1,471	1.7	25
Steuben	387	74.2	37	143	26.6	21	277	17.7	19	93	.	.	137	18.2	4	596	82.4	42	1,399	2.7	42
Suffolk	5,266	81.8	15	1,809	36.2	10	3,490	18.6	17	995	8.6	25	1,738	4.7	40	6,418	88.1	21	16,273	0.9	8
Sullivan	413	79.2	21	181	34.8	12	310	21.6	12	115	15.7	17	175	21.1	3	726	83.3	35	1,576	2.2	35
Tioga	202	84.2	11	83	.	.	150	16.7	24	43	.	.	83	.	.	374	76.2	55	791	2.5	38
Tompkins	286	90.9	4	110	42.7	6	215	31.6	4	55	.	.	109	22.0	2	472	91.9	7	1,052	0.7	6
Ulster	474	76.4	31	166	31.9	14	295	19.7	16	98	.	.	164	9.8	23	529	90.0	16	1,408	0.5	5
Warren	217	74.7	33	97	.	.	179	8.4	55	53	.	.	95	.	.	339	80.5	45	811	3.0	46
Washington	308	72.4	42	117	14.5	43	216	9.7	52	69	.	.	115	5.2	38	557	95.3	3	1,180	1.5	16
Wayne	392	71.7	43	132	19.7	37	258	12.4	43	80	.	.	129	7.0	36	586	80.7	44	1,337	5.5	60
Westchester	3,717	92.4	2	1,403	49.1	4	2,748	27.9	6	725	14.3	22	1,348	10.4	17	7,259	84.9	31	14,476	0.4	4

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: June 6, 2018

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Wyoming	97	.	.	40	.	.	87	.	.	22	.	.	40	.	.	183	90.7	11	402	3.0	47
Yates	64	.	.	26	.	.	45	.	.	10	.	.	22	.	.	72	.	.	199	5.5	59
Total	106,549	85.3	.	40,684	42.0	.	76,841	25.1	.	22,306	15.3	.	39,546	9.2	.	180,603	87.7	.	389,518	1.4	.

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.

Run Date: June 6, 2018

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Albany	3,657	10.7	59	6.6	11	13,123	5.8	20	12,973	4.6	50	11.0	21	5,955	15.3	9	13.3	11	9,337	25.4	62
Allegany	667	9.7	50	5.1	1	2,558	7.4	44	2,550	1.1	4	10.1	10	1,201	19.0	58	12.7	6	1,859	15.0	42
Bronx	43,832	10.4	57	5.5	4	165,660	4.6	4	164,424	4.8	52	11.2	24	79,128	15.2	8	14.6	21	117,705	16.8	50
Broome	2,995	8.7	32	7.8	22	10,933	7.9	49	10,906	1.5	13	11.4	27	4,801	18.3	49	14.2	17	7,678	10.5	11
Cattaraugus	1,189	8.5	23	7.1	15	4,469	8.1	54	4,447	2.5	32	11.9	34	2,049	16.3	24	13.4	12	3,199	8.4	4
Cayuga	985	8.5	24	9.8	48	3,552	6.6	32	3,542	1.8	20	12.2	41	1,583	19.0	59	15.8	37	2,430	11.2	13
Chautauqua	2,400	8.5	25	7.4	19	9,079	8.1	55	9,033	2.2	28	11.7	31	4,139	17.2	35	15.2	27	5,982	14.7	39
Chemung	1,520	8.0	16	8.4	30	5,682	8.8	60	5,658	1.4	11	11.8	33	2,577	17.2	38	14.6	22	4,123	14.3	36
Chenango	1,032	7.1	7	9.9	49	4,122	6.1	23	4,108	2.1	25	13.0	50	1,884	15.6	13	17.0	52	3,023	7.7	2
Clinton	1,115	9.2	43	8.6	31	4,208	7.1	38	4,189	4.4	49	10.5	14	1,980	16.2	21	14.3	19	3,048	9.7	8
Columbia	697	7.3	10	8.8	35	2,603	5.3	13	2,572	2.8	36	15.0	59	1,167	15.8	18	19.5	59	1,868	19.0	53
Cortland	835	9.0	37	8.4	29	3,043	6.2	26	3,035	1.3	9	8.1	2	1,338	16.7	28	12.2	4	2,138	13.4	28
Delaware	538	7.1	6	8.2	25	2,158	6.0	21	2,153	3.5	42	15.5	61	1,050	18.3	48	19.0	58	1,590	15.2	44
Dutchess	2,431	9.5	45	7.2	17	8,582	5.0	9	8,564	1.3	10	9.2	7	3,818	17.0	33	13.0	8	5,983	13.6	30
Erie	13,577	10.8	60	6.2	8	48,771	5.7	15	48,346	6.0	60	10.4	13	22,167	14.7	4	12.8	7	31,605	20.5	57
Essex	461	8.7	31	8.0	23	1,889	8.0	53	1,884	1.8	21	13.0	48	942	19.9	60	16.5	48	1,381	13.2	25
Franklin	800	8.4	22	9.0	37	2,897	6.9	34	2,891	2.7	35	10.8	18	1,299	18.6	55	15.6	33	2,010	12.6	21
Fulton	867	7.8	15	9.0	36	2,778	6.4	28	2,767	3.2	41	10.8	19	1,119	14.8	5	15.8	38	1,885	12.1	19
Genesee	1,353	6.9	3	11.1	59	4,967	5.8	18	4,940	3.7	46	13.0	49	2,248	17.2	36	15.8	36	3,396	21.0	59
Greene	476	7.1	8	9.5	42	1,755	5.3	12	1,732	2.7	34	15.7	62	801	18.5	52	19.6	60	1,264	16.2	47

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 6, 2018

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Hamilton	224	9.8	54	9.8	47	857	7.0	36	854	1.8	19	11.4	28	381	17.8	46	17.1	53	621	14.3	37
Herkimer	943	8.1	17	11.1	61	3,714	9.2	61	3,707	1.7	17	12.8	46	1,765	17.0	32	15.3	29	2,724	13.9	32
Jefferson	3,158	7.2	9	8.7	34	11,091	6.2	24	11,078	1.7	16	9.6	9	4,545	17.2	37	13.1	10	7,277	11.4	14
Kings	68,667	9.1	40	5.8	6	265,419	5.5	14	263,375	5.3	57	9.2	6	125,902	14.2	2	11.5	2	191,590	13.7	31
Lewis	583	9.8	51	7.2	18	2,200	6.9	35	2,198	2.1	27	9.1	4	999	16.7	30	14.0	14	1,584	17.7	51
Livingston	673	10.0	56	9.2	41	2,511	8.6	59	2,504	1.2	6	13.8	57	1,129	18.0	47	16.6	49	1,802	12.3	20
Madison	3,284	8.3	21	8.2	26	12,724	7.3	43	12,672	2.9	38	12.0	36	6,126	15.7	14	15.3	30	9,309	19.5	55
Monroe	9,846	11.1	61	7.1	16	35,200	5.7	16	34,996	5.3	58	11.2	23	15,614	15.7	16	14.2	16	24,386	14.3	34
Montgomery	892	8.6	29	9.8	46	2,962	7.3	41	2,952	2.6	33	13.2	51	1,229	16.7	29	18.2	57	2,012	12.8	23
Nassau	10,510	9.6	46	5.5	5	33,582	4.8	7	33,303	6.2	62	13.6	56	13,848	16.5	26	20.1	61	22,100	14.8	41
New York	24,461	9.9	55	5.5	2	92,728	3.9	1	92,372	4.1	48	9.1	5	44,636	15.1	7	12.3	5	65,615	14.2	33
Niagara	3,132	9.7	49	6.7	12	10,478	4.9	8	10,395	6.1	61	10.3	11	4,533	16.5	27	14.7	23	6,473	9.8	9
Oneida	1,157	9.0	38	9.6	45	4,228	7.3	42	4,211	2.9	37	10.8	17	1,830	18.9	57	15.9	39	2,947	16.3	48
Onondaga	7,098	9.8	52	8.3	28	24,690	7.5	46	24,543	3.0	40	10.9	20	10,943	15.7	17	14.1	15	17,130	15.3	45
Ontario	1,097	7.8	14	11.1	60	4,079	5.1	10	4,075	1.2	5	12.5	44	1,756	17.4	39	16.2	45	2,617	13.3	26
Orange	5,888	7.0	5	7.5	20	24,351	7.2	40	24,256	3.5	43	8.7	3	11,878	17.6	43	12.0	3	17,839	20.1	56
Orleans	555	6.7	2	9.9	50	2,040	6.3	27	2,028	4.8	51	12.6	45	928	15.5	11	18.0	56	1,396	20.9	58
Oswego	1,949	7.5	12	9.2	40	6,914	8.2	56	6,895	1.9	24	11.3	25	3,030	20.7	61	15.5	32	4,875	12.7	22
Otsego	623	9.0	39	9.5	43	2,322	6.5	30	2,295	5.1	55	11.1	22	1,067	17.5	40	16.0	42	1,650	8.8	6
Putnam	674	8.6	26	6.8	13	2,954	4.2	2	2,944	2.4	31	10.8	16	1,507	16.2	22	16.1	44	2,235	9.5	7

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 6, 2018

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Queens	45,553	9.3	44	5.5	3	168,340	4.4	3	167,164	5.0	54	9.6	8	78,172	15.0	6	13.1	9	118,781	12.1	18
Rensselaer	2,149	8.7	33	9.5	44	7,740	5.7	17	7,660	5.3	56	11.8	32	3,503	14.4	3	13.8	13	5,601	15.4	46
Richmond	5,388	9.7	47	6.5	10	18,012	4.7	5	17,862	5.7	59	11.3	26	7,838	15.7	15	16.8	51	12,088	13.2	24
Rockland	7,461	6.5	1	7.7	21	32,686	7.2	39	32,617	3.6	44	7.7	1	16,356	16.3	23	10.4	1	23,843	13.4	27
Saratoga	1,380	9.1	42	10.1	53	4,925	6.5	29	4,898	3.7	45	12.3	42	2,122	18.3	50	15.7	34	3,439	11.9	17
Schenectady	2,308	11.1	62	6.9	14	7,995	10.1	62	7,811	3.0	39	15.4	60	3,448	16.2	20	15.2	28	5,535	21.3	60
Schoharie	336	9.8	53	11.0	57	1,352	7.1	37	1,345	2.3	29	11.9	35	653	13.8	1	15.2	25	1,006	21.6	61
Schuyler	220	9.1	41	11.4	62	883	8.4	58	881	0.8	2	12.9	47	416	18.8	56	17.1	54	655	8.4	3
Seneca	406	8.1	18	10.1	52	1,447	7.5	47	1,443	1.3	8	13.3	52	639	22.7	62	14.9	24	952	11.7	16
St. Lawrence	1,050	7.7	13	8.7	33	4,067	6.7	33	4,064	1.7	18	11.5	30	1,816	16.9	31	16.2	46	2,930	10.1	10
Steuben	1,323	7.5	11	9.1	38	4,785	8.0	51	4,780	1.4	12	11.4	29	2,087	17.8	45	15.2	26	3,292	11.5	15
Suffolk	16,288	8.6	27	6.1	7	50,718	5.1	11	50,361	5.0	53	13.5	55	20,314	17.6	42	20.5	62	32,662	15.2	43
Sullivan	1,300	8.8	34	8.3	27	4,999	7.6	48	4,976	1.9	22	12.0	38	2,339	18.6	54	16.0	40	3,622	14.8	40
Tioga	707	8.6	28	11.0	58	2,780	7.4	45	2,770	1.6	15	12.1	40	1,296	16.1	19	16.4	47	1,969	19.3	54
Tompkins	961	9.7	48	8.6	32	3,512	6.2	25	3,500	2.1	26	10.5	15	1,557	15.4	10	14.5	20	2,508	14.3	35
Ulster	1,468	8.2	20	8.2	24	4,506	6.1	22	4,463	4.1	47	10.4	12	1,769	17.1	34	16.1	43	2,920	18.3	52
Warren	719	10.6	58	10.8	56	2,682	8.0	52	2,671	1.9	23	13.3	54	1,183	17.6	41	15.4	31	1,924	4.7	1
Washington	942	8.2	19	10.0	51	3,768	7.9	50	3,745	1.0	3	14.2	58	1,789	18.4	51	17.9	55	2,728	11.0	12
Wayne	1,153	8.8	36	10.5	55	4,128	5.8	19	4,122	1.3	7	12.3	43	1,843	18.5	53	16.0	41	2,648	13.5	29
Westchester	11,650	8.8	35	6.2	9	46,262	4.7	6	46,077	2.4	30	12.0	37	23,035	17.8	44	15.7	35	34,052	16.7	49

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: June 6, 2018

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (5)					Stature (6,7)			Weight & Height (6,7)				BMI (2-4 Years) (7)				Hb/Hct (8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Wyoming	335	8.7	30	10.1	54	1,281	8.4	57	1,277	0.5	1	13.3	53	598	16.4	25	14.2	18	938	8.6	5
Yates	186	7.0	4	9.1	39	654	6.6	31	652	1.5	14	12.1	39	283	15.5	12	16.6	50	400	14.5	38
Total	330,124	9.3	.	6.4	.	1,225,395	5.4	.	1,217,506	4.5	.	10.5	.	567,948	15.6	.	13.8	.	862,179	14.7	.

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and Obese is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Albany	3,671	78.6	19	1,414	29.1	18	2,644	16.9	21	780	19.9	25	1,329	10.2	26	5,622	75.1	60	13,114	2.3	25
Allegany	666	73.1	40	266	21.4	45	486	13.0	42	164	20.1	23	261	7.7	43	1,179	88.2	17	2,552	5.6	58
Bronx	44,009	89.6	5	17,038	41.0	8	33,325	20.8	10	8,765	6.7	54	16,571	4.0	58	79,754	81.4	47	165,925	1.5	14
Broome	3,005	76.1	27	1,180	24.7	30	2,164	15.2	28	655	19.5	27	1,137	7.2	47	4,690	82.0	42	10,905	3.6	48
Cattaraugus	1,200	72.8	42	476	22.7	39	931	13.0	40	254	24.4	11	465	11.6	16	2,044	82.6	40	4,469	5.9	59
Cayuga	988	73.4	38	387	20.7	49	711	13.1	39	208	21.2	17	378	12.4	10	1,573	87.6	20	3,553	3.5	47
Chautauqua	2,421	65.4	60	1,010	18.4	58	1,863	11.5	54	526	18.1	32	950	11.8	14	4,033	84.8	32	8,974	7.9	62
Chemung	1,527	70.2	51	646	21.7	44	1,182	12.6	48	358	16.2	41	633	9.8	30	2,539	82.5	41	5,676	4.4	55
Chenango	1,036	77.5	23	448	19.4	56	728	11.4	55	244	16.8	38	445	10.8	21	1,873	94.3	5	4,121	6.0	60
Clinton	1,113	79.4	16	472	28.8	19	886	17.9	15	238	24.8	10	460	12.8	8	1,950	86.9	25	4,188	2.8	34
Columbia	700	76.6	26	265	25.7	27	485	15.7	25	131	22.9	13	261	8.0	41	1,154	79.1	55	2,596	2.0	23
Cortland	842	74.3	36	355	22.8	38	630	14.0	33	180	21.7	16	346	6.9	50	1,328	91.5	7	3,036	2.7	33
Delaware	536	76.9	24	225	23.1	37	382	15.2	29	111	25.2	7	204	9.8	28	1,041	81.8	45	2,155	3.6	49
Dutchess	2,449	82.1	12	891	34.6	12	1,778	22.4	9	537	21.0	19	850	10.6	23	3,780	79.3	54	8,568	2.4	29
Erie	13,627	68.8	57	5,089	20.1	53	10,031	12.4	49	2,637	15.3	44	4,730	7.7	42	22,000	83.3	38	48,604	2.4	28
Essex	461	81.1	14	190	27.9	21	356	16.9	22	91	.	.	181	12.7	9	931	88.4	16	1,891	1.6	17
Franklin	806	70.0	52	306	22.2	41	589	12.7	47	165	24.8	9	290	13.8	5	1,299	83.1	39	2,903	3.9	52
Fulton	868	60.9	62	348	15.5	61	575	9.0	62	195	14.9	46	346	3.8	59	1,103	75.1	59	2,777	4.6	56
Genesee	1,358	73.2	39	522	28.0	20	987	17.0	20	320	27.2	6	514	11.9	13	2,230	93.2	6	4,959	1.8	19
Greene	481	74.8	33	176	23.3	34	323	12.4	50	93	.	.	169	9.5	32	791	81.0	48	1,754	3.3	43

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Number	%	Rk	Number	%	Rk
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk						
Hamilton	224	72.3	46	101	33.7	14	158	16.5	24	59	.	.	99	.	.	376	87.0	24	857	3.4	45
Herkimer	941	73.0	41	407	21.1	47	725	13.8	35	231	17.7	34	399	8.8	34	1,730	85.0	30	3,700	1.7	18
Jefferson	3,174	77.9	22	1,333	27.7	22	2,006	18.1	14	901	29.3	4	1,326	12.2	11	4,442	76.8	57	10,985	1.4	11
Kings	68,841	89.5	6	26,766	57.6	2	50,280	33.9	2	14,697	15.9	43	26,120	11.1	20	128,005	90.3	10	264,871	1.1	9
Lewis	586	69.8	53	234	20.1	52	391	11.8	53	146	22.6	15	234	8.5	37	978	89.5	13	2,195	2.8	37
Livingston	679	76.0	28	283	24.0	31	510	15.3	26	156	19.2	30	280	11.8	15	1,109	90.2	11	2,498	2.1	24
Madison	3,288	69.6	55	1,308	23.4	33	2,453	12.8	44	674	15.3	45	1,262	6.6	53	6,063	80.8	50	12,697	2.9	39
Monroe	9,875	75.8	30	3,754	23.2	35	6,979	13.5	38	2,247	17.7	36	3,581	9.8	29	15,459	87.8	18	35,003	1.4	12
Montgomery	894	70.9	50	286	18.2	60	573	9.8	61	160	20.0	24	284	8.1	40	1,208	68.0	62	2,955	2.8	36
Nassau	10,519	84.5	10	3,520	37.3	10	7,017	17.4	19	1,874	7.5	53	3,446	2.5	60	14,113	87.6	21	33,607	0.5	3
New York	24,506	88.5	7	9,298	39.9	9	18,471	23.7	8	4,822	11.3	49	9,025	7.3	46	44,697	85.7	28	92,812	1.4	13
Niagara	3,130	62.9	61	1,149	18.3	59	2,171	10.3	58	636	19.3	28	1,097	8.4	39	4,540	87.4	22	10,477	4.2	53
Oneida	1,163	68.9	56	333	22.5	40	801	13.7	36	198	20.7	20	323	10.2	27	1,800	84.1	34	4,227	2.9	40
Onondaga	7,140	72.5	44	2,636	22.1	42	4,965	13.7	37	1,411	17.3	37	2,576	6.9	51	10,712	84.7	33	24,443	2.6	32
Ontario	1,106	78.6	20	433	25.6	28	867	14.6	30	238	22.7	14	425	11.3	19	1,715	80.3	51	4,052	2.4	30
Orange	5,889	84.6	9	2,449	50.5	3	4,293	33.4	3	1,414	19.1	31	2,303	11.5	18	11,717	88.7	15	24,263	1.9	20
Orleans	558	69.7	54	243	19.8	54	411	12.9	43	134	29.1	5	240	12.1	12	922	83.8	36	2,041	3.7	50
Oswego	1,961	66.8	59	750	19.2	57	1,297	12.0	52	471	17.8	33	743	8.6	35	2,983	72.9	61	6,895	6.4	61
Otsego	627	75.6	31	238	23.5	32	464	14.2	32	142	29.6	3	233	10.7	22	1,062	81.9	44	2,328	2.5	31
Putnam	682	86.4	8	319	41.1	7	601	27.8	6	176	10.8	50	308	7.1	49	1,500	94.7	4	2,955	0.4	2

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV Viewing Time (8)			Smoking in Household		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Queens	45,673	89.9	4	17,582	46.0	5	34,178	27.8	5	9,160	9.6	51	17,128	6.4	55	79,778	90.4	9	168,586	0.8	5
Rensselaer	2,165	71.3	49	833	21.1	48	1,528	12.8	46	461	16.1	42	800	6.8	52	3,458	80.9	49	7,740	2.8	35
Richmond	5,408	81.5	13	1,784	35.4	11	3,501	20.6	11	954	13.1	48	1,747	7.6	44	8,051	76.5	58	18,035	1.5	16
Rockland	7,478	95.3	1	3,136	72.0	1	6,139	53.7	1	1,827	45.6	2	3,068	37.3	1	16,614	98.0	1	32,676	0.1	1
Saratoga	1,381	75.9	29	572	26.6	25	1,027	15.3	27	338	19.2	29	557	7.4	45	2,093	95.8	3	4,920	1.2	10
Schenectady	2,331	71.5	48	844	19.5	55	1,605	10.2	59	484	16.5	40	828	6.3	56	3,427	79.1	56	8,040	1.9	21
Schoharie	337	74.8	34	164	32.3	15	275	20.4	12	82	.	.	152	23.0	3	643	89.0	14	1,350	3.1	41
Schuyler	223	78.5	21	105	21.9	43	180	12.8	45	53	.	.	103	9.7	31	403	87.1	23	883	1.9	22
Seneca	406	72.4	45	156	21.2	46	293	10.9	57	86	.	.	153	10.5	24	633	86.4	26	1,447	3.9	51
St. Lawrence	1,056	67.1	58	426	26.1	26	706	13.9	34	237	20.7	21	424	11.6	17	1,796	84.1	35	4,065	2.3	26
Steuben	1,330	74.5	35	481	24.9	29	955	16.8	23	286	25.2	8	466	13.3	7	2,050	84.9	31	4,765	2.9	38
Suffolk	16,307	82.1	11	5,383	34.4	13	10,672	17.9	16	2,872	8.8	52	5,130	5.1	57	20,247	85.7	27	50,669	0.9	7
Sullivan	1,306	78.9	18	514	29.6	17	948	20.4	13	306	20.6	22	497	15.9	4	2,287	81.9	43	4,979	2.3	27
Tioga	712	79.6	15	307	26.7	24	556	14.6	31	161	21.1	18	301	10.3	25	1,288	79.5	53	2,775	3.5	46
Tompkins	964	90.4	3	373	44.2	6	705	30.5	4	212	45.8	1	364	23.4	2	1,507	91.1	8	3,495	0.9	8
Ulster	1,475	74.9	32	481	27.2	23	922	17.5	17	287	24.4	12	476	8.6	36	1,768	87.6	19	4,506	0.9	6
Warren	725	76.7	25	302	23.2	36	562	13.0	41	147	19.7	26	295	8.5	38	1,158	81.7	46	2,680	3.3	44
Washington	949	72.0	47	383	20.6	50	666	9.9	60	204	16.7	39	377	7.2	48	1,779	95.9	2	3,767	1.5	15
Wayne	1,158	72.5	43	451	20.4	51	828	12.2	51	260	17.7	35	446	6.5	54	1,810	85.0	29	4,114	4.4	54
Westchester	11,686	91.8	2	4,644	46.7	4	9,051	27.0	7	2,327	14.5	47	4,415	9.3	33	22,869	83.5	37	46,178	0.7	4

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: June 6, 2018

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3,4)

County	Breastfeeding (5,6)									Exclusive BF (5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (8)			Household		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Wyoming	336	79.2	17	124	29.8	16	252	17.5	18	77	.	.	124	13.7	6	586	90.1	12	1,282	3.3	42
Yates	188	73.4	37	68	.	.	125	11.2	56	42	.	.	64	.	.	272	80.1	52	655	4.9	57
Total	331,141	84.4	.	126,657	41.0	.	242,163	24.0	.	68,302	14.9	.	122,739	8.8	.	570,562	86.6	.	1,224,188	1.5	.

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.